



An earthquake catalogue for central, northern and northwestern Europe based on M_w magnitudes / Annex. STR 03/02

Scientific Technical Report

ISSN 1610-0956

Table 8. **Earthquake catalogue for central, northern and northwestern Europe**

based on M_w magnitudes, resulting from the compilation and revision of data in local catalogues and special studies.

Time period 1300-1993; area 44°N-72°N, 25°W-32°E; focal depth is given in km; $M_w \geq 3.50$. „im” denotes intermediate depth events in the Vrancea region for which no exact depth is calculated.

Indices at original magnitudes: w for M_w or M_0 , L for M_L , S for M_S , b for m_b , c for M_c .

year	mo	day	h	min	lat	lon	depth	int	M_{orig}	ref	M_w	year	mo	day	h	min	lat	lon	depth	int	M_{orig}	ref	M_w
1300					44.00	14.00		9	6.0L	ZivC	5.7	1349					50.83	6.33		7		Ley	4.7
1301					47.55	9.68		6		SED	4.2	1350					46.50	7.50		6		SED	4.2
1301	6	11			46.08	13.45		6	4.4S	NT4.1	5.0	1356	10	18	21		47.47	7.60		9		SED	6.6
1303	3	22	23		45.05	9.70		5.5	4.2S	NT4.1	4.9	1357	5	14	7	30	48.17	7.50		7		Ley	4.7
1303	10	23			45.52	11.55		7	5.0S	NT4.1	5.3	1358					46.87	9.53		6		SED	4.2
1304	8	8			44.00	14.00		7	5.0L	ZivC	4.6	1363	7	3			47.80	7.10		6		SED	4.2
1308	1	25	16		44.07	12.57		8	5.5S	NT4.1	5.5	1364	5	11			47.80	7.10		5.5		SED	3.8
1311					44.87	7.32		6	4.4S	NT4.1	5.0	1364	8				46.08	13.45		6	4.4S	NT4.1	5.0
1322	10	31			46.20	6.15		6		SED	4.2	1365	3	4			45.50	12.00		6	4.4S	NT4.1	5.0
1323					45.20	14.70		9	6.0L	ZivC	5.7	1365	4	7	18		44.50	11.25		7.5	5.2S	NT4.1	5.5
1323	2	25			44.50	11.33		6.5	4.7S	NT4.1	5.2	1365	9	21			45.43	10.98		5.5	4.2S	NT4.1	4.9
1326					50.80	12.20		6.5		Gru	4.3	1366	5	24			51.12	10.33		5.5		GruRA	3.6
1327					45.70	26.60	150	8	7.3w	Onc	7.3	1369	2	1			44.91	8.61		6.5	4.7S	NT4.1	5.2
1332	2	12			50.80	12.20		5.5		Gru	3.6	1372	6	1			47.47	7.60		7		SED	5.0
1334	12	4	23		45.42	10.95		7.5	5.2S	NT4.1	5.5	1372	9	8			47.47	7.60		5.5		SED	3.8
1342					47.00	19.00		7	5.0L	Zsi	4.6	1373	3	1			45.42	12.33		6	4.4S	NT4.1	5.0
1345	1	31			44.80	10.55		5.5	4.2S	NT4.1	4.9	1375					46.90	8.40		8		SED	5.8
1346	2	22	11		44.82	11.62		7.5	5.2S	NT4.1	5.5	1378	6	1			47.00	9.00		6		SED	4.2
1346	11	24	23		47.47	7.62		8		SED	5.8	1382	4	20			46.00	7.00		6		SED	4.2
1348	1	25	17		46.50	13.45		10	6.8S	HL97	6.4	1382	5	21	15		51.10	1.60		8	5.8L	Mus	5.5

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1382	5	24	4		51.10	1.60			4.0L	Mus	3.6	1409	11	15	11	15	44.80	10.28		7	5.0S	NT4.1	5.3
1383	7	24	20		44.82	10.30		5.5	4.2S	NT4.1	4.9	1410					47.00	19.00		8	5.6L	Zsi	5.2
1383	8	4			44.22	12.03		7.5	5.2S	NT4.1	5.5	1410	5	9	22	30	44.83	11.62		6.5	4.7S	NT4.1	5.2
1384	12	24			47.75	7.08		6		SED	4.2	1410	6	10	21		45.44	10.99		5.5	4.2S	NT4.1	4.9
1385					50.90	5.70		6.5		Hou	5.1	1411	7	1	6		46.13	12.22		5.5	4.2S	NT4.1	4.9
1386					44.20	17.70		9	6.0L	ZivC	5.7	1415	6	21			47.45	7.58		6		SED	4.2
1387	3	5			44.10	15.20		7	5.0L	ZivC	4.6	1416	7	21			47.50	7.60		6		Ley	4.0
1389	8	20	11		46.42	13.25		8	5.5S	NT4.1	5.5	1424	10	20	22		44.17	11.92		6	4.4S	NT4.1	5.0
1390	12	5			44.10	15.20		7	5.0L	ZivC	4.6	1425	8	10	19		44.83	11.67		6	4.4S	NT4.1	5.0
1391	3	23			47.67	7.30		7		SED	5.0	1428	7	3	5		44.15	12.00		8	5.5S	NT4.1	5.5
1392	1	28	0	30	46.13	12.22		6	4.4S	NT4.1	5.0	1428	12	13			47.53	7.60		7		SED	5.0
1393	6	11			50.90	5.70		6.5		Hou	5.1	1433	5	4			44.50	11.33		6.5	4.7S	NT4.1	5.2
1393	6	15			44.00	11.92		7	5.0S	NT4.1	5.3	1438	6	10	2		44.82	10.15		8	5.5S	NT4.1	5.5
1394	3	22			46.30	7.97		8		SED	5.8	1443	6	5	8		48.71	18.94	26	8	5.9S	Lab	5.9
1396	12	26			45.65	9.67		7	5.0S	NT4.1	5.3	1444	8	4			46.25	20.15		8	5.6L	Zsi	5.2
1399	7	20	23		44.45	11.08		7	5.0S	NT4.1	5.3	1444	11	30	4		47.80	7.10		6		SED	4.2
1400					47.67	9.17		6		SED	4.2	1445	3	21	13	30	45.43	10.95		5.5	4.2S	NT4.1	4.9
1401	6	29	9		46.13	12.20		6	4.4S	NT4.1	5.0	1446	10	10	4		45.70	26.60	150	8.5	7.5w	Onc	7.5
1402					45.42	10.95		6	4.4S	NT4.1	5.0	1449					45.00	7.25		6	4.4S	NT4.1	5.0
1403	1	17			45.44	10.99		6.5	4.7S	NT4.1	5.2	1449	4	23	3	30	51.00	3.30		7	5.3L	Mus	4.9
1403	9	6			46.10	13.43		7.5	5.2S	NT4.1	5.5	1450					45.88	3.12		7		LLA	4.7
1404	2	1	21		46.17	12.17		7	5.0S	NT4.1	5.3	1455	2	3			46.10	12.90		7.5	5.2S	NT4.1	5.5
1406	5	28	21	30	46.13	12.20		5.5	4.2S	NT4.1	4.9	1455	2	6			44.40	11.25		7.5	5.2S	NT4.1	5.5
1408					44.50	11.33		5.5	4.2S	NT4.1	4.9	1455	12	20	20	30	44.50	11.32		7	5.0S	NT4.1	5.3
1409	8	24			52.10	11.40		6		GM95	4.0	1465	4	6	21	30	45.42	10.95		5.5	4.2S	NT4.1	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1465	4	15	20		44.70	10.62		6.5	4.7S	NT4.1	5.2	1498	9	3	14		46.50	7.43	6.5	SED		4.6	
1470	4	11			44.17	11.03		7	5.0S	NT4.1	5.3	1500	4	30			47.17	8.75	5.5	SED		3.8	
1471					45.52	10.20		5.5	4.2S	NT4.1	4.9	1501	6	5	10		44.52	10.85	8.5	5.9S	NT4.1	5.8	
1471	8	29	10		45.70	26.60	110	9	7.5w	Onc	7.5	1502	3	26	13		45.90	16.00	8	5.5L	ZivC	5.1	
1472					44.07	12.57		7	5.0S	NT4.1	5.3	1502	5				44.40	7.50	6	4.4S	NT4.1	5.0	
1472	5	14	19		46.50	13.25		7	5.0S	NT4.1	5.3	1502	9	23			44.50	7.50	7	5.0S	NT4.1	5.3	
1473	2	2			44.07	12.57		6	4.4S	NT4.1	5.0	1504	2	29			46.78	10.20	8	SED		5.8	
1473	8	29			45.70	26.60	150	8.5	7.3w	Onc	7.3	1504	8	23	23		50.80	6.10	7		Alx94	4.7	
1474	3	11	20	30	44.63	10.92		6	4.4S	NT4.1	5.0	1505					45.00	15.50	9	6.0L	ZivC	5.7	
1475	8	25			49.63	8.35		6		GFV99	4.0	1505	1	3	2		44.49	11.20	7	5.0S	NT4.1	5.3	
1477	6	29	7		45.83	3.10		7.5		LLA	4.9	1505	5	15			44.48	11.33	5.5	4.2S	NT4.1	4.9	
1478	2	24			47.75	10.33		5.5		Ley	3.6	1507					45.00	7.25	6	4.4S	NT4.1	5.0	
1479	10	10	22		44.22	12.05		6	4.4S	NT4.1	5.0	1508					46.65	9.80	6	SED		4.2	
1481	5	7			44.28	10.12		8.5	5.9S	NT4.1	5.8	1508	1				46.00	14.50	7		ZivS	4.4	
1483	3	3	22		44.82	11.65		5.5	4.2S	NT4.1	4.9	1508	10	18	15		44.83	11.67	6	4.4S	NT4.1	5.0	
1483	8	11			44.15	12.17		7.5	5.2S	NT4.1	5.5	1509	4	19			44.28	11.87	7	5.0S	NT4.1	5.3	
1485	9	1			45.40	11.88		5.5	4.2S	NT4.1	4.9	1509	9	14	19		47.42	9.42	6	SED		4.2	
1487	12				45.40	11.85		6.5	4.7S	NT4.1	5.2	1511	3	26	14		46.10	14.00	15	10	ZivS	6.3	
1490	3	1	10		45.83	2.97		8		LLA	5.1	1511	3	28			46.00	14.00	6		ZivS	4.0	
1491	1	25			45.42	10.98		7.5	5.2S	NT4.1	5.5	1511	6	26	21		46.00	14.00	8		ZivS	4.9	
1492	11	7			47.50	7.65		6		SED	4.2	1511	8	8			46.10	13.50	9		ZivS	5.5	
1493	8	24			46.27	13.13		6	4.4S	NT4.1	5.0	1512	2	8			46.30	9.37	6	4.4S	NT4.1	5.0	
1497	1	20	23		59.50	15.00	16	7		FEN	4.5	1512	2	8	16		45.43	12.33	5.5	4.2S	NT4.1	4.9	
1497	5	14	23		47.57	-0.40	15	7		LLA	4.9	1513	9	28			46.35	9.13	6	SED		4.2	
1498	3	31			46.50	7.43		5.5		SED	3.8	1514	7	12	21	30	46.28	13.15	7	5.0S	NT4.1	5.3	

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1516	3	9			45.47	12.33		6	4.4S	NT4.1	5.0	1537	3	1			47.52	7.43		6		SED	4.2
1516	11	24	12		45.70	26.60	150	9	7.5w	Onc	7.5	1537	11				44.30	8.48		6	4.4S	NT4.1	5.0
1516	12	20	5	30	46.28	13.15		6	4.4S	NT4.1	5.0	1538	1	28			47.57	7.65		5.5		SED	3.8
1517	2	6			46.00	25.20		7	5.3w	Onc	5.3	1540					57.70	18.70	5	7		FEN	4.2
1517	4	4	16		48.67	9.00		6		Ley	4.0	1540	6	26	19		51.10	12.90		6.5		Gru	4.3
1521					44.79	20.45		7	5.0L	Zsi	4.6	1540	9	1			45.53	10.22		6	4.4S	NT4.1	5.0
1521	1	26	10	30	45.55	10.22		6	4.4S	NT4.1	5.0	1541	1	6			46.62	8.57		7		SED	5.0
1522	7	7	0		46.00	13.25		6	4.4S	NT4.1	5.0	1541	10	22	18		44.75	8.85		8	5.5S	NT4.1	5.5
1522	10	5	8		45.13	10.02		5.5	4.2S	NT4.1	4.9	1542	6	13	2	15	44.00	11.40		9	6.2S	NT4.1	6.0
1523	5	19	2		46.78	6.63		6		SED	4.2	1542	11	8			47.83	10.00		6		Ley	4.0
1523	6	9			45.70	26.60	130	7	6.5w	Onc	6.5	1543					45.70	26.60	150	8	7.1w	Onc	7.1
1523	6	27			46.27	13.13		7	5.0S	NT4.1	5.3	1545	6	9	15		44.47	9.78		7.5	5.2S	NT4.1	5.5
1523	11	19			46.20	24.40		8	5.9w	Onc	5.9	1545	7	19	8		45.70	26.60	110	8	7.1w	Onc	7.1
1525	2	19	21		46.27	13.13		6	4.4S	NT4.1	5.0	1547	2	10	19	30	44.70	10.62		8	5.5S	NT4.1	5.5
1528	6	14			46.10	18.25		6	4.4L	Zsi	4.0	1547	7	31			44.30	8.48		5.5	4.2S	NT4.1	4.9
1529	4	14			46.02	13.25		5.5	4.2S	NT4.1	4.9	1549	5	3			44.30	8.48		6.5	4.7S	NT4.1	5.2
1529	9	11	18		47.53	7.57		5.5		SED	3.8	1549	5	14			44.67	8.00		6	4.4S	NT4.1	5.0
1531	1	26			47.55	7.60		8		SED	5.8	1549	8	25	21		48.73	19.16		5	3.6S	Lab	3.6
1531	7	12			51.30	6.20		7		Hou	5.5	1550	2	28	16		44.38	7.53		6.5	4.7S	NT4.1	5.2
1531	10	10	20		47.03	9.07		6		SED	4.2	1550	10	26	1		45.80	24.20		9	6.5w	Onc	6.5
1533	10	22			47.37	8.53		5.5		SED	3.8	1552	2	9	2		47.82	7.10		6		SED	4.2
1533	11	17			47.48	9.33		6		SED	4.2	1552	3	6			50.58	13.08		6		Gru	4.0
1533	11	26			47.38	9.63		6		SED	4.2	1552	4	20	9		50.57	12.66		5.5		Gru	3.6
1534	10	2			47.52	8.30		6		SED	4.2	1552	8	21	2		45.70	26.60	130	7	6.5w	Onc	6.5
1534	10	6	4	30	46.67	9.50		6		SED	4.2	1553	8	17	19	30	51.10	12.90		6.5		GF98	4.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1554	3	22			51.10	5.80		7		ORB	4.8	1574	5	3			46.20	6.20		7		SED	5.0
1557	4	28			47.43	8.62		5.5		SED	3.8	1574	8	14			45.40	14.10		8	5.3L	ZivC	4.9
1559	1	15	19		48.60	7.80		6		Ley	4.0	1575	2	26	17		53.20	-1.60		7	5.0L	Mus	4.6
1561	2	12			47.53	19.01		8	5.6L	Zsi	5.2	1575	11	17			46.08	14.50		7		ZivS	4.4
1561	11	24			44.83	11.60		7	5.0S	NT4.1	5.3	1576	9	26	6		45.67	9.67		6	4.4S	NT4.1	5.0
1562	2	10			50.50	16.70		6		Pag	4.0	1577	2	2	2		46.77	7.57		6		SED	4.2
1563	3	22			51.30	5.70		6		Hou	4.7	1577	9	22			47.53	7.62		6		SED	4.2
1564	7	20			44.00	7.32		8		LLA	5.1	1578	4	1			45.70	26.60	130	7	6.5w	Onc	6.5
1565	2	8	0		50.05	7.25		6		GF99	4.0	1578	4	27	11		50.88	12.23		6.5		Gru	4.3
1568	7	26			51.12	13.05		5.5		Gru	3.6	1578	9	28			47.40	8.50		6		SED	4.2
1568	11	8			44.17	5.13		5		LLA	3.8	1580	4	6	18		51.00	1.66		8	5.8L	Mus	5.5
1569	8	6			47.43	7.60		7		SED	5.0	1580	5	1			51.00	1.66			4.3L	Mus	3.9
1569	8	17	5		45.40	24.50		8	6.4w	Onc	6.4	1581	3	10			51.60	5.90		6		Hou	4.7
1570	11	17			44.82	11.65		8	5.5S	NT4.1	5.5	1584	3	1			44.50	7.25		6.5	4.7S	NT4.1	5.2
1571	4	10	7		45.50	24.60		8	6.5w	Onc	6.5	1584	3	10			46.33	6.93		7		SED	5.0
1571	5	10			45.70	26.60	150	8	7.1w	Onc	7.1	1584	5	4			46.35	6.97		6		SED	4.2
1571	11	1			47.27	11.39	6	7	4.5S	ZAMG	4.5	1586					48.37	17.56		7	4.6S	Lab	4.6
1572	1	4	18	45	47.27	11.39	6	8	5.2S	ZAMG	5.2	1586	1	12	12		44.58	11.00		6	4.4S	NT4.1	5.0
1572	2	9	7		47.52	7.53		6		SED	4.2	1588	3	25	10		47.40	-0.55	15	6.5		LLA	4.7
1572	6	4	22		44.80	10.32		7	5.0S	NT4.1	5.3	1588	6	11			47.75	8.83		7		Ley	4.7
1573	6	30			46.87	9.53		6		SED	4.2	1590	4	22	12	30	46.08	14.50		7		ZivS	4.4
1573	7	8	18		46.75	9.67		6		SED	4.2	1590	4	30			45.70	26.60	100	8.5	7.3w	Onc	7.3
1573	12	20			47.03	9.02		6		SED	4.2	1590	6	29			47.96	16.40	7	6	3.9S	ZAMG	3.9
1574					48.50	7.90		7		Ley	4.7	1590	8	10	20		45.40	24.40		8.5	6.5w	Onc	6.5
1574	3	17	3	40	44.82	11.30		7	5.0S	NT4.1	5.3	1590	9	15	17		48.20	15.91	4	8	4.7S	ZAMG	4.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1590	9	15	18		48.20	16.05		6.5	4.2S	Gdt87	4.2	1602	10	7			59.50	24.70		6		Bob	3.6
1590	9	15	23	50	48.20	15.91	4	9	5.3S	ZAMG	5.3	1603	5	5			46.80	23.60		6	4.7w	Onc	4.7
1591	4	24	12		46.20	-1.37		5.5		LLA	4.0	1604	5	3	2		45.70	26.60	130	7.5	6.8w	Onc	6.8
1591	5	24			44.70	10.63		6	4.4S	NT4.1	5.0	1605	12	24	15		45.70	26.60	150	8	7.1w	Onc	7.1
1591	7	10			44.25	11.97		6.5	4.7S	NT4.1	5.2	1606	1	13	1		45.70	26.60	120	7.5	6.8w	Onc	6.8
1593	3	8			45.68	9.68		6.5	4.7S	NT4.1	5.2	1606	8	22			45.67	9.67		6.5	4.7S	NT4.1	5.2
1593	4	8	21		47.47	-0.55	15	6		LLA	4.5	1607					59.70	24.70		6		Bob	3.6
1593	10	10			47.03	9.05		6		SED	4.2	1607	4	2			46.78	6.63		6		SED	4.2
1593	11	5			47.00	6.78		5.5		SED	3.8	1607	11	27	18		49.06	18.29		6	4.1S	Lab	4.1
1594	3	20			47.03	9.05		6		SED	4.2	1608	1	6			44.68	10.62		6	4.4S	NT4.1	5.0
1594	11	11			47.03	9.05		6		SED	4.2	1608	11	8	21		56.39	-3.98		6	4.6L	Mus	4.2
1595	4	21	10		45.70	26.60	150	8	7.1w	Onc	7.1	1609	1	16	2		47.43	-0.57		6		LLA	4.2
1595	7	12			47.28	11.51	6	6	3.9S	ZAMG	3.9	1610	11	29			47.47	7.55		7.5		SED	5.3
1597	7	23	8	30	57.06	-4.97			4.6L	Mus	4.2	1611	1	15			44.75	7.25		5.5	4.2S	NT4.1	4.9
1597	8	3			44.00	11.35		7.5	5.2S	NT4.1	5.5	1611	9	8			44.00	11.35		7.5	5.2S	NT4.1	5.5
1598	11	22	2		45.70	26.60	120	7	6.5w	Onc	6.5	1612	1	31			44.00	7.00		6.5	4.7S	NT4.1	5.2
1598	12	16	7		50.87	12.18		6.5		Gru	4.3	1612	11	7			52.00	8.65		6.5		VG94	4.3
1598	12	28			45.70	26.60	100	5.5	5.7w	Onc	5.7	1613	11	16	11		49.25	18.75		8	5.2S	Lab	5.2
1599	3	4			45.70	26.60	100	6.5	6.1w	Onc	6.1	1614	2	28			47.52	7.62		6		SED	4.2
1599	5	29	2		45.70	26.60	100	6	5.9w	Onc	5.9	1614	3	2			44.10	15.20		7	5.0L	ZivC	4.6
1599	10	1	8	30	47.76	18.14		7	4.6S	Lab	4.6	1614	9	25			47.43	7.58		5.5		SED	3.8
1599	10	23			46.80	9.40		6		SED	4.2	1615	1	5			47.98	18.18		6	4.1S	Lab	4.1
1600					44.12	11.55		7.5	5.2S	NT4.1	5.5	1616	2	29			46.83	8.40		8		SED	5.8
1600	9	21	19		49.23	18.76		5	3.6S	Lab	3.6	1616	6	30	5	30	56.40	24.20		6		FEN	3.6
1601	9	8	1		46.83	8.50		8.5		SED	6.2	1616	12	18	18		51.20	12.25		5.5		FG96	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1619	1	19	6		50.20	8.40		6.5		Ley	4.3	1640	4	4	3	15	50.75	6.50		7.5		Ley	5.1
1620	1	29			46.60	7.65		6		SED	4.2	1641	1	13	6		46.08	14.50		6		ZivS	4.0
1620	2	20	0		50.17	7.67		6		Ley	4.0	1642	6	13	22		45.70	9.70		6.5	4.7S	NT4.1	5.2
1620	11	8	13		45.70	26.60	150	9	7.5w	Onc	7.5	1642	11	28	23		50.00	8.38		5.5		Ley	3.6
1621					46.17	14.50		7		ZivS	4.4	1643	6	5	11		49.23	20.37		6	4.1S	Lab	4.1
1621	5	21	16		47.22	7.30		7		SED	5.0	1643	7	9			46.00	15.00		6		ZivS	4.0
1622	5	5	11		46.08	14.50		7.5		ZivS	4.7	1645					45.60	15.40		8	5.4L	ZivC	5.0
1622	7	25			46.78	10.25		6		SED	4.2	1648					45.00	14.90		8	5.4L	ZivC	5.0
1622	8	3			46.80	10.25		7		SED	5.0	1650	1	8			47.20	9.47		6		SED	4.2
1623	2	20			46.30	9.77		6	4.4S	NT4.1	5.0	1650	4	11	17		54.98	-2.78		7	4.9L	Mus	4.5
1623	7	15			46.60	23.80		5	4.1w	Onc	4.1	1650	4	19			45.70	26.60	100	7	6.5w	Onc	6.5
1624	3	18	19	30	44.67	11.92		8	5.5S	NT4.1	5.5	1650	5	6			47.50	7.55		6		SED	4.2
1625					46.00	14.50		7		ZivS	4.4	1650	9	7			47.55	7.53		7		SED	5.0
1625	12	5			44.07	12.57		6	4.4S	NT4.1	5.0	1650	9	10	3		47.52	7.65		6.5		SED	4.6
1626	1	7	4		46.08	14.50		6		ZivS	4.0	1650	9	11	1	30	47.50	7.60		6.5		Ley	4.3
1626	6	22			64.50	27.00	18	6		FEN	3.7	1650	9	12			47.52	7.65		5.5		SED	3.8
1628	6	17	18		45.98	15.50	7	8		ZivS	4.7	1650	10	20	12		47.50	8.17		5.5		SED	3.8
1628	11	4	15	15	44.82	10.32		7	5.0S	NT4.1	5.3	1652	3	7			48.72	21.27		5	3.6S	Lab	3.6
1632	2	29	23		55.80	12.50		6		WG	3.6	1652	3	27			48.73	19.16		5	3.6S	Lab	3.6
1632	11	27	19		45.97	15.50	8	7		ZivS	4.3	1652	10	13			47.12	9.02		5.5		SED	3.8
1634	5	1	4	30	45.75	15.08		6		ZivS	4.0	1653	8	15			44.13	12.23		6.5	4.7S	NT4.1	5.2
1636	6				48.27	7.45		5		LLA	3.8	1655	3	25			44.07	11.85		6	4.4S	NT4.1	5.0
1637	2	1	1		45.70	26.60	130	8	7.1w	Onc	7.1	1655	3	29			48.50	9.07		7.5		Ley	5.1
1639	4	9	1		45.40	24.20		7	5.3w	Onc	5.3	1655	4	11			48.50	9.07		7		Ley	4.7
1640					45.92	15.50	2	9		ZivS	4.6	1656					49.01	20.72		5	3.6S	Lab	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1657	2	15	15		47.12	0.62		7.5		LLA	4.9	1672	4	14	15	15	44.08	12.67		8	5.5S	NT4.1	5.5
1657	5	4	10	45	59.00	10.50	28	6		FEN	3.8	1673	2	19			50.58	7.17		7		Ley	4.7
1660					44.63	10.92		5.5	4.2S	NT4.1	4.9	1674	12	6	8		47.08	9.07		6		SED	4.2
1660	11	30	8	30	48.37	17.56		6	4.4L	Lab	4.0	1676	3	26			48.72	21.27		7	4.6S	Lab	4.6
1661	1	9	21		47.03	9.07		6		SED	4.2	1677	12	13	6		47.42	9.37		5.5		SED	3.8
1661	3	11			45.70	9.85		7.5	5.2S	NT4.1	5.5	1679	8	9	1		45.70	26.60	110	9	7.5w	Onc	7.5
1661	3	22	12	45	44.03	11.90		9	6.2S	NT4.1	6.0	1680	4	30	11		44.65	8.75		7	5.0S	NT4.1	5.3
1662	8	9			49.13	20.44		5	3.6S	Lab	3.6	1681	1	18	4	30	50.20	8.40		6		Ley	4.0
1663	5	19	18		50.90	5.70		5		Hou	3.9	1681	1	27	21		47.12	9.15		6		SED	4.2
1663	9	10	21		46.92	9.17		6		SED	4.2	1681	8	19			45.70	26.60	150	8	7.1w	Onc	7.1
1666	2				45.70	26.60	150	6.5	6.1w	Onc	6.1	1681	10	16			45.70	26.60	140	5	5.4w	Onc	5.4
1666	4	14	18	58	44.50	11.33		6	4.4S	NT4.1	5.0	1681	10	18			45.70	26.60	130	5	5.4w	Onc	5.4
1666	9	1			47.58	9.33		6		Ley	4.0	1681	12	27	4	30	45.70	26.60	110	6	5.9w	Onc	5.9
1667	3	15			44.10	15.20		7	5.0L	ZivC	4.6	1682	5	12	2	30	47.97	6.52	20	8		LLA	5.6
1668	8	27			47.82	16.24	7	7	4.6S	ZAMG	4.6	1683	5	25			46.08	10.72		6.5	4.7S	NT4.1	5.2
1669	2	27			48.95	20.54		5	3.6S	Lab	3.6	1683	10	6	22	58	53.09	-1.63		5.5	4.7L	Mus	4.3
1669	9	1	3		46.08	14.53		6		ZivS	4.0	1684	2	26	19		46.37	8.08		7		SED	5.0
1669	10	10	0	45	48.60	7.80		7		Ley	4.7	1684	10	21	5	30	46.08	14.50	9	7		ZivS	4.4
1670	1	1	1		45.95	14.33	10	5.5		ZivS	3.7	1686					46.00	14.50		6		ZivS	4.0
1670	2	1	22		58.00	24.00	8	7		Nik	4.3	1687					44.33	11.75		6	4.4S	NT4.1	5.0
1670	2	8			58.00	24.00	8	6.5		Nik	3.9	1688	4	11	11	30	44.40	11.97		9	6.2S	NT4.1	6.0
1670	7	17	1	15	47.28	11.51	6	8	5.2S	ZAMG	5.2	1688	8	18			44.42	12.00		7	5.0S	NT4.1	5.3
1670	8	3			49.90	23.60	8	6		KSh	3.5	1689	3	15			44.42	12.00		6	4.4S	NT4.1	5.0
1671	6	20			44.65	10.80		7	5.0S	NT4.1	5.3	1689	5	10	3		45.97	14.85	5	8		ZivS	4.5
1672	1	12	10	30	47.23	9.47		5.5		SED	3.8	1689	12	22	1		47.27	11.39	6	8	5.2S	ZAMG	5.2

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1690	5	4			46.13	12.22		6	4.4S	NT4.1	5.0	1700					48.14	17.12		7	4.6S	Lab	4.6	
1690	8	27	20		51.83	-4.38			4.7L	Mus	4.3	1700	7	28			46.43	12.87		8.5	5.9S	NT4.1	5.8	
1690	10	7	7	15	53.10	-4.00		6	5.0L	Mus	4.6	1700	8	25			45.60	15.40		7.5	5.2L	ZivC	4.8	
1690	12	4	15	45	46.60	13.80		8.5	5.9S	NT4.1	5.8	1701	3	27	15		50.59	12.64		5.5		Gru	3.6	
1691	2	19			46.17	14.47	7	7.5		ZivS	4.5	1701	4	8	0	30	50.59	12.64		5.5		Gru	3.6	
1691	2	19	7		49.25	6.50		6		Ley	4.0	1701	6	12			45.70	26.60	150	8	7.1w	Onc	7.1	
1691	7	14			45.33	11.83		6	4.4S	NT4.1	5.0	1701	9	7			46.92	8.98		6		SED	4.2	
1691	11	27			46.00	15.50	7	6		ZivS	3.8	1702	12	9	4		46.93	9.02		6		SED	4.2	
1691	12				47.13	13.68	8	6.5	4.4S	ZAMG	4.4	1703	11	23	13		46.08	14.50		6		ZivS	4.0	
1692	5				46.35	12.80		7	5.0S	NT4.1	5.3	1703	12	28			44.77	7.50		7.5	5.2S	NT4.1	5.5	
1692	9	18	14	30	50.80	4.80		8		Vog84	5.6	1703	12	28	17	3	53.62	-0.11		5.5	4.2L	Mus	3.8	
1692	10	28	14		50.59	5.82		6		ORB	4.0	1704	3	11	15		46.73	0.32		6.5		LLA	4.4	
1693	1	9			46.75	6.58		6		SED	4.2	1705	11	17			47.58	8.53		5.5		SED	3.8	
1693	7	6	9	15	45.25	10.63		7	5.0S	NT4.1	5.3	1706	3	28			47.27	11.39	6	6	3.9S	ZAMG	3.9	
1695	2	25	5	30	45.88	11.91		9.5	6.4S	NT4.1	6.2	1706	4	20	9		64.00	-21.20				6.0L	IMO	6.2
1695	2	28			44.83	11.62		5.5	4.2S	NT4.1	4.9	1706	9	7	2		47.32	0.40		7		LLA	4.7	
1695	3	27			45.75	9.42		5	3.9S	NT4.1	4.7	1706	12	2			47.28	11.51	6	6.5	4.2S	ZAMG	4.2	
1695	4	18			50.97	11.91		5.5		Gru	3.6	1711	2	9	3	30	47.45	7.62		6.5		SED	4.6	
1695	6	29			46.00	15.48	8	6.5		ZivS	4.0	1711	10	6	19		46.93	0.05	15	7.5		LLA	5.2	
1695	9	1			46.88	9.67		6		SED	4.2	1711	10	11			45.70	26.60	120	7	6.5w	Onc	6.5	
1697	3	2	19		57.00	13.50	10	6		FEN	3.6	1711	10	25	19	15	51.18	12.56		6.5		Gru	4.3	
1697	3	15			45.62	15.46		8	5.4L	ZivC	5.0	1712	4	10			47.82	16.24	7	7	4.6S	ZAMG	4.6	
1699	2	6			44.10	15.20		7	5.2L	ZivC	4.8	1712	8	11	23		46.30	7.02		6		SED	4.2	
1699	2	11			45.62	15.33		8.5	5.7L	ZivC	5.4	1714	1	13	21	30	50.80	4.80		7		ORB	4.8	
1699	4	22			51.10	5.90		6.5	4.0L	Hou	3.6	1716					49.12	20.37		5	3.6S	Lab	3.6	

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1716	2	3			46.07	13.62		7	5.0S	NT4.1	5.3	1730	4	6	4		45.70	26.60	100	6	6.1w	Onc	6.1
1717	3	31			45.42	12.32		5.5	4.2S	NT4.1	4.9	1731	12				44.00	11.00		6.5	4.7S	NT4.1	5.2
1717	7	28			44.10	15.20		7	5.2L	ZivC	4.8	1732	2	27			44.78	10.32		6	4.4S	NT4.1	5.0
1719	1	7	20	30	46.32	13.12		6.5	4.7S	NT4.1	5.2	1732	8	9			44.28	11.88		6	4.4S	NT4.1	5.0
1719	12	16	18		45.53	12.22		5.5	4.2S	NT4.1	4.9	1732	9	7	6		64.00	-20.10			6.7L	IMO	6.8
1720	1	10	15		44.25	10.33		6	4.4S	NT4.1	5.0	1733	4	13	21		50.01	5.70		7		ORB	4.8
1720	7	1	17		50.56	12.40		6		Gru	4.0	1733	5	18			49.84	8.13		6.5		Vog91	4.3
1720	12	20	5	30	47.50	9.67		6		GruRA	4.0	1733	7	8	0	30	47.13	7.37		6		SED	4.2
1721	1	12			45.30	14.40		9	6.0L	ZivC	5.7	1734	1	6			48.01	16.24	7	6	3.9S	ZAMG	3.9
1721	7	3	6	45	47.45	7.70		7		SED	5.0	1734	3	21	0		63.90	-20.80			6.8L	IMO	6.9
1724	1	29	19	45	49.13	20.44		7	4.6S	Lab	4.6	1734	6	10			45.70	26.60		6	5.2w	Onc	5.2
1724	3	10	21		48.97	20.67		5	3.6S	Lab	3.6	1734	10	25	3	50	50.20	-0.70	14		4.5L	Mus	4.1
1724	3	12			48.97	20.67		5	3.6S	Lab	3.6	1736	6	12	19		47.48	7.62		6		SED	4.2
1724	3	13	7		48.97	20.67		5	3.6S	Lab	3.6	1737	5	11	14	30	48.91	8.28		5.5		Vog93a	3.6
1724	6	12			48.90	20.60		5	3.6S	Lab	3.6	1737	5	18	21	45	48.91	8.28		7		Vog93a	4.7
1724	6	13			48.98	20.63		5	3.6S	Lab	3.6	1738	3	20			46.53	15.52	9	6		ZivS	3.9
1724	8	9	0		63.90	-21.50			6.0L	IMO	6.2	1738	6	11	10		45.70	26.60	130	9.5	7.7w	Onc	7.7
1725	10	28			44.25	11.80		7	5.0S	NT4.1	5.3	1738	10	18	16	15	44.05	5.05		6		LLA	4.2
1726	7	7	6		46.60	7.50		5.5		SED	3.8	1738	11	5	0	30	44.90	10.05		7	5.0S	NT4.1	5.3
1727	7	19	4		51.57	-3.76	25	7	5.2L	Mus	4.8	1739	2	4			46.10	18.25		6	4.4L	Zsi	4.0
1727	8	18			47.27	11.39	6	6.5	4.2S	ZAMG	4.2	1739	12	20	16	24	45.20	19.80		8		Zsi	5.2
1728	3	1	4	30	55.58	-2.81	21	4	4.2L	Mus	3.8	1740	3	6	5	15	44.12	10.53		7	5.0S	NT4.1	5.3
1728	8	3	16	30	48.83	8.22	16	7.5		Ley	5.3	1740	4	5	18		45.70	26.60	150	8.5	7.3w	Onc	7.3
1729	1	13	21	30	46.63	7.63		7		SED	5.0	1740	11	12			45.10	19.80		9		Zsi	5.9
1730	1	10			47.38	9.43		6		SED	4.2	1743	5	29			44.82	11.65		6.5	4.7S	NT4.1	5.2

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1745	2	7	7	30	57.30	8.50			4.7S	FEN	4.7	1755	12	26	16		50.80	6.30		6.5	5.1L	Mei95	4.7
1746	7	23	17	15	44.08	10.47		6	4.4S	NT4.1	5.0	1755	12	27	0	30	50.80	6.25	18	7	5.8L	Mei95	5.5
1746	10	8	6		46.03	13.38		7	5.0S	NT4.1	5.3	1755	12	27	3		50.78	6.30	8	5.5	5.0L	Mei95	4.6
1746	12	7	1		45.50	24.60		8	5.9w	Onc	5.9	1755	12	27	13	30	46.30	8.00		5.5		SED	3.8
1750	3	18	17	45	50.23	-1.20	13		4.3L	Mus	3.9	1755	12	30			46.30	7.98		6		SED	4.2
1750	4	2	22	15	53.25	-2.82	10	5	4.0L	Mus	3.6	1756	1	26	3	30	50.78	6.30		5	4.8L	Mei95	4.4
1750	8	23	6	45	53.50	0.50			4.7L	Mus	4.3	1756	2	13	16	30	50.78	6.30		4	4.5L	Mei95	4.1
1750	9	30	12	30	52.56	-0.82	5	6	4.1L	Mus	3.7	1756	2	14	3	30	50.78	6.30		4	4.4L	Mei95	4.0
1750	12	17	16		45.30	14.40		7.5	5.2L	ZivC	4.8	1756	2	18	8		50.75	6.35	14	8	6.1L	Mei95	5.8
1751	11	14			63.50	19.50	15	6		FEN	3.7	1756	2	18	9	20	50.78	6.30			4.1L	Mei95	3.7
1751	11	21	9	41	44.25	9.25		6	4.4S	NT4.1	5.0	1756	2	19	6		50.78	6.30		4.5	4.9L	Mei95	4.5
1751	12	26			47.58	8.52		6		SED	4.2	1756	2	19	10	30	46.30	8.02		5.5		SED	3.8
1752	5	13	1		48.85	18.98		5	3.6S	Lab	3.6	1756	2	20	4	30	50.78	6.30		5	5.0L	Mei95	4.6
1753	3	31			44.92	7.28		7	5.0S	NT4.1	5.3	1756	2	21	6		50.78	6.30		4	4.3L	Mei95	3.9
1753	6	8	23	30	53.86	-2.15		5	4.0L	Mus	3.6	1756	2	25	17		50.78	6.30		5	4.3L	Mei95	3.9
1754	1	12	22		45.30	5.63		6.5		LLA	4.4	1756	2	25	21		45.75	11.75		5.5	4.2S	NT4.1	4.9
1754	4	19	23		54.47	0.01		5	4.4L	Mus	4.0	1756	4	13			45.67	12.25		6.5	4.7S	NT4.1	5.2
1754	9	19	11		46.28	7.12		7		SED	5.0	1756	4	26	9	15	49.57	2.42		5		LLA	3.8
1755	8	1	6	40	53.07	-0.57		5	4.2L	Mus	3.8	1756	4	30	21	15	49.55	2.37	10	6		LLA	4.2
1755	8	28			45.97	12.60		5.5	4.2S	NT4.1	4.9	1756	6	3	1		50.78	6.30		5.5	4.4L	Mei95	4.0
1755	10	1			47.12	9.02		6		SED	4.2	1756	6	7	7	50	47.13	6.85		6		SED	4.2
1755	10	15	0	10	45.57	5.92		6		LLA	4.2	1756	6	22	23		47.13	6.90		5.5		SED	3.8
1755	12	9	13	30	46.32	7.98		8		SED	5.8	1756	8	17	10	57	45.42	11.83		6	4.4S	NT4.1	5.0
1755	12	18			50.90	5.70		7		Hou	5.5	1756	10	28	22		50.78	6.30		4	4.1L	Mei95	3.7
1755	12	21	3		46.32	8.00		6		SED	4.2	1756	11	19	3		50.78	6.30		4.5	4.6L	Mei95	4.2

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1757	1	18	5	52	47.77	6.73		6		LLA	4.2	1766	9	9	19		64.00	-21.10			6.0L	IMO	6.2
1757	6	27			45.85	17.38		8		ZivC	5.2	1767	1	19			51.90	8.90		5.5	4.3L	Aho	3.9
1757	7	8	3		45.80	17.30		7	4.9L	ZivC	4.5	1767	1	21	7	15	44.18	10.11		7	5.0S	NT4.1	5.3
1757	7	15	18	15	50.13	-5.46	15	5.5	4.4L	Mus	4.0	1767	2	7	3	45	44.42	8.88		6.5	4.7S	NT4.1	5.2
1757	10	28	0	40	49.50	0.13		6		LLA	4.2	1767	3	17			47.76	18.14		6	4.1S	Lab	4.1
1757	12	12	18		49.50	0.13		5.5		LLA	4.0	1767	4	7	1	30	47.03	-1.95	15	6		LLA	4.5
1759	5	26	1	30	45.18	9.17		6	4.4S	NT4.1	5.0	1767	4	13	0	20	51.00	9.70	15	6	4.3w	Mei01	4.3
1759	8	10	22	10	44.88	-0.42	10	7.5		LLA	4.9	1767	5	10			46.48	12.98		5.5	4.2S	NT4.1	4.9
1759	8	23	4	45	50.80	6.10	4	7	4.5L	Mei95	4.1	1767	5	26			45.27	7.48		6.5	4.7S	NT4.1	5.2
1759	12	22	0	45	57.70	11.10			5.6S	FEN	5.6	1767	11	21			46.89	14.33	8	7	4.7S	ZAMG	4.7
1760	1	20	22	30	50.80	6.40	8	7	5.0L	Mei95	4.6	1767	12	8	11		47.52	19.73		6	4.4L	Zsi	4.0
1762	4	15	22	30	44.00	11.33		7	5.0S	NT4.1	5.3	1768	2	27	1	45	47.83	16.17	7	8	5.2S	ZAMG	5.2
1762	4	18	11	30	46.50	13.00		5.5	4.2S	NT4.1	4.9	1768	5	15	16	15	54.32	-2.20	17	5	4.4L	Mus	4.0
1762	7	31	12	45	50.70	6.65		5.5		Ley	3.6	1768	12	21	17		52.04	-2.16	10	5	4.1L	Mus	3.7
1763	6	28	4	22	47.82	18.22	7	8.5	5.8S	Lab	5.8	1769	8	4	16	15	48.75	10.83		7		Ley	4.7
1763	7	2			47.75	18.16		5	3.7S	Lab	3.7	1769	11	18	4		44.05	4.83		7		LLA	4.7
1763	9	4	11		48.97	8.18		6		Ley96	4.0	1769	12	1	18	30	49.87	0.80		6.5		LLA	4.4
1764	6	23	17	30	47.76	18.14		5	3.6S	Lab	3.6	1769	12	21	14	30	44.05	4.83		7		LLA	4.7
1764	12	30	0		47.76	18.14		5	3.7S	Lab	3.7	1770	2	26	18	30	49.87	0.80		5		LLA	3.8
1765	2	5	22	45	47.76	18.14		6	4.1S	Lab	4.1	1770	3	20	15	55	46.48	7.18		6.5		SED	4.6
1765	4	7	13		46.87	8.23		6		SED	4.2	1770	9	3	11	45	52.50	8.00		6		MG92	4.0
1766	4	5	9		64.00	-19.90			6.0L	IMO	6.2	1770	10	7			46.50	13.00		5.5	4.2S	NT4.1	4.9
1766	8	5			47.80	16.61	7	7	4.6S	ZAMG	4.6	1770	10	9	6	30	47.03	8.37		6		SED	4.2
1766	8	16			47.80	16.61	7	7	4.6S	ZAMG	4.6	1770	11	4	1		50.25	12.43		5.5		Gru	3.6
1766	8	17			48.14	17.12		5		Lab	3.7	1770	11	24	23		46.45	-1.25	15	5		LLA	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1771	1	6	16		50.25	12.43		6		Gru	4.0	1775	9	8	21	45	51.73	-3.81	19	6.5	5.1L	Mus	4.7
1771	4	30	7	30	47.76	18.14		5	3.7S	Lab	3.7	1775	10	13	6	30	46.00	16.00		7.5	5.1L	ZivC	4.7
1771	8	11	7	30	47.30	9.03		6		SED	4.2	1775	12	30	10	34	49.17	-0.33		7		LLA	4.7
1771	8	13			44.17	11.17		6	4.4S	NT4.1	5.0	1776	4	24	16	36	45.30	14.58		7	4.9L	ZivC	4.5
1771	8	15			45.67	10.00		6	4.4S	NT4.1	5.0	1776	4	30	5	20	46.37	-1.32		5.5		LLA	4.0
1771	12	27			47.33	10.17		6		SED	4.2	1776	7	10			46.23	12.70		8.5	5.9S	NT4.1	5.8
1772	1	9	7		46.65	-0.25	15	7.5		LLA	5.2	1776	11	28	2	15	47.77	7.30		7		SED	5.0
1772	1	23			47.76	18.14		5	3.7S	Lab	3.7	1776	11	28	8	15	51.00	1.60			4.1L	Mus	3.7
1772	6	24	9	36	45.03	3.88		6		LLA	4.2	1777	2	7	1		46.88	8.25		7		SED	5.0
1772	7	3			47.67	9.13		7		SED	5.0	1777	3	25			46.88	8.25		7		SED	5.0
1773	1	23	16		44.37	4.80		7.5		LLA	4.9	1777	3	27	23	45	46.88	8.25		5.5		SED	3.8
1773	2	7	1	45	44.37	4.82		6.5		LLA	4.4	1777	3	28			46.88	8.25		7		SED	5.0
1773	2	24	8		44.37	4.82		6		LLA	4.2	1777	8	5	18		46.88	8.25		5.5		SED	3.8
1773	4	23	13		49.80	-2.20		5	4.4L	Mus	4.0	1777	9	14	10	55	53.45	-2.30	15	6	4.4L	Mus	4.0
1773	11	25	17		47.03	9.02		6		SED	4.2	1778	1	18			45.50	26.60	130	7	6.5w	Onc	6.5
1773	12	31	1	15	44.67	6.63		6		LLA	4.2	1778	1	27			47.25	9.55		7		SED	5.0
1774	1	26			50.10	18.20		6		Pag	4.0	1778	1	28	2	30	47.25	9.63		6	3.9S	GF02	3.9
1774	2	28			46.87	9.53		6		SED	4.2	1778	2	18			44.17	10.17		6	4.4S	NT4.1	5.0
1774	3	4			44.80	10.32		6	4.4S	NT4.1	5.0	1778	4	21	3		46.48	13.00		6	4.4S	NT4.1	5.0
1774	4	17	23	30	46.95	7.43		7		SED	5.0	1778	6	11			44.22	12.05		6.5	4.7S	NT4.1	5.2
1774	9	10	15	25	46.85	8.67		8		SED	5.8	1778	11	8	19	30	46.20	16.90		8	5.4L	ZivC	5.0
1774	9	16	4		46.85	8.55		5.5		SED	3.8	1778	12	19	8		48.99	21.77	12	7	5.0S	Lab	5.0
1774	10	29	13	30	59.50	7.00		5	4.6S	FEN	4.6	1778	12	23	6		48.86	21.71		7	4.8S	Lab	4.8
1775	1	23	3	25	46.85	8.55		6.5		SED	4.6	1779	4	6	3	15	48.86	21.77		7	4.8S	Lab	4.8
1775	8	26			46.48	13.00		5.5	4.2S	NT4.1	4.9	1779	7	14			44.50	11.37		7	5.0S	NT4.1	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1780	2	5	22		44.48	11.33		6.5	4.7S	NT4.1	5.2	1784	3	18			46.10	25.70		7	5.6w	Onc	5.6
1780	2	22	18		47.03	8.32		6		SED	4.2	1784	3	20			50.60	13.77		5.5		Gru	3.6
1780	2	25	0		50.27	7.67	2	7	4.5L	Mei95	4.1	1784	3	24			46.08	14.50		6.5		ZivS	4.2
1780	4	4	2		48.94	21.94		5	3.7S	Lab	3.7	1784	6	15			47.76	18.14		6	4.3S	Lab	4.3
1780	5	2	3	20	46.45	-1.30	15	6.5		LLA	4.7	1784	8	7	3	40	47.76	18.14		6	4.3S	Lab	4.3
1780	5	25			44.42	12.18		6.5	4.7S	NT4.1	5.2	1784	8	14	16	35	64.00	-20.50			7.1L	IMO	7.1
1780	6	26	22	20	47.80	18.82		5.5	4.1L	Zsi	3.7	1784	8	16	15	13	63.90	-20.90			6.7L	IMO	6.8
1780	8	29	8	45	53.11	-3.84		5	3.9L	Mus	3.6	1784	10	15	12	3	45.63	5.92		6.5		LLA	4.4
1780	9	8	17		46.50	13.00		5.5	4.2S	NT4.1	4.9	1784	11	12			49.30	8.10		6		Ley	4.0
1780	10	31	3	15	47.63	6.12		5		LLA	3.8	1784	11	29	22	10	47.62	7.25		6		LLA	4.2
1780	12	9	16	30	54.30	-1.95	21	5	4.8L	Mus	4.4	1785	8	22	7		49.70	19.00	35	6.5		Pag	4.8
1781	4	4			44.23	11.75		9	6.2S	NT4.1	6.0	1785	9	12			45.08	7.17		7	5.0S	NT4.1	5.3
1781	7	17	9	10	44.25	12.00		8	5.5S	NT4.1	5.5	1785	11	18			46.60	10.10		7		SED	5.0
1781	9	10			45.50	9.65		6.5	4.7S	NT4.1	5.2	1786	2	14	0		50.00	17.50		5.5		Zsi	3.7
1781	12	23	17		46.50	12.98		5.5	4.2S	NT4.1	4.9	1786	2	15			46.80	23.60		7	5.3w	Onc	5.3
1782	4	11	20		46.50	12.98		5.5	4.2S	NT4.1	4.9	1786	2	27	1		50.00	18.00		6.25		Pag	4.2
1782	8	15	16		45.15	5.83		6		LLA	4.2	1786	2	27	3		49.68	18.52		7.5	4.9S	Lab	4.9
1782	10	5	20	39	53.49	-4.11		4.5	3.9L	Mus	3.6	1786	4	7			45.28	9.58		6.5	4.7S	NT4.1	5.2
1782	12	10	18	30	46.50	13.00		5.5	4.2S	NT4.1	4.9	1786	4	11	9		46.08	14.50	13	6		ZivS	4.1
1783	4	22	2	30	47.75	18.08	7	8	5.3S	Lab	5.3	1786	7	8	5		47.76	18.14		5	3.7S	Lab	3.7
1783	7	6	9	56	47.10	4.63		6		LLA	4.2	1786	8	11	1	55	54.53	-3.68	16	6.5	5.0L	Mus	4.6
1783	7	28			45.88	10.80		6.5	4.7S	NT4.1	5.2	1786	11	24	6		44.65	8.02		5.5	4.2S	NT4.1	4.9
1783	12	9	4		50.18	3.23		6		LLA	4.2	1786	12	3	17		49.70	20.00	40	7		Pag	5.2
1783	12	10	16		47.76	18.14		6	4.3S	Lab	4.3	1786	12	25			44.07	12.57		8	5.5S	NT4.1	5.5
1784	1	23			47.90	23.90		7	5.3w	Onc	5.3	1786	12	28	13		46.50	13.00		5.5	4.2S	NT4.1	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1787	1	18			45.70	26.60	120	7	6.5w	Onc	6.5	1796	4	20	6	12	47.20	9.42		8.5		SED	6.2
1787	3	16			45.70	26.60	100	6	5.9w	Onc	5.9	1796	10	22			44.63	11.68		7	5.0S	NT4.1	5.3
1787	4	25	19		46.50	12.98		5.5	4.2S	NT4.1	4.9	1797	10	19			46.20	21.30		7	5.0w	Onc	5.0
1787	7	26	7	15	44.84	11.63		6.5	4.7S	NT4.1	5.2	1797	10	30	5		46.50	13.00		5.5	4.2S	NT4.1	4.9
1787	11	4	3		49.78	8.59	8	6		Vog93b	3.9	1798	3	14	7		45.70	26.60	100		5.9w	Onc	5.9
1787	12	9	22		46.50	13.00		5.5	4.2S	NT4.1	4.9	1798	3	14	10		49.10	7.40		5.5		Ley	3.6
1788					45.20	19.90		8		Zsi	5.2	1799	1	25	3	45	46.97	-2.10	15	7.5		LLA	5.2
1788	10	20			46.38	13.02		8.5	5.9S	NT4.1	5.8	1799	4	19	18	30	64.00	6.50			5.0S	FEN	5.0
1789	1	18	15		50.10	8.50		5.5		Ley96	3.6	1799	5	29	19		45.50	10.25		6.5	4.7S	NT4.1	5.2
1789	3	26			45.70	26.60	100	6	5.9w	Onc	5.9	1799	10	26	4		46.48	12.98		6	4.4S	NT4.1	5.0
1789	8	4			46.28	12.80		5.5	4.2S	NT4.1	4.9	1800					47.10	27.50		6	4.5w	Onc	4.5
1789	8	26	9	30	50.55	12.12		6		Gru	4.0	1801	7	18	18		46.50	13.00		6	4.4S	NT4.1	5.0
1790	4	6	19	29	45.70	26.60	150	8	7.1w	Onc	7.1	1801	9	7	6		56.40	-3.99	9	6	4.6L	Mus	4.2
1790	7	26	16	45	44.17	10.00		6.5	4.7S	NT4.1	5.2	1801	10	8			44.48	11.33		5.5	4.2S	NT4.1	4.9
1792	2	25	20	40	52.53	-0.63		5	4.1L	Mus	3.7	1801	12	16	16	15	46.97	1.95		5		LLA	3.8
1792	10	20			46.48	12.98		6	4.4S	NT4.1	5.0	1802	1	3	6	30	45.40	14.30		8	5.4L	ZivC	5.0
1793	11	26	18		45.70	26.60	100		5.9w	Onc	5.9	1802	5	12	9	30	45.38	9.83		8	5.5S	NT4.1	5.5
1793	12	8			45.70	24.50		7	6.2w	Onc	6.2	1802	9	11	15		48.60	7.80	2	7		Ley	4.2
1794	1	1	15	30	57.80	9.20			4.5S	FEN	4.5	1802	10	26	10	55	45.70	26.60	150		7.9w	Onc	7.9
1794	2	6	12	18	47.38	15.09	8	8	5.4S	ZAMG	5.4	1802	11	8	23	30	48.60	7.80	2	7		Ley	4.2
1794	5	12	10	59	47.27	11.39	6	6	3.9S	ZAMG	3.9	1803	3	1	16		46.48	13.00		5.5	4.2S	NT4.1	4.9
1794	6	7			46.28	12.80		7.5	5.2S	NT4.1	5.5	1803	12	12	15	30	45.92	6.83		6		SED	4.2
1795	11	18	23		53.09	-1.33	10	6.5	4.7L	Mus	4.3	1805					48.58	17.68		6	4.3S	Lab	4.3
1795	12	6			47.20	9.42		7		SED	5.0	1805	11	30	5		46.57	9.78		6		SED	4.2
1796	3	4	0		48.60	10.40		6		Ley	4.0	1806	2	12			44.83	10.67		7	5.0S	NT4.1	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1806	7	30	20		48.14	17.12		5	3.7S	Lab	3.7	1812	10	25	7		46.17	12.78		7.5	5.2S	NT4.1	5.5
1806	9	22	19	45	47.76	18.14		7.5	5.1S	Lab	5.1	1813	2	1			45.70	26.60	120	6	5.9w	Onc	5.9
1807	3	23	11	15	44.58	2.52		5.5		LLA	4.0	1813	6	3	11	15	48.28	-0.67		5.5		LLA	4.0
1807	9	5	1	30	44.00	8.50		6	4.4S	NT4.1	5.0	1813	8	17			46.68	15.85	11	7		ZivS	4.5
1807	9	11	20	30	50.42	7.45		6		Ley	4.0	1813	9	21			44.28	11.88		7	5.0S	NT4.1	5.3
1808	3	27	5	15	48.60	7.75		6.5		Ley	4.3	1813	9	22	1	30	46.83	9.80		6		SED	4.2
1808	4	2			44.82	7.28		8	5.5S	NT4.1	5.5	1813	12	26	13	30	45.30	18.40		7	4.9L	ZivC	4.5
1809	11	17	21	40	48.99	21.20		7	4.8S	Lab	4.8	1814	4	28			47.27	11.39	6	6	3.9S	ZAMG	3.9
1810	1	14	18	9	47.38	18.20	18	8	5.4L	Zsi	5.0	1814	5	7	17	15	47.38	18.20		6	4.4L	Zsi	4.0
1810	1	21	3		47.38	18.20		6	4.4L	Zsi	4.0	1814	11	6	5	45	45.85	4.83		5		LLA	3.8
1810	5	1			45.75	10.83		6	4.4S	NT4.1	5.0	1815	2	26	6		45.70	11.38		5.5	4.2S	NT4.1	4.9
1810	5	27	9		47.38	18.20		7	5.0L	Zsi	4.6	1816	3	17	12	45	53.09	-1.18	5	7	4.2L	Mus	3.8
1810	6	3			47.38	18.20		5.5	4.1L	Zsi	3.7	1816	8	13	22	45	57.43	-4.33	18	7	5.1L	Mus	4.7
1810	6	24	15		47.38	18.20		6	4.4L	Zsi	4.0	1816	8	13	23	15	57.43	-4.33		4	4.7L	Mus	4.3
1810	7	18			47.58	14.46	6	7	4.5S	ZAMG	4.5	1817	3	11	21	25	45.90	6.83		7		LLA	4.7
1810	12	21	17	30	47.38	18.20		6	4.4L	Zsi	4.0	1817	4	23	6	30	56.70	-4.94			4.5L	Mus	4.1
1810	12	25	0	45	44.83	10.72		7	5.0S	NT4.1	5.3	1817	5	28	19	30	46.10	18.25		6	4.4L	Zsi	4.0
1811	6	6	22	15	46.87	9.53		6		SED	4.2	1817	8	11	10		48.81	19.67		5	3.7S	Lab	3.7
1811	7	15	22	44	44.58	10.68		7	5.0S	NT4.1	5.3	1817	9	30	7		45.70	26.60	120		5.9w	Onc	5.9
1811	9	6	2		47.38	18.20		5.5	4.1L	Zsi	3.7	1818	11	5	0		50.80	6.10		6		Ley	4.0
1811	10	4	20	50	47.55	15.56	8	6.5	4.4S	ZAMG	4.4	1818	12	9	18	52	44.67	10.27		7.5	5.2S	NT4.1	5.5
1811	12	12	20		50.63	12.97	7	5.5		Gru	3.5	1819	5	2	14		46.00	14.02	10	6.5		ZivS	4.2
1812	3	5	12	30	45.70	26.60	130	7	6.5w	Onc	6.5	1819	8	31	13		66.40	14.40		7	5.8S	FEN	5.8
1812	5	13	13		50.70	6.65		6.5		Ley	4.3	1820	7	17	6	30	47.35	11.71	6	7	4.5S	ZAMG	4.5
1812	7	17	4		47.73	7.67	3	6.5		Ley	3.9	1821	2	10	0	30	45.70	26.60	150	7	6.6w	Onc	6.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1821	2	20			56.60	25.30		6.5		Bob	4.0	1827	1	2	18		48.52	0.35		6		LLA	4.2
1821	9	29			45.70	26.60	150	6.5	6.1w	Onc	6.1	1827	1	24			46.77	7.57		6		SED	4.2
1821	10	7	13	30	48.05	6.55		5		LLA	3.8	1827	2	26	20		46.28	8.00		6		SED	4.2
1821	11	17	13	45	45.70	26.60	130	7	6.5w	Onc	6.5	1827	4	2	0	20	46.73	10.18		7		SED	5.0
1822	2	18	16	15	47.75	18.25		8	5.4S	Lab	5.4	1827	10	14	18	45	45.70	26.60	140		5.9w	Onc	5.9
1822	2	19	8	45	45.82	5.82	15	7.5		LLA	5.2	1827	11	21	2		46.58	7.90		5.5		SED	3.8
1822	8	12	2	30	46.05	14.50		6		ZivS	4.0	1828	2	8	14	20	48.40	9.32	4	6.5		Ley	4.0
1822	11	28	10	45	48.50	8.40	11	6.5		Ley	4.4	1828	2	23	8	30	50.60	4.90		8		ORB	5.6
1823	1	5	2		47.90	23.90		7	5.0w	Onc	5.0	1828	4	8			44.07	11.98		6	4.4S	NT4.1	5.0
1823	2	9	16	50	45.70	26.60	120		5.9w	Onc	5.9	1828	4	11	23	30	44.00	14.00		7	5.1L	ZivC	4.7
1823	5	24	18	43	45.87	15.42	7	6		ZivS	3.7	1828	10	8			44.22	12.05		6.5	4.7S	NT4.1	5.2
1823	11	21	21	30	48.12	7.68	3	6.5		Ley	3.9	1828	10	9			44.82	9.10		7.5	5.2S	NT4.1	5.5
1823	11	24	17		59.40	14.50	25	6		FEN	3.8	1828	10	26	11	30	47.28	6.08		6		LLA	4.2
1823	12	3	21		48.12	7.68	3	6		Ley	3.6	1828	10	30	7	20	47.28	6.08		7		LLA	4.7
1823	12	13	3		45.82	5.68		5.5		LLA	4.0	1828	12	3	18	30	50.80	6.10	9	7		Ley	4.7
1824	1	13	13		50.33	12.51		5.5		Gru	3.6	1828	12	13	20	40	46.77	7.35		6		SED	4.2
1824	1	19	16	30	50.22	12.57	9	5.5		Gru	3.6	1828	12	15	20	50	47.57	9.58	12	6		Ley	4.0
1825	2	21	2	30	46.77	14.35	8	6	4.1S	ZAMG	4.1	1829	2	2	21	45	63.90	-20.00			6.0L	IMO	6.2
1825	4	6	12	30	46.62	15.17	12	6		ZivS	4.0	1829	7	1	19	30	47.50	22.20	35	7	6.2w	Onc	6.2
1825	12	23	5		48.57	7.83	10	5.5		Ley	3.6	1829	8	7	3		48.07	6.77		5		LLA	3.8
1826	5	15			47.58	14.46	6	6	3.8S	ZAMG	3.8	1829	9	6	19	30	45.13	10.02		6.5	4.7S	NT4.1	5.2
1826	6	24	12	15	45.60	10.52		5.5	4.2S	NT4.1	4.9	1829	11	2	9	30	45.80	15.20	8	6		ZivS	3.8
1826	10				44.08	11.75		6	4.4S	NT4.1	5.0	1829	11	25	19	30	45.80	15.20	10	5.5		ZivS	3.7
1826	10	16			45.70	24.50		6	5.5w	Onc	5.5	1829	11	26	1	40	45.80	26.60	150	8.5	7.3w	Onc	7.3
1826	12	15	19		47.20	9.68		6		SED	4.2	1829	11	27	16	5	46.07	-1.33		5		LLA	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1829	12	10	19	55	45.80	15.20	10	6		ZivS	3.9	1834	10	4	19		44.50	11.42		7	5.0S	NT4.1	5.3
1830	1	22			47.30	23.20	5	6	4.5w	Onc	4.5	1834	10	15	6		47.60	22.30		8	5.6w	Onc	5.6
1830	1	26	4	30	44.08	11.00		6	4.4S	NT4.1	5.0	1835	4	18	17	25	46.68	7.83		6		SED	4.2
1830	6	8	7	10	47.61	15.67	8	6.5	4.4S	ZAMG	4.4	1835	4	20	3		44.42	9.83		6.5	4.7S	NT4.1	5.2
1830	6	26	4	57	47.38	15.09	8	6.5	4.4S	ZAMG	4.4	1835	4	21	20	30	45.70	26.60	130	7	6.5w	Onc	6.5
1830	7	1	4		48.00	23.60	10	6		KSh	3.6	1835	5	23			44.33	7.50		6.5	4.7S	NT4.1	5.2
1830	7	11	9	15	48.75	19.35		7	4.6S	Lab	4.6	1835	8	20	3	30	54.02	-2.69	11	5.5	4.4L	Mus	4.0
1830	8	2	10		46.00	15.50		7		ZivS	4.4	1835	9	14	16	15	45.95	-0.52		5.5		LLA	4.0
1830	8	11	12	20	46.49	14.27	7	6	3.9S	ZAMG	3.9	1835	10	29	2	47	47.42	9.42		6.5		SED	4.6
1830	9	12	10	45	48.25	9.47		5.5		GruRA	3.6	1835	10	31	2	30	47.38	9.37		6		SED	4.2
1831	1	29	22	30	47.97	6.53		5		LLA	3.8	1835	10	31	7	30	46.88	13.51	8	5.5	3.9S	ZAMG	3.9
1831	4	29	17	30	47.93	2.13		5		LLA	3.8	1836	6	12	2	30	45.78	11.75		7.5	5.2S	NT4.1	5.5
1831	8	3			45.70	26.60	100	6	6.1w	Onc	6.1	1836	6	29	1	28	46.07	14.65	9	6		ZivS	3.9
1831	9	11	18	15	44.73	10.45		7	5.0S	NT4.1	5.3	1836	7	12	13		46.00	17.50		7.5		Zsi	4.9
1832	2	19	7	8	45.40	24.20		8	5.6w	Onc	5.6	1836	11	5	6		47.47	7.55	2	6.5	3.9L	SED	3.6
1832	3	13	3	20	44.76	10.60		7.5	5.2S	NT4.1	5.5	1836	11	12	23		46.20	16.20		7.5	5.2L	ZivC	4.8
1832	12	30	8	25	51.65	-3.95	5	6	4.3L	Mus	3.9	1836	11	18	4		46.20	15.90		7	4.9L	ZivC	4.5
1833	10	9	13	15	45.58	3.18		6		LLA	4.2	1837	1	24	0	58	46.32	7.97		7		SED	5.0
1833	10	18	8	40	45.33	3.20		7		LLA	4.7	1837	1	24	1	30	46.58	8.10		6		SED	4.2
1833	11	20	0	25	46.37	14.30	11	5		ZivS	3.5	1837	3	14	15	40	47.61	15.67	8	7	4.7S	ZAMG	4.7
1834	2	2	8	2	45.77	14.23	13	5		ZivS	3.6	1837	4	11	16	50	44.17	10.18		9.5	6.4S	NT4.1	6.2
1834	2	14	13	15	44.45	9.87		8.5	5.9S	NT4.1	5.8	1837	5				46.70	2.28		5		LLA	3.8
1834	7	4	0	35	44.47	9.88		6.5	4.7S	NT4.1	5.2	1837	6	21	10		46.50	14.84	8	6		ZivS	3.8
1834	8	17	23	30	61.50	4.10			4.9S	FEN	4.9	1837	9	22	11	30	45.90	16.00		7	4.9L	ZivC	4.5
1834	9	3	19		59.50	7.90	75	5	5.0S	FEN	5.0	1837	11	12	22		47.72	7.47		5		LLA	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1838	1	23	18	45	45.70	26.60	150	9	7.5w	Onc	7.5	1841	7	13	12	30	47.82	16.24	7	7	4.6S	ZAMG	4.6
1838	7	31	15		46.42	16.18	7	6		ZivS	3.8	1841	7	30	14	20	56.39	-4.03		6.5	3.9L	Mus	3.6
1838	8	10	19	30	45.30	14.60		7	4.9L	ZivC	4.5	1841	10	6	3		46.42	13.00		6	4.4S	NT4.1	5.0
1838	8	26			46.30	16.30		7	4.9L	ZivC	4.5	1841	10	15	22		45.17	11.15		6	4.4S	NT4.1	5.0
1839	2	7	4	30	49.12	20.37		5	3.7S	Lab	3.7	1841	10	24	12	10	47.76	18.14		7	4.6S	Lab	4.6
1839	2	7	20	47	48.90	9.01	8	5	3.6w	FGS01	3.6	1841	10	24	14	8	50.90	6.90	4	7		Ley	4.4
1839	2	10	20	30	46.02	3.20		5.5		LLA	4.0	1841	12	2	19	53	45.78	5.92		6.5		LLA	4.4
1839	3	22	4	15	46.40	16.12	8	6.5		ZivS	4.0	1842	3	30	0	30	46.23	7.12		6		SED	4.2
1839	3	26	15	50	45.20	6.20		5.5		LLA	4.0	1842	4	28	6	15	46.88	6.77		5.5		SED	3.8
1839	4	3	18	30	45.20	5.85		6		LLA	4.2	1842	8	31	10	30	46.47	17.00		6	4.4L	Zsi	4.0
1839	7	11	13		47.45	19.68		5.5	4.1L	Zsi	3.7	1843	3	17	0	55	54.00	-3.60	15	5.5	5.1L	Mus	4.7
1839	8	9	8	45	45.50	10.17		6	4.4S	NT4.1	5.0	1843	4	6	5	30	51.60	5.60	12	5.5	4.5L	Hou	4.1
1839	8	11	20		45.90	6.13		7		LLA	4.7	1843	9	6	8	20	47.33	6.87		6		SED	4.2
1839	8	16	17	30	45.90	6.12		7		SED	5.0	1843	9	10			45.70	26.60	100	6	5.9w	Onc	5.9
1839	10	23	22	15	56.41	-3.96	9	7	4.8L	Mus	4.4	1843	10	5	9		48.02	-1.55	15	5		LLA	4.0
1839	10	23	22	45	56.40	-3.88		5	4.1L	Mus	3.7	1843	10	25	3	22	44.03	11.22		7	5.0S	NT4.1	5.3
1840	4	25	22	30	49.40	20.40		7		Pag	4.7	1843	12	22	15	53	49.50	-3.00		7	4.4L	Mus	4.0
1840	6	26			49.40	20.37		6	4.4L	Zsi	4.0	1844	1	14	13	5	56.44	-4.11		4.5	3.9L	Mus	3.6
1840	8	27	12	5	46.22	14.73	8	7.5		ZivS	4.6	1844	3	6	19	10	45.70	26.60	110	6	6.0w	Onc	6.0
1840	8	30	5	45	46.22	14.70	8	6.5		ZivS	4.1	1844	3	10	17	15	44.22	12.05		6.5	4.7S	NT4.1	5.2
1840	9	2	20	20	44.07	4.77		5.5		LLA	4.0	1844	11	5	8	30	47.90	23.90	6	5.5	3.5w	Onc	3.5
1840	9	24	21		46.25	14.75	11	6		ZivS	4.0	1844	12	31			48.77	19.28		5	3.7S	Lab	3.7
1841	4	1	10	30	47.76	18.14		5	3.7S	Lab	3.7	1845	5	9	13		47.76	18.14		6	4.3S	Lab	4.3
1841	4	3	15	40	57.00	8.50	20	6	4.5S	FEN	4.5	1845	12	21	20	40	46.08	14.52	7	7.5		ZivS	4.5
1841	7	5	0	30	46.93	1.28		7		LLA	4.7	1845	12	22	1		46.08	14.52		6		ZivS	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1846	7	29	21	24	50.15	7.68	10	7	5.5L	Mei95	5.1	1850	7	15	2	45	50.18	12.76		5.5		Gru	3.6
1846	8	17	5	45	46.78	6.58		6		SED	4.2	1850	9	1	9	45	46.80	11.95		6	4.4S	NT4.1	5.0
1846	8	17	6	15	46.77	6.58		7		SED	5.0	1850	9	18	6	10	44.63	10.92		6	4.4S	NT4.1	5.0
1846	11	14	12	35	46.98	0.60		5.5		LLA	4.0	1851	1	1			46.28	7.98		6		SED	4.2
1846	11	24	23	57	56.40	-3.94	8	6	4.4L	Mus	4.0	1851	3	10	16	13	47.63	9.50	8	6		Ley	3.9
1847	4	7	19	30	50.46	11.14	17	6		NG95	4.2	1851	4	13	12		58.70	10.70	18	6		FEN	3.7
1847	7	10	22	50	49.68	0.42		6		LLA	4.2	1851	7	1	21	15	47.74	18.15		7.5	5.1S	Lab	5.1
1847	8	30			47.51	15.45	8	6	4.0S	ZAMG	4.0	1851	7	12	15	40	48.08	6.63		5		LLA	3.8
1847	10	14	21		46.63	1.42		5		LLA	3.8	1851	8	3			46.03	10.72		6	4.4S	NT4.1	5.0
1847	10	15	6	15	46.20	21.30		7	5.0w	Onc	5.0	1851	8	24	1	30	46.50	8.08		6		SED	4.2
1847	10	15	7	52	44.83	0.97		5.5		LLA	4.0	1852	1	26	2	16	44.88	-0.47	10	6		LLA	4.2
1847	11	29	22		46.23	15.20	9	5.5		ZivS	3.7	1852	7	29	12	40	46.43	9.85		6		SED	4.2
1847	11	30	6	30	45.03	5.17		5.5		LLA	4.0	1852	7	29	13		46.43	9.85		6		SED	4.2
1848	1	1			45.70	26.60	130	7	6.5w	Onc	6.5	1852	11	9	4	25	53.05	-4.43	21	6	5.3L	Mus	4.9
1848	5	16	5		46.77	6.03		5.5		LLA	4.0	1852	11	15	22	30	48.64	17.16		6	4.3S	Lab	4.3
1848	11	13	17	30	48.17	-0.57		5		LLA	3.8	1852	11	16	17	10	46.13	15.03	11	5		ZivS	3.5
1848	12	30	18	30	49.50	0.37		6		LLA	4.2	1852	11	17	14	3	46.13	15.03	6	6.5		ZivS	3.9
1849	1	6	3		44.08	11.50		6	4.4S	NT4.1	5.0	1853	1	16	1	30	45.90	15.63	5	7		ZivS	4.0
1849	2	3	11		46.82	5.55		5		LLA	3.8	1853	1	17	1		45.90	15.63	7	6		ZivS	3.7
1849	5	26	22		48.42	-4.55	15	5		LLA	4.0	1853	2	5	2		56.70	25.60		6		Bob	3.6
1849	6	18	6	25	44.20	7.57		6	4.4S	NT4.1	5.0	1853	2	19	10		46.38	13.10		7	5.0S	NT4.1	5.3
1849	8	3	22	25	44.95	5.72		5.5		LLA	4.0	1853	2	19	14	30	57.51	-4.84		4.5	3.9L	Mus	3.6
1849	10	1	0	30	45.53	6.32		6		LLA	4.2	1853	4	1	22	45	49.15	-1.70	21	7	5.2L	Mus	4.8
1849	11	28	18	15	44.48	9.77		6.5	4.7S	NT4.1	5.2	1853	8	11	10	10	47.22	7.57		7		SED	5.0
1850	7	10	2	30	46.13	14.00	17	6		ZivS	4.2	1853	12	29			56.90	24.00		6		Bob	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1854	1	5			56.90	24.00		6		Bob	3.6	1857	2	14	4	45	47.52	6.92		5		LLA	3.8
1854	6	16	13	25	44.33	11.75		7	5.0S	NT4.1	5.3	1857	3	7	2	56	46.20	14.00	19	7.5		ZivS	5.1
1854	10	2	3	14	47.78	19.13		5.5	4.1L	Zsi	3.7	1857	3	10	3		45.90	12.10		5.5	4.2S	NT4.1	4.9
1854	10	28	12	15	45.70	26.60	150	7	6.5w	Onc	6.5	1857	5	18	9		57.80	22.20	1	7		FEN	3.8
1855	2	13	10	27	45.43	6.50		6		LLA	4.2	1857	6	7	15	7	50.82	12.09	12	5.5		Gru	3.7
1855	3	18	6	15	46.61	13.85	7	6	3.9S	ZAMG	3.9	1857	6	9	15	47	47.76	18.14		6	4.3S	Lab	4.3
1855	7	25	11	50	46.23	7.85		8.5		SED	6.2	1857	8	27	23	15	46.78	10.25		5.5		SED	3.8
1855	7	26	9	15	46.23	7.88		8		SED	5.8	1857	8	28			46.78	10.27		7		SED	5.0
1855	7	26	13	20	46.23	7.82		7.5		SED	5.3	1857	10	16	3	30	45.30	18.40		7	4.9L	ZivC	4.5
1855	7	28	10		46.25	7.82		7		SED	5.0	1857	10	19	12		45.57	14.25	20	5		ZivS	3.8
1855	8	24			46.25	7.88		6		SED	4.2	1857	11	4	7	15	46.23	7.87		5.5		SED	3.8
1855	8	26	9		46.25	7.92		6		SED	4.2	1857	12	24			47.58	14.46	6	6	3.8S	ZAMG	3.8
1855	9	13	0	30	47.22	0.87		5		LLA	3.8	1857	12	25	1	30	46.59	14.02	7	7	4.6S	ZAMG	4.6
1855	10	28	1	45	46.25	7.92		7		SED	5.0	1858	1	15	19	15	49.22	18.76	7	7.5	5.1S	Lab	5.1
1855	11	6	3	30	46.23	7.92		6		SED	4.2	1858	2	5	3	45	46.23	7.90		5.5		SED	3.8
1856	2	1	8	20	47.22	7.57		6		SED	4.2	1858	5	24	19		50.00	8.30	3	7		Ley	4.3
1856	8	6	13	45	46.25	7.87		6.5		SED	4.6	1858	8	30			44.18	7.30		6.5	4.7S	NT4.1	5.2
1856	9				46.15	12.37		5	3.9S	NT4.1	4.7	1858	10	20	21		46.38	15.42	9	5.5		ZivS	3.7
1856	9	27	5	53	46.05	14.50	13	5.5		ZivS	3.9	1858	10	21	2		46.38	15.42	7	6		ZivS	3.8
1856	11	9	22	17	45.87	14.50	8	7		ZivS	4.3	1858	10	24	15	14	49.22	18.76		6	4.3S	Lab	4.3
1856	11	10	7	30	45.87	14.50	13	5.5		ZivS	3.9	1858	10	25			44.88	7.32		6	4.4S	NT4.1	5.0
1856	11	27	5	53	46.01	14.50	13	5.5		ZivS	3.9	1859	1	20	7	55	45.87	12.20		6.5	4.7S	NT4.1	5.2
1857	1	24	7	3	50.12	3.25		5		LLA	3.8	1859	4	28	6	45	47.39	11.77	6	6	3.9S	ZAMG	3.9
1857	1	25	9	15	45.82	4.93		5		LLA	3.8	1859	5	13	20	15	45.28	4.17		5		LLA	3.8
1857	2	1			44.75	10.47		6.5	4.7S	NT4.1	5.2	1859	9	29	8	30	46.13	12.22		5.5	4.2S	NT4.1	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1859	10	17	9	30	46.10	20.90		7	5.0w	Onc	5.0	1863	9	19	19	15	45.57	2.82		5		LLA	3.8
1859	10	21	18	45	50.57	-5.06	7	5	4.0L	Mus	3.6	1863	9	30	7	20	47.76	18.14		5	3.7S	Lab	3.7
1859	12	21	21	30	47.90	23.90	6	5.5	3.5w	Onc	3.5	1863	10	4	15	10	49.47	0.88	15	5		LLA	4.0
1860	1	13	22	54	50.46	-5.31	8	5.5	4.0L	Mus	3.6	1863	10	6	3	22	52.03	-2.95	25	6	5.4L	Mus	5.0
1860	3	24	4		47.33	-3.17		5		LLA	3.8	1864	3	15			44.35	11.05		6.5	4.7S	NT4.1	5.2
1860	5	8	5	30	45.92	15.62	3	6.5		ZivS	3.5	1864	7	16	9	10	47.75	1.20		5		LLA	3.8
1860	7	19	15	38	45.90	12.05		7	5.0S	NT4.1	5.3	1864	9	1	11	5	48.91	18.18		6	4.3S	Lab	4.3
1861	3	16	0	30	44.33	9.60		6	4.4S	NT4.1	5.0	1864	12	11	17	40	44.07	11.37		7	5.0S	NT4.1	5.3
1861	4	12	3	10	47.95	5.75		5		LLA	3.8	1865	1	21			47.49	12.07	6	6	3.9S	ZAMG	3.9
1861	5	15	0	30	45.23	17.38		6	4.3L	ZivC	3.9	1865	3	27	1		45.40	6.50		5		LLA	3.8
1861	5	19	19	45	45.75	11.92		6.5	4.7S	NT4.1	5.2	1865	5	7	13	20	59.00	6.10	57	5	4.9S	FEN	4.9
1861	10	16			44.22	12.05		6.5	4.7S	NT4.1	5.2	1865	7	13			47.05	16.18	8	6	4.0S	ZAMG	4.0
1861	11	8			48.71	18.97		5.5	3.8S	Lab	3.8	1866	2	27	19	57	47.76	18.14		5	3.7S	Lab	3.7
1861	11	14	21		47.35	8.87		6		SED	4.2	1866	3	9	1	20	65.20	6.00			5.7S	FEN	5.7
1861	12	18	8	20	45.20	16.20		7.5	5.2L	ZivC	4.8	1866	4	14			47.15	10.02		6		SED	4.2
1862	1	13	0	55	48.65	19.05		6	4.3S	Lab	4.3	1866	4	21	17	45	47.76	18.14		5	3.7S	Lab	3.7
1862	1	25	0	20	46.49	14.27	7	6	3.9S	ZAMG	3.9	1866	5	19	9	12	44.35	6.03		7.5		LLA	4.9
1862	3	18	20	45	48.46	18.96		5	3.7S	Lab	3.7	1866	7	7	6	42	45.30	14.50		7	4.9L	ZivC	4.5
1862	4	17	8	10	47.58	5.17		5		LLA	3.8	1866	8	11	23		45.72	10.78		7	5.0S	NT4.1	5.3
1862	4	18	2	30	47.76	18.14		5	3.7S	Lab	3.7	1866	9	1	20	30	46.42	-0.20	15	5.5		LLA	4.3
1862	5	27	0	20	46.75	12.42	8	6.5	4.4S	ZAMG	4.4	1866	9	14	5	10	46.85	1.20	15	7		LLA	4.9
1862	10	16	1	10	45.70	26.60	130	7	6.5w	Onc	6.5	1866	11	4	10	25	48.10	28.10	10	6.5		KSh	4.0
1863	1	22	9	45	45.50	15.00	13	6		ZivS	4.1	1866	12	1	7	15	48.34	17.34		5	3.7S	Lab	3.7
1863	2	13	3	50	46.93	5.90		5		LLA	3.8	1867	2	12	12	3	46.05	14.50	14	5		ZivS	3.7
1863	9	18	18	20	45.57	2.82		5		LLA	3.8	1867	5	14	3		46.80	6.75		6		SED	4.2

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1867	12	17	11		47.07	7.23		6		SED	4.2	1870	1	5	4		48.37	17.16		6	4.3S	Lab	4.3
1868	2	20	20		45.62	10.72		6	4.4S	NT4.1	5.0	1870	1	18	0	15	47.65	15.92	7	6	3.9S	ZAMG	3.9
1868	4	4	1	40	48.57	-2.28		5		LLA	3.8	1870	3	1	19	57	45.40	14.40		8	5.4L	ZivC	5.0
1868	5	22	21		45.88	11.03		5.5	4.2S	NT4.1	4.9	1870	3	2	2		46.10	14.90	4	7		ZivS	4.0
1868	6	21	5	30	47.51	19.94		7	4.9L	ZsiP	4.5	1870	10	30			44.12	12.05		8	5.5S	NT4.1	5.5
1868	8	5	5	20	45.03	3.88		5		LLA	3.8	1870	12	21	16		48.00	23.60	7	6.5		KSh	3.9
1868	8	20	20	20	47.50	20.07		6	4.4L	Zsi	4.0	1871	2	10	5	32	49.67	8.50	7	7		GHK99	4.6
1868	8	22	16	30	47.50	20.07		6	4.4L	Zsi	4.0	1871	2	12	10	24	49.83	8.80	3	6		Ley	3.6
1868	10	30	22	35	51.73	-3.67	24	5.5	4.9L	Mus	4.5	1871	2	21	15	55	48.50	8.40	8	6		Ley	3.9
1868	11	13	7	45	45.70	26.60	150	7.5	6.8w	Onc	6.8	1871	3	17	18	35	54.71	-2.47	10	4	3.9L	Mus	3.6
1868	11	27	20	30	45.70	26.60	135	7	6.5w	Onc	6.5	1871	3	17	23	4	54.71	-2.47	21	5	4.9L	Mus	4.5
1869	5	29	20	37	48.73	19.16		6	4.3S	Lab	4.3	1871	9	12	7	35	46.58	4.58		5		LLA	3.8
1869	6	25			44.32	11.05		7.5	5.2S	NT4.1	5.5	1871	11	2	1	20	45.80	27.50		6	5.3w	Onc	5.3
1869	10	2	23	45	50.43	7.55	9	7		Ley	4.7	1871	12	2			45.90	15.00	5	7		ZivS	4.0
1869	10	13	3	30	46.35	14.17	7	7		ZivS	4.2	1872	3	6	15	55	50.86	12.28	12	7	5.0w	GS01	5.0
1869	10	30	20	4	49.90	8.50	3	6		Ley	3.6	1872	4	18	10		66.00	-17.50			6.3L	IMO	6.4
1869	10	31	15	25	49.92	8.48	2	7		Ley	4.2	1872	4	18	11		66.20	-17.90			6.3L	IMO	6.4
1869	10	31	17	26	49.92	8.48	5	7		Ley	4.5	1872	5	14	17	45	46.10	13.43		6.5	4.7S	NT4.1	5.2
1869	11	1	4	7	49.92	8.48	6	7		Ley	4.5	1872	5	19	19	40	45.30	25.20		4	3.9w	Onc	3.9
1869	11	1	23	48	49.90	8.50	10	7		Ley	4.7	1872	8	8	5	10	47.27	11.39	6	6	3.9S	ZAMG	3.9
1869	11	2	21	26	49.92	8.48	6	7		Ley	4.5	1872	11	27	7	20	46.82	10.33		5.5		SED	3.8
1869	11	3	3	48	49.90	8.50	5	6.5		Ley	4.1	1872	12	26	13	40	48.40	23.30	5	7		KSh	4.2
1869	11	22	7	8	49.90	8.50	6	6		Ley	3.8	1873	1	3	18		48.25	15.96	4	6.5	3.7S	ZAMG	3.7
1869	11	29	16	38	45.67	7.25		5.5	4.2S	NT4.1	4.9	1873	1	8	12	45	45.87	14.25	17	4.5		ZivS	3.5
1869	12	13	2	53	44.50	10.75		6.5	4.7S	NT4.1	5.2	1873	4	10	19	30	46.87	7.32		6		SED	4.2

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1873	5	16	19	35	44.60	10.70		6.5	4.7S	NT4.1	5.2	1876	7	17	12	17	48.00	15.17	4	7.5	4.3S	ZAMG	4.3
1873	6	29	3	55	46.18	12.38		9.5	6.4S	NT4.1	6.2	1876	10	21	15		46.33	16.97		6	4.4L	Zsi	4.0
1873	7	14	23	45	44.47	4.75		6.5		LLA	4.4	1876	10	22	8	9	46.50	13.30		5.5	4.2S	NT4.1	4.9
1873	7	19	3	50	44.48	4.72		7.5		LLA	4.9	1876	11	25	2	45	45.98	12.38		5	3.9S	NT4.1	4.7
1873	8	8	3		44.45	4.75	5	7.5		LLA	4.4	1876	11	30	10	15	46.33	16.97		6	4.4L	Zsi	4.0
1873	9	17			44.25	9.83		6.5	4.7S	NT4.1	5.2	1876	12	1			47.51	15.45	8	6	4.0S	ZAMG	4.0
1873	10	22	9	45	50.87	6.08	4	7	4.6L	Mei95	4.2	1876	12	6	8	30	46.00	18.70		6	4.4L	Zsi	4.0
1873	11	6	8	30	46.13	12.22		6.5	4.7S	NT4.1	5.2	1877	1	25	3	53	46.45	13.30		6.5	4.7S	NT4.1	5.2
1874	1	23	18	45	45.96	15.07	7	5.5		ZivS	3.5	1877	4	4	19	45	46.17	15.23	4	7		ZivS	3.9
1874	2	20	18	5	47.33	8.45		6		SED	4.2	1877	5	2	19	40	47.23	8.70		6		SED	4.2
1874	4	15	6	30	45.45	-0.43		5.5		LLA	4.0	1877	5	23	18	5	46.42	13.02		5.5	4.2S	NT4.1	4.9
1874	10	7			44.27	11.60		7	5.0S	NT4.1	5.3	1877	6	24	8	53	50.87	6.10	2	8	4.6L	Mei95	4.2
1874	12	1	19	30	46.15	7.80		7		SED	5.0	1877	8	21	1	30	48.90	-2.10	15	5		LLA	4.0
1875	1	1	4		47.57	7.27		5		LLA	3.8	1877	9	12	6	50	45.87	3.82		6		LLA	4.2
1875	1	10	19		44.03	11.80		6	4.4S	NT4.1	5.0	1877	9	12	15	30	45.95	15.15	6	6.5		ZivS	4.0
1875	3	17			44.07	12.57		7.5	5.2S	NT4.1	5.5	1877	9	13	1		45.95	15.15	13	5		ZivS	3.6
1875	4	2	4	55	47.00	6.87		5.5		SED	3.8	1877	10	1	7	27	45.75	10.80		6.5	4.7S	NT4.1	5.2
1875	8	17	15	45	50.30	24.20	19	6		KSh	3.7	1877	10	8	5	12	46.07	6.32		7		LLA	4.7
1875	10	14	9	30	45.47	6.55		5		LLA	3.8	1877	10	22	20	30	46.03	7.75		6		SED	4.2
1875	10	24	20	13	46.13	12.22		6	4.4S	NT4.1	5.0	1877	12	28	3	32	47.07	14.53	8	6	4.0S	ZAMG	4.0
1876	3	28	1		46.12	12.37		5.5	4.2S	NT4.1	4.9	1878	1	13	2	15	45.98	14.22	10	5.5		ZivS	3.7
1876	4	2	4	55	47.00	6.95		6		SED	4.2	1878	1	22	6	44	44.67	7.50		6	4.4S	NT4.1	5.0
1876	4	29	23		45.73	10.77		7.5	5.2S	NT4.1	5.5	1878	1	28	11	53	49.80	-0.60	16	5	5.0L	Mus	4.6
1876	5	7	4	48	46.70	6.50		6		SED	4.2	1878	3	12			44.40	11.58		6.5	4.7S	NT4.1	5.2
1876	7	6	7	30	46.23	17.37		6	4.4L	Zsi	4.0	1878	4	14	18	45	46.78	10.18		5.5		SED	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1878	5	14	5	55	48.07	-3.20	15	5		LLA	4.0	1879	10	17	2	53	44.70	21.60		7	4.7w	Onc	4.7
1878	6	7	22	25	44.47	7.30		7	5.0S	NT4.1	5.3	1879	10	20	10	45	44.70	21.70		7	4.7w	Onc	4.7
1878	6	24	9	15	45.88	4.67	15	6.5		LLA	4.7	1879	10	31	18	30	46.10	20.60		7	4.7w	Onc	4.7
1878	8	21	6		46.00	15.20	16	6.5		ZivS	4.4	1879	10	31	18	31	45.90	20.40		7	4.7w	Onc	4.7
1878	8	26	9		50.93	6.55	9	8	5.9L	Mei95	5.6	1879	11	1	6		46.00	20.50		7	4.7w	Onc	4.7
1878	9	10	13	31	44.23	10.08		6.5	4.7S	NT4.1	5.2	1879	11	19	23	10	45.80	21.30		7	4.7w	Onc	4.7
1878	10	9			45.80	17.00		6.5		ZivC	4.1	1879	12	13	19	30	49.10	10.30		6		Ley	4.0
1878	11	9	17	49	44.25	11.50		7	5.0S	NT4.1	5.3	1879	12	21	18	24	65.40	11.90		3	4.1S	FEN	4.1
1879	1	4	0	30	61.00	2.00			4.5S	FEN	4.5	1879	12	22	4	3	44.70	21.60		7	4.7w	Onc	4.7
1879	1	11	9	8	46.49	14.59	7	6	3.9S	ZAMG	3.9	1879	12	30	12	27	46.20	6.65		7		LLA	4.7
1879	1	21	7	53	45.99	15.99		7	4.6L	ZivC	4.2	1880	1	24	19	41	49.13	8.20	8	5.5		Ley	3.6
1879	2	2	17	20	58.80	16.20	10	6		FEN	3.6	1880	2	23	21	30	44.50	21.60		7	4.7w	Onc	4.7
1879	2	12	13	42	46.17	14.42	11	6		ZivS	4.0	1880	3	1	2	45	44.70	21.60		7	4.7w	Onc	4.7
1879	2	14			45.67	10.65		5.5	4.2S	NT4.1	4.9	1880	3	22	18	5	46.65	0.37		5		LLA	3.8
1879	4	27			44.17	11.58		7	5.0S	NT4.1	5.3	1880	4	13	12	20	44.60	21.60		7	4.7w	Onc	4.7
1879	6	22	4	15	46.25	13.20		5.5	4.2S	NT4.1	4.9	1880	5	20	10	30	44.90	16.90		7	4.9L	ZivC	4.5
1879	9	9	7	45	45.92	5.32		6		LLA	4.2	1880	6	7	1	30	61.90	6.20		4	3.9S	FEN	3.9
1879	9	12			46.17	14.32	7	6.5		ZivS	4.0	1880	7	4	8	20	46.25	8.05		7		SED	5.0
1879	9	28	15	30	44.80	21.50		7	4.7w	Onc	4.7	1880	7	4	19	30	46.28	7.88		6		SED	4.2
1879	10	10	15	45	44.70	21.60		8	5.3w	Onc	5.3	1880	7	18	0	20	61.00	1.00	34		4.1S	FEN	4.1
1879	10	10	18	30	44.70	21.60		7	4.7w	Onc	4.7	1880	7	23	1	50	44.20	11.80		5.5	4.2S	NT4.1	4.9
1879	10	10	19	30	44.70	21.60		7	4.7w	Onc	4.7	1880	8	4	5	30	63.60	3.90			4.5S	FEN	4.5
1879	10	11	1		44.70	21.60		7	4.7w	Onc	4.7	1880	9	19	10	1	46.82	7.18		6		SED	4.2
1879	10	11	2	45	44.70	21.60		8	5.3w	Onc	5.3	1880	9	21	18	50	46.82	7.18		6		SED	4.2
1879	10	11	10	45	44.70	21.60		7	4.7w	Onc	4.7	1880	10	3	5	46	46.30	24.10		8	5.3w	Onc	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1880	11	9	6	33	45.91	16.11		9	6.3L	ZivC	6.0	1882	2	18	4		50.08	1.42		5		LLA	3.8
1880	11	11	10	26	45.98	16.00		7	4.6L	ZivC	4.2	1882	2	27	6	30	45.88	9.98		6.5	4.7S	NT4.1	5.2
1880	11	14	7	30	47.39	11.26	8	6	4.1S	ZAMG	4.1	1882	5	11	23	30	45.48	6.53		5		LLA	3.8
1880	11	28	17	45	56.19	-5.30	25	5	5.2L	Mus	4.8	1882	5	21	16	40	48.05	7.65		5		LLA	3.8
1880	12	9	6	36	46.23	15.20	13	5		ZivS	3.6	1882	6	15	13		65.80	24.20	20	6		FEN	3.8
1880	12	25	14	30	45.70	26.60	130	7.5	6.8w	Onc	6.8	1882	6	23	6		65.60	24.50	27	6		FEN	3.8
1881	1	24			44.45	11.52		7	5.0S	NT4.1	5.3	1882	7	17	5	30	46.00	14.25	13	5		ZivS	3.6
1881	1	27	13	19	46.90	7.50		7		SED	5.0	1882	7	17	7	51	46.00	14.25	12	7		ZivS	4.5
1881	2	4	1	26	45.75	14.08	10	6.5		ZivS	4.2	1882	7	26	15	38	45.75	-0.63		6		LLA	4.2
1881	2	12			44.37	12.03		6.5	4.7S	NT4.1	5.2	1882	8	14	4	13	47.17	4.95		5		LLA	3.8
1881	3	1			46.23	15.25	11	5.5		ZivS	3.8	1882	9	13	0	40	47.95	6.45		5		LLA	3.8
1881	3	3	2	15	46.30	7.92		5.5		SED	3.8	1882	12	10	17	40	45.22	6.20		5		LLA	3.8
1881	3	3	2	35	46.28	7.92		5.5		SED	3.8	1882	12	31	18	30	50.07	1.47		5		LLA	3.8
1881	6	18	8		46.42	13.02		6	4.4S	NT4.1	5.0	1883	1	31	14	43	50.50	15.90		6.5		Zsi	4.3
1881	7	4	17	38	47.37	4.75		6		LLA	4.2	1883	3	7	9	15	44.60	7.40		6	4.4S	NT4.1	5.0
1881	7	22	0	5	45.22	6.20		5.5		LLA	4.0	1883	6	13	13		61.50	5.70	42	4	4.2S	FEN	4.2
1881	7	22	2	45	45.32	6.27		7		LLA	4.7	1883	6	25	13	39	50.61	-4.46	11	5.5	4.2L	Mus	3.8
1881	8	5	0	30	45.22	6.20		6		LLA	4.2	1883	10	20	22	30	50.87	12.18	13	5.5		Gru	3.7
1881	9	28			44.15	12.18		6.5	4.7S	NT4.1	5.2	1883	10	22	2	40	45.98	12.30		6	4.4S	NT4.1	5.0
1881	11	5	8	42	46.91	13.54	8	6	4.1S	ZAMG	4.1	1884	3	24	19	59	45.26	18.45		7	4.9L	ZivC	4.5
1881	11	18	3	50	47.20	9.42		6.5		SED	4.6	1884	4	2	1	20	46.83	6.97		5.5		SED	3.8
1881	11	18	23	14	50.80	6.10	13	6		Ley96	4.1	1884	4	22	9	18	51.82	0.90	3	8	4.6L	Mus	4.2
1881	11	25	17	25	46.30	6.97		7		SED	5.0	1884	6	29	5	45	48.77	17.84		5	3.7S	Lab	3.7
1882	1	23			47.44	10.64	8	6	4.1S	ZAMG	4.1	1884	9	12			45.57	9.85		6	4.4S	NT4.1	5.0
1882	2	15	4	50	44.63	9.12		6	4.4S	NT4.1	5.0	1884	11	27	23	5	44.78	6.67		7		LLA	4.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1884	11	29	0	20	45.88	6.33		5.5		SED	3.8	1886	9	5	12		61.30	5.00	34	4	4.0S	FEN	4.0
1884	12	27	21	55	46.50	13.58		5.5	4.2S	NT4.1	4.9	1886	9	29	17	28	46.75	10.05		6		SED	4.2
1885	1	25	10	50	66.10	-16.90			6.3L	IMO	6.4	1886	10	9	18	20	48.45	7.92	2	7		Ley	4.2
1885	1	28	14	40	46.40	15.25	12	5		ZivS	3.6	1886	10	15	2	20	44.73	10.32		6	4.4S	NT4.1	5.0
1885	2	1	16	35	49.17	-0.55	15	5.5		LLA	4.3	1886	10	24	23	15	62.00	6.90	49	5	4.8S	FEN	4.8
1885	2	6	18	30	45.73	-0.62		5.5		LLA	4.0	1886	11	12			44.10	5.42		6		LLA	4.2
1885	2	26	20	48	44.58	10.67		6	4.4S	NT4.1	5.0	1886	11	28	22	30	47.32	10.84	8	7.5	5.1S	ZAMG	5.1
1885	4	13	10	25	46.57	7.38		7		SED	5.0	1886	12	21	21	15	62.00	17.20	8	6		FEN	3.5
1885	4	24	5	12	46.57	7.37		5.5		SED	3.8	1887	2	15	9	5	48.33	-0.93		5.5		LLA	4.0
1885	4	30	23	15	47.51	15.45	8	7	4.7S	Len	4.7	1887	3	3	1		44.42	7.10		5.5	4.2S	NT4.1	4.9
1885	5	26	8	29	47.30	23.20		6	4.1w	Onc	4.1	1887	4	14	1	11	45.80	11.92		7	5.0S	NT4.1	5.3
1885	6	28	1	26	46.55	7.37		6		SED	4.2	1887	4	21	3		49.85	-1.99			4.3L	Mus	3.9
1885	7	1	6	15	44.25	7.50		6	4.4S	NT4.1	5.0	1887	5	20	4	12	45.83	9.40		5.5	4.2S	NT4.1	4.9
1885	8	16	19	23	47.97	1.88		5		LLA	3.8	1887	6	11	21	30	48.38	7.88	3	6		Ley	3.6
1885	8	17	18	35	48.89	21.71		6	4.3S	Lab	4.3	1887	6	22	16	45	48.55	-1.75	15	5		LLA	4.0
1885	8	26			47.51	15.45	8	6	4.0S	ZAMG	4.0	1887	7	10	2	56	46.00	21.20		7	4.7w	Onc	4.7
1885	9	22			47.68	15.94	7	6.5	4.2S	ZAMG	4.2	1887	8	2	22		46.65	-1.22		5		LLA	3.8
1885	9	25	23	58	46.22	7.35		5.5		SED	3.8	1887	8	5	18	15	67.40	12.00			3.8S	FEN	3.8
1885	12	29	22	6	46.08	12.28		6	4.4S	NT4.1	5.0	1887	8	13	2	54	45.68	15.58		7	4.6L	ZivC	4.2
1886	1	16	3		57.20	6.40	61		4.5S	FEN	4.5	1887	9	20	6	40	50.45	4.05		6		ORB	4.0
1886	3	27	7	50	47.75	18.25		5	3.7S	Lab	3.7	1887	9	30	15	52	44.28	11.87		6	4.4S	NT4.1	5.0
1886	4	12	21	20	47.00	21.90		6	4.1w	Onc	4.1	1887	10	1	3	5	44.47	7.32		5.5	4.2S	NT4.1	4.9
1886	5	11	18	45	46.87	-1.50	15	5		LLA	4.0	1887	10	11	3	40	47.20	-1.67		5		LLA	3.8
1886	8	14	3		48.15	7.18		5.5		LLA	4.0	1887	10	23	4	5	45.57	15.22	6	6		ZivS	3.6
1886	9	5			45.00	7.20		6.5	4.7S	NT4.1	5.2	1887	11	26	23	40	46.82	4.53		6		LLA	4.2

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1887	12	10			54.20	28.50	12	6		Bob	3.6	1890	1	28	8	11	48.76	19.32	5	6	4.1S	Lab	4.1
1888	2	2	5	2	57.10	-5.14	17	5.5	4.8L	Mus	4.4	1890	3	26	20	10	46.33	12.42		6	4.4S	NT4.1	5.0
1888	3	30	9	30	45.40	18.20		6.5	4.6L	ZivC	4.2	1890	5	4	12	9	44.00	11.25		5.5	4.2S	NT4.1	4.9
1888	4	2	10	1	59.00	6.40		4	3.6S	FEN	3.6	1890	6	10	16		46.90	5.77		5		LLA	3.8
1888	4	12			47.78	16.54	7	6.5	4.2S	ZAMG	4.2	1890	9	13	21		66.20	12.70		5	4.1S	FEN	4.1
1888	4	12			47.78	16.54	7	7	4.6S	ZAMG	4.6	1890	11	15	17	50	57.46	-4.35	10	6	4.5L	Mus	4.1
1888	5	4	20		46.15	2.88		6		LLA	4.2	1890	11	25	9	56	48.34	17.11	13	6	4.5S	Lab	4.5
1888	5	15	5	30	48.17	-2.25	15	6		LLA	4.5	1890	12	27	6		47.73	-1.17		5		LLA	3.8
1888	5	20	11	30	44.90	16.90		7		Zsi	4.6	1890	12	28	11	32	48.90	21.80	10	6.5	4.6S	Lab	4.6
1888	6	21	14	28	47.80	24.10		5.5	3.8w	Onc	3.8	1891	1	9	20	34	47.37	9.62		6.5		SED	4.6
1888	7	28	1	55	63.30	19.00	9	6		FEN	3.6	1891	1	23	20	5	47.38	9.43		6		SED	4.2
1888	8	19	4	56	45.70	26.60	100	7	6.5w	Onc	6.5	1891	2	9	5		48.10	6.92		5.5		LLA	4.0
1888	12	23	11		61.80	5.10		5	3.9S	FEN	3.9	1891	3	4	16	15	46.82	6.93		5.5		SED	3.8
1888	12	26	0	12	50.51	12.40	9	5.5		Gru	3.6	1891	3	13	2	25	47.38	-0.70	15	5		LLA	4.0
1889	1	7			47.45	9.23		5.5		SED	3.8	1891	6	7			45.57	11.15		8	5.5S	NT4.1	5.5
1889	1	27	21	47	46.25	14.60	7	6		ZivS	3.7	1891	6	15			45.42	10.73		6	4.4S	NT4.1	5.0
1889	2	18	7	30	45.58	5.48		6.5		LLA	4.4	1891	8	1	13	30	44.42	11.93		6	4.4S	NT4.1	5.0
1889	3	8	2	47	44.48	11.33		6	4.4S	NT4.1	5.0	1891	10	13	0	40	46.83	10.32		5.5		SED	3.8
1889	3	23	16	15	44.80	3.20		5.5		LLA	4.0	1891	12	20	16	36	46.17	8.43		5.5	4.2S	NT4.1	4.9
1889	3	28	2		44.80	3.28		5		LLA	3.8	1891	12	22			46.20	9.87		5.5	4.2S	NT4.1	4.9
1889	5	30	20	19	49.40	-0.60	25		5.2L	Mus	4.8	1892	1	5			45.55	10.43		6.5	4.7S	NT4.1	5.2
1889	6	7	13	15	48.37	-4.53		5		LLA	3.8	1892	1	11	1	56	46.08	12.43		5.5	4.2S	NT4.1	4.9
1889	6	25	1	25	46.40	13.00		6	4.4S	NT4.1	5.0	1892	3	5			45.62	7.80		7	5.0S	NT4.1	5.3
1889	8	12	2	30	46.40	-0.55	15	5.5		LLA	4.3	1892	5	15	14	51	61.40	5.10	46	6	5.2S	FEN	5.2
1889	10	13	10	10	46.40	13.00		7	5.0S	NT4.1	5.3	1892	5	17	3	8	44.45	10.52		6	4.4S	NT4.1	5.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1892	5	31	21	30	48.14	17.12		5	3.7S	Lab	3.7	1893	4	22	11	12	44.20	21.20		7	5.0L	Zsi	4.6
1892	6	22	2	35	46.68	18.45	6	6.5	4.3L	Zsi	3.9	1893	4	29	23	45	44.20	21.20		7	5.0L	Zsi	4.6
1892	6	23	23	20	46.28	12.52		7	5.0S	NT4.1	5.3	1893	5	1	17	18	45.70	26.60	120	6.5	6.2w	Onc	6.2
1892	6	24	1	4	45.82	13.08		5.5	4.2S	NT4.1	4.9	1893	5	20	21	42	44.30	21.20		8	5.6L	Zsi	5.2
1892	8	1	4	58	47.63	8.62	20	5.5		Ley96	3.8	1893	5	31	20	13	44.20	21.20		7	5.0L	Zsi	4.6
1892	8	9			50.27	7.62	4	7		Ley	4.4	1893	7	1	16	39	47.73	5.93		5		LLA	3.8
1892	8	9	7	58	45.57	11.17		7	5.0S	NT4.1	5.3	1893	7	27	20	54	44.20	21.20		7	5.0L	Zsi	4.6
1892	8	18	0	24	51.70	-5.04	26	6	5.1L	Mus	4.7	1893	8	17	14	45	45.70	26.60	100	8	7.1w	Onc	7.1
1892	8	18	0	37	51.69	-5.04		3.5	4.0L	Mus	3.6	1893	9	10	3	40	45.70	26.60	100	7	6.5w	Onc	6.5
1892	8	18	1	40	51.70	-5.04		4	4.8L	Mus	4.4	1893	10	27	16	31	46.27	12.30		6	4.4S	NT4.1	5.0
1892	8	18	2	50	51.71	-5.04			4.0L	Mus	3.6	1893	11	2	17	45	51.81	-4.41	24	6	5.0L	Mus	4.6
1892	8	26	4	30	45.20	3.17		6		LLA	4.2	1893	12	8	2	45	61.80	5.20		5	3.9S	FEN	3.9
1892	8	26	10	10	45.47	3.17		7		LLA	4.7	1893	12	13			44.60	18.80		6.5	4.6L	ZivC	4.2
1892	9	25	18	30	61.70	5.50		5	4.0S	FEN	4.0	1893	12	19	3		44.60	18.80		6.5	4.6L	ZivC	4.2
1892	11	20	21	30	59.70	5.70	30	5	4.4S	FEN	4.4	1893	12	30	3	35	46.00	26.70		4.5	4.2w	Onc	4.2
1892	11	26	8		44.25	7.57		6	4.4S	NT4.1	5.0	1894	1	19	8	25	45.30	24.60		5	4.5w	Onc	4.5
1892	12	28	6		47.28	6.80		5		LLA	3.8	1894	2	9	12	48	45.57	11.15		7	5.0S	NT4.1	5.3
1892	12	29	13	48	44.17	11.50		6	4.4S	NT4.1	5.0	1894	3	1	15	25	45.70	26.60		7	5.9w	Onc	5.9
1893	3	11	9	25	48.00	23.00		7	4.7w	Onc	4.7	1894	3	4	6	35	45.70	26.60	130	7	6.5w	Onc	6.5
1893	3	24	17	35	48.62	17.80	5	5.5	3.8S	Lab	3.8	1894	3	5	21	14	45.83	9.42	6	5	3.9S	NT4.1	4.7
1893	4	8	15	9	44.20	21.30		7	5.0L	Zsi	4.6	1894	3	11	6	30	45.50	27.70		4	3.9w	Onc	3.9
1893	4	8	17	41	44.20	21.40		7	5.0L	Zsi	4.6	1894	3	17	20		45.70	26.60	100	5	5.4w	Onc	5.4
1893	4	9	1	50	44.20	21.20		7	5.0L	Zsi	4.6	1894	3	18	0	50	45.70	26.60	110	4.5	5.1w	Onc	5.1
1893	4	10	23	57	44.10	21.20		7	5.0L	Zsi	4.6	1894	3	18	12	50	45.70	27.20		4	4.0w	Onc	4.0
1893	4	15	4	48	49.23	21.73	9	6.5	4.6S	Lab	4.6	1894	3	24	19	30	45.60	27.20		4	4.0w	Onc	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1894	5	11	15	45	45.30	25.20		4	3.9w	Onc	3.9	1895	4	15	4	35	46.10	14.50	13	5.5		ZivS	3.9
1894	5	17	11	30	47.27	-1.05	15	5.5		LLA	4.3	1895	4	15	5	52	46.05	14.50	8	6		ZivS	3.8
1894	7	23	5	25	67.90	13.30		7	5.4S	FEN	5.4	1895	5	16	18	5	45.70	27.20		3.5	3.5w	Onc	3.5
1894	8	31	12	20	45.70	26.60	130	8	7.1w	Onc	7.1	1895	5	22			50.77	6.10		6		Ley	4.0
1894	10	6	15		58.90	4.60			4.0S	FEN	4.0	1895	5	25	11	42	45.00	12.00		6	4.4S	NT4.1	5.0
1894	10	7	21	30	48.05	23.47		6	4.4L	Zsi	4.0	1895	6	10	1	47	45.88	12.28		6.5	4.7S	NT4.1	5.2
1894	10	30	7	40	67.30	13.00		5.5	4.8S	FEN	4.8	1895	6	11	9	27	50.70	17.00	9	7		Pag	4.7
1894	10	31	11	30	45.20	24.00		4	3.9w	Onc	3.9	1895	7	3			44.70	12.18		6	4.4S	NT4.1	5.0
1894	11	27			45.58	10.12		6.5	4.7S	NT4.1	5.2	1895	8	7	19	49	44.25	10.75		6	4.4S	NT4.1	5.0
1894	11	28			46.02	11.80		6.5	4.7S	NT4.1	5.2	1895	9	4			44.03	11.78		6.5	4.7S	NT4.1	5.2
1894	12	19	21	30	45.00	21.70		7	4.7w	Onc	4.7	1895	10	12	1	45	45.77	10.83		6	4.4S	NT4.1	5.0
1895	2	5	15	4	45.70	26.60	150	5	5.4w	Onc	5.4	1895	11	2	6	30	45.67	8.75		5.5	4.2S	NT4.1	4.9
1895	2	5	23	40	65.00	6.00			5.3S	FEN	5.3	1895	11	19	7	44	45.70	26.60	130	4.5	5.1w	Onc	5.1
1895	2	27	15	38	46.18	12.52		6	4.4S	NT4.1	5.0	1895	11	27	2	30	59.40	6.00	34	4	4.1S	FEN	4.1
1895	3	23			44.70	12.18		6	4.4S	NT4.1	5.0	1895	12	6	16	20	48.45	-1.92		5.5		LLA	4.0
1895	4	14	20	17	46.10	14.50	16	8.5		ZivS	5.5	1895	12	7	8	28	47.77	-3.33		5.5		LLA	4.0
1895	4	14	22	20	46.10	14.50	10	6.5		ZivS	4.2	1895	12	16	12		57.60	7.90	34		4.1S	FEN	4.1
1895	4	14	22	40	46.05	14.50	11	6		ZivS	4.0	1895	12	27	4	26	45.70	26.60	100	4	4.9w	Onc	4.9
1895	4	14	23	1	46.10	14.50	13	7		ZivS	4.6	1896	1	7	2		61.90	6.40	38	4	4.2S	FEN	4.2
1895	4	14	23	49	46.10	14.50	12	6		ZivS	4.0	1896	1	22	0	47	47.90	8.18	12	6		Ley	4.0
1895	4	15	0	31	46.10	14.50	18	5		ZivS	3.8	1896	1	28	21	30	61.70	3.60	48		4.3S	FEN	4.3
1895	4	15	2	36	46.10	14.50	11	6		ZivS	4.0	1896	3	11	21	30	66.40	12.50		5	3.8S	FEN	3.8
1895	4	15	3	11	46.10	14.50	14	5.5		ZivS	3.9	1896	3	11	23		45.70	26.60	150	7	6.6w	Onc	6.6
1895	4	15	3	19	46.10	14.50	10	6.5		ZivS	4.2	1896	5	16	20	50	50.50	12.10		6		Gru	4.0
1895	4	15	3	43	46.10	14.50	20	5		ZivS	3.8	1896	6	14	20	48	48.52	-2.85	15	5		LLA	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1896	6	30	14		48.88	0.13		6		LLA	4.2	1897	2	2	0	32	46.18	14.50	6	6		ZivS	3.6
1896	7	8	1	51	44.13	10.93		6	4.4S	NT4.1	5.0	1897	2	20	6		47.30	11.45	6	6	3.9S	ZAMG	3.9
1896	7	27	5	45	45.08	20.97		6	4.4L	Zsi	4.0	1897	2	26	18	38	47.30	11.45	6	5.5	3.5S	ZAMG	3.5
1896	8	26	21	50	64.00	-20.20			6.9L	IMO	6.9	1897	3	6	4	8	45.60	27.60		4.5	4.2w	Onc	4.2
1896	8	27	9	30	64.00	-20.10			6.7L	IMO	6.8	1897	5	17	20	52	45.10	25.45		4	3.9w	Onc	3.9
1896	9	2	21	15	50.35	3.02	10	6		LLA	4.2	1897	6	11	11	40	45.82	12.03		6	4.4S	NT4.1	5.0
1896	9	5	23	30	63.90	-21.00			6.0L	IMO	6.2	1897	6	14	4	20	66.40	13.00		4.5	3.7S	FEN	3.7
1896	9	5	23	35	64.00	-20.60			6.5L	IMO	6.6	1897	7	15	5	57	46.05	14.50	7	8		ZivS	4.7
1896	9	6	2		63.90	-21.20			6.0L	IMO	6.2	1897	7	20	7	20	45.70	26.60	100	4	5.0w	Onc	5.0
1896	10	6	16	30	46.48	6.77		5.5		SED	3.8	1897	8	3	13	48	45.75	14.37	12	5.5		ZivS	3.8
1896	10	16			44.05	8.22		6	4.4S	NT4.1	5.0	1897	8	11	21	15	44.90	17.90		7	4.9L	ZivC	4.5
1896	10	29	13	25	46.90	19.68	11	5	3.9L	Zsi	3.6	1897	9	17	11	59	48.60	7.75		5		LLA	3.8
1896	11	3	21	10	50.59	13.50	11	5.5		Gru	3.7	1897	9	18	9	10	46.78	9.57		5.5		SED	3.8
1896	11	4	0	34	46.40	27.00		5	4.5w	Onc	4.5	1897	9	24	14	26	45.70	26.60	130	3	5.4w	Onc	5.4
1896	11	24	18	50	45.70	26.60	100	6.5	6.1w	Onc	6.1	1897	10	25	21		50.35	12.40	9	5.5		Gru	3.6
1896	12	1	2	25	46.50	13.33		6	4.4S	NT4.1	5.0	1897	10	29	19	45	50.35	12.48	8	6		Gru	3.9
1896	12	8	17	6	44.25	10.75		6	4.4S	NT4.1	5.0	1897	11	7	4	58	50.35	12.48	8	6.5		Gru	4.3
1896	12	16	23	15	52.02	-2.55		4	4.1L	Mus	3.7	1897	11	10	16		45.45	4.05		5		LLA	3.8
1896	12	17	3		52.02	-2.55		4	4.1L	Mus	3.7	1897	11	17	6	30	50.22	12.32	9	6		Gru	3.9
1896	12	17	5	32	52.02	-2.55	18	7	5.2L	Mus	4.8	1897	11	17	7	43	50.22	12.32	9	5.5		Gru	3.6
1896	12	31	1	52	45.45	17.19		5.5	4.1L	ZivC	3.7	1897	11	25			44.70	26.60		4.5	4.2w	Onc	4.2
1897	1	17	8	50	45.70	26.60	100	4	5.0w	Onc	5.0	1897	12	11	12	8	47.15	14.65	8	5.5	3.7S	ZAMG	3.7
1897	1	27	1	35	45.70	11.22		5.5	4.2S	NT4.1	4.9	1897	12	11	19		46.50	27.30		4.5	4.2w	Onc	4.2
1897	1	29	0	30	45.80	-0.55		5		LLA	3.8	1898	1	16			44.62	11.83		7	5.0S	NT4.1	5.3
1897	1	29	1	30	45.95	-0.63	15	5.5		LLA	4.3	1898	2	20	4	57	46.10	13.45		7	5.0S	NT4.1	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1898	2	22	10	44	46.80	6.60		7		SED	5.0	1899	8	9	21	48	46.70	26.50		4	3.9w	Onc	3.9
1898	3	4			44.60	10.12		6.5	4.7S	NT4.1	5.2	1899	9	18	5	16	46.15	14.38	8	6.5		ZivS	4.1
1898	4	17	22	49	46.05	14.50	11	6.5		ZivS	4.2	1899	10	10	14	14	45.40	26.30		4	3.9w	Onc	3.9
1898	5	6	13	10	46.60	7.68		7		SED	5.0	1899	12	20	19	28	45.70	26.60	100	3.5	5.4w	Onc	5.4
1898	6	7	4		47.15	9.50	4	6.5	3.8S	ZAMG	3.8	1900	1	28	9	35	45.41	16.90		5.5	4.1L	ZivC	3.7
1898	6	14	3	55	47.12	9.50		7		SED	5.0	1900	1	29	1	15	46.00	21.20		6.5	4.5w	Onc	4.5
1898	9	28	18	35	47.90	16.40	7	5.5	3.6S	ZAMG	3.6	1900	1	31	9		46.50	27.30		6.5	5.5w	Onc	5.5
1898	10	21	20	45	45.30	25.20		4.5	4.2w	Onc	4.2	1900	3	4	16	55	45.85	12.07	38	6	4.4S	NT4.1	5.0
1898	10	26	15	32	44.70	26.60		4	3.9w	Onc	3.9	1900	4	5	22	27	44.30	7.05		6	4.4S	NT4.1	5.0
1898	11	4	23		66.20	25.00	22	6		FEN	3.8	1900	6	3	3	40	48.15	7.55	3	6.5		Ley	3.9
1898	11	8	11	33	44.10	15.50		7	5.3L	ZivC	4.9	1900	6	4	0	30	48.37	7.43		5		LLA	3.8
1898	11	13	15	40	47.02	4.93		6		SED	4.2	1900	6	4	2	30	48.28	7.35		5		LLA	3.8
1898	11	14	11	44	45.70	26.60	100	4.5	4.7w	Onc	4.7	1900	6	23	7	6	45.00	24.10		4.5	4.2w	Onc	4.2
1898	11	16			45.62	10.47		5.5	4.2S	NT4.1	4.9	1900	8	6	23	5	47.03	9.15		5.5		SED	3.8
1898	11	26	1	29	47.67	15.93	7	5.5	3.6S	ZAMG	3.6	1900	8	16	21		45.42	7.45		6	4.4S	NT4.1	5.0
1898	12	29	4		46.50	27.30		4	3.9w	Onc	3.9	1900	11	19			44.90	28.40		4.5	4.2w	Onc	4.2
1899	1	31	23	45	60.10	5.50	30	5.5	4.6S	FEN	4.6	1901	1	10	3	30	50.50	16.10		7	4.7L	Zsi	4.3
1899	2	14	16	58	48.10	7.60		6.5		LLA	4.4	1901	1	20	6	30	45.00	11.10		6	4.4S	NT4.1	5.0
1899	2	16	2	30	46.13	14.47	11	5		ZivS	3.5	1901	2	5	17	17	47.42	17.75	11	5	3.9L	Zsi	3.6
1899	3	20	16	35	47.12	0.62		5.5		LLA	4.0	1901	2	15	5	30	46.45	6.40		5.5		SED	3.8
1899	4	29	11	6	47.32	14.98	8	6	4.0S	ZAMG	4.0	1901	2	16			44.93	26.31	30	4	3.9w	Onc	3.9
1899	5	30	8		47.30	10.50		6		Ley	4.0	1901	2	16	20	6	46.18	15.01	9	6.5		ZivS	4.1
1899	6	11	0	30	47.95	16.45	7	5.5	3.6S	ZAMG	3.6	1901	2	17	5	36	46.42	6.27		5.5		SED	3.8
1899	8	5	6	20	46.59	14.64	7	6.5	4.2S	ZAMG	4.2	1901	3	8	5	43	61.80	3.00	48		4.3S	FEN	4.3
1899	8	8	11	10	46.28	12.43		4.5	3.6S	NT4.1	4.5	1901	3	22	19	33	45.94	14.73	19	4.5		ZivS	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1901	3	29	7	5	45.17	7.17		5.5	4.2S	NT4.1	4.9	1902	4	10	19	30	64.30	27.60	22	6	FEN	3.8	
1901	3	30	13	40	44.30	22.10	20	5	4.1w	Onc	4.1	1902	6	7	0	5	47.57	15.62	8	5.5	3.7S	ZAMG	3.7
1901	4	2	16	54	45.50	20.70	18	7	5.0w	Onc	5.0	1902	8	4	22	37	44.20	10.20	40	7	5.0S	NT4.1	5.3
1901	4	20	9	35	44.33	7.50	10	6	4.4S	NT4.1	5.0	1902	9	4	9		64.80	9.50			4.7S	FEN	4.7
1901	5	13	8	21	44.65	5.02		6.5		LLA	4.4	1902	10	17	21	52	45.20	26.80		3.5	3.5w	Onc	3.5
1901	5	25	4	59	44.83	7.75		6	4.4S	NT4.1	5.0	1902	11	5	18	35	44.50	17.50	24	4.5	4.4L	ZivC	4.0
1901	7	9	16	23	54.80	-3.04	7	6	4.1L	Mus	3.7	1902	11	26	12	15	49.67	12.67	5	6.5		Gru	4.1
1901	8	12	18	37	45.93	15.48	10	6		ZivS	4.0	1902	11	29	2		47.15	-0.73		5		LLA	3.8
1901	8	18	8	44	44.20	20.70	4	8	4.6L	Zsi	4.2	1902	12	4	16	35	44.20	10.20	10	5.5	4.2S	NT4.1	4.9
1901	9	18	1	24	57.43	-4.32	11	7	5.0L	Mus	4.6	1902	12	5	0	5	47.42	-3.13		6		LLA	4.2
1901	9	18	3	56	57.43	-4.32		4	4.4L	Mus	4.0	1902	12	6	3	10	46.92	8.27		5.5		SED	3.8
1901	9	23	18	11	45.70	26.60	130	5.5	5.7w	Onc	5.7	1902	12	17	15	20	45.97	15.13	6	6		ZivS	3.7
1901	10	21	1	20	49.38	20.37		6.5		Pag	4.3	1903	1	20	3	4	47.80	26.60		6	4.1w	Onc	4.1
1901	10	27	21	10	44.00	19.50	6	7	4.9L	Zsi	4.5	1903	2	6	23	55	48.48	-4.90	15	5.5		LLA	4.3
1901	10	30	14	49	45.58	10.37	25	8	5.5S	NT4.1	5.5	1903	2	16	19	59	46.03	14.23	4	6.5		ZivS	3.7
1901	11	15	3	28	45.40	28.10		5	4.5w	Onc	4.5	1903	2	21	21	9	50.34	12.47	5	6		Gru	3.8
1901	11	18	22	15	46.13	0.35		6		LLA	4.2	1903	2	23	4	9	45.60	27.70		3.5	3.5w	Onc	3.5
1901	12	12	10	28	47.90	23.10	2	6	3.7w	Onc	3.7	1903	2	23	5	31	50.30	12.42	7	5.5		Gru	3.5
1901	12	17	14	12	45.83	15.98	4	7	4.4L	ZivC	4.0	1903	2	25	23	11	50.27	12.33	7	6		Gru	3.9
1902	1	10	19	40	45.67	14.22	13	5.5		ZivS	3.9	1903	3	5	0	50	50.31	12.33	12	5.5		Gru	3.7
1902	1	21	12	46	45.80	21.50	5	6	3.8w	Onc	3.8	1903	3	5	20	37	50.37	12.42	10	6.5		Gru	4.3
1902	2	9	2	50	59.50	5.50	22	5	4.1S	FEN	4.1	1903	3	5	20	55	50.37	12.42	10	6.5		Gru	4.3
1902	3	1	21	45	47.90	24.00	1	6	4.1w	Onc	4.1	1903	3	6	1	13	50.26	12.28	9	5.5		Gru	3.6
1902	3	5	7	6	44.10	10.47		7	5.0S	NT4.1	5.3	1903	3	6	4	57	50.34	12.47	14	6		Gru	4.1
1902	3	11	20	14	45.70	26.60	100	6	5.9w	Onc	5.9	1903	3	6	12	59	50.27	12.33		5.5		Gru	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1903	3	6	19	11	50.26	12.28	16	5.5		Gru	3.8	1904	3	2	6	27	45.52	15.87	7	6	4.2L	ZivC	3.8
1903	3	7	5	0	50.37	12.48	10	5.5		Gru	3.6	1904	3	28	13	20	46.77	7.32		6		SED	4.2
1903	3	8	6	22	50.35	12.50	8	5.5		Gru	3.6	1904	3	31	8	41	46.15	14.92	6	6		ZivS	3.6
1903	3	21	21	35	44.30	7.05		5.5	4.2S	NT4.1	4.9	1904	4	20	14	3	48.62	17.46		6.5	4.5S	Lab	4.5
1903	3	22	5	8	49.08	8.17	2	7		Ley	4.2	1904	5	16	1	51	44.51	19.23	6	6	4.4L	ZivC	4.0
1903	3	24	13	30	53.05	-1.70	8	6	4.6L	Mus	4.2	1904	6	6	14	25	44.10	27.30	30	5	4.7w	Onc	4.7
1903	4	27	16	8	50.27	12.29	5	6		Gru	3.8	1904	6	10	11	14	44.25	10.75		7.5	5.2S	NT4.1	5.5
1903	6	8	15	8	45.50	26.80	120	6	5.9w	Onc	5.9	1904	7	3	15	21	53.05	-1.75	17	6	4.2L	Mus	3.8
1903	6	19	10	5	53.02	-4.39	10	6	4.9L	Mus	4.5	1904	7	12	5	31	44.92	6.67		7		LLA	4.7
1903	6	26	5	28	47.90	20.38	8	6.5	4.5L	Zsi	4.1	1904	9	16	5	37	45.30	14.60	5	7	4.6L	ZivC	4.2
1903	7	4	12	15	46.13	0.35		5		LLA	3.8	1904	10	9	6	41	46.28	12.52	6	6	4.4S	NT4.1	5.0
1903	7	20	10	40	45.60	21.30	6	6	4.0w	Onc	4.0	1904	10	12	3		48.68	17.39		6	4.3S	Lab	4.3
1903	7	27	3	46	44.32	9.95		7	4.7S	NT4.1	5.2	1904	10	23	10	26	59.20	10.50		7	5.4S	FEN	5.4
1903	8	17	7	45	45.44	16.26	10	6	4.7L	ZivC	4.3	1904	11	10	16	10	48.73	10.80		6		Ley	4.0
1903	8	17	9	3	45.57	15.86		5	4.2L	ZivC	3.8	1904	11	10	17	9	46.02	14.25	7	5.5		ZivS	3.5
1903	8	30	13	30	66.80	13.60	13	4.5	3.8S	FEN	3.8	1904	11	29	6	20	67.20	14.20		4.5	4.0S	FEN	4.0
1903	9	13	8	2	45.70	26.60	70	6.5	6.3w	Onc	6.3	1904	11	30	11	6	47.23	14.40	8	5.5	3.7S	ZAMG	3.7
1903	10	7	9	15	45.04	16.78		5	3.9L	ZivC	3.6	1904	12	8	0	57	47.41	13.22	8	5.5	3.8S	ZAMG	3.8
1903	10	11	1	50	45.60	17.25		6	4.3L	ZivC	3.9	1905	1	5	18	22	44.50	19.30	7	5.5	4.0L	ZivC	3.6
1903	10	11	1	50	45.60	17.60	6	6	4.0L	ZivC	3.6	1905	1	6	4	34	44.40	19.30	6	7	5.8L	Zsi	5.5
1903	10	27	2	30	46.23	-1.13		6		LLA	4.2	1905	1	16	5	19	44.40	19.50	4	7	4.7L	Zsi	4.3
1904	2	6	2	49	45.70	26.60	75	6	6.6w	Onc	6.6	1905	1	21			44.90	6.60		6	4.4S	NT4.1	5.0
1904	2	12	5		46.45	17.98		6	4.4L	Zsi	4.0	1905	2	3	19	28	46.25	13.75	16	5.5		ZivS	4.0
1904	2	13	22	30	47.00	-0.73		5		LLA	3.8	1905	2	6	17	10	61.50	5.10	27	5.5	4.5S	FEN	4.5
1904	2	25	18	47	44.48	10.48	8	7	5.3S	NT4.1	5.5	1905	2	18	2	15	47.57	15.62	8	5.5	3.7S	ZAMG	3.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1905	2	24	5	25	47.30	11.67	6	6	3.7S	ZAMG	3.7	1906	1	9	23	7	48.58	17.46	9	8.5	5.7S	Lab	5.7
1905	2	28	11	16	46.15	16.21	10	6.5	5.2L	ZivC	4.8	1906	1	10	1	6	48.63	17.56		5	3.7S	Lab	3.7
1905	4	10	10		44.28	5.00		7		LLA	4.7	1906	1	16	2	52	48.62	17.56	7	7.5	5.1S	Lab	5.1
1905	4	23	1	37	53.40	-0.99	15	5.5	4.3L	Mus	3.9	1906	2	8	0	19	67.00	14.00		5	4.2S	FEN	4.2
1905	4	27	1	50	44.56	16.36	13	6	5.0L	ZivC	4.6	1906	2	21	10	10	48.60	17.55		5	3.7S	Lab	3.7
1905	4	28	21	4	46.10	16.15	5	5.5	4.2L	ZivC	3.8	1906	3	2	3		48.60	17.55		5	3.7S	Lab	3.7
1905	4	29	1	55	46.08	6.90	15	7.5		LLA	5.2	1906	3	9	0	50	48.60	17.51		5	3.7S	Lab	3.7
1905	5	23	13	13	45.92	15.33	3	7		ZivS	3.9	1906	4	7	16	53	46.49	14.59	7	5.5	3.6S	ZAMG	3.6
1905	5	29	11	16	46.15	16.21	10	6.5	5.2L	ZivC	4.8	1906	4	7	18	27	48.60	17.51		5	3.7S	Lab	3.7
1905	5	30	4	55	44.33	7.40	13	5.5	4.2S	NT4.1	4.9	1906	4	9	7	20	48.61	17.53		5	3.7S	Lab	3.7
1905	6	4			45.92	3.22		5		LLA	3.8	1906	4	23	6	35	44.10	17.30	6	7	4.5L	ZivC	4.1
1905	6	11	12	20	45.80	27.70		3.5	3.5w	Onc	3.5	1906	4	29	9	18	47.30	22.10	10	6	4.2w	Onc	4.2
1905	8	13	10	22	45.98	6.98		7		LLA	4.7	1906	6	2	2	23	45.20	28.80		4.5	4.2w	Onc	4.2
1905	8	17	3	21	51.35	12.38	10	5.5		Gru	3.6	1906	6	3	3	24	57.60	6.20	30		4.5S	FEN	4.5
1905	11	8	3	4	46.20	27.70		4.5	4.2w	Onc	4.2	1906	6	3	19	39	46.40	13.00		6	4.4S	NT4.1	5.0
1905	11	8	16	31	44.70	19.20		6	4.1L	ZivC	3.7	1906	6	6	11	20	46.03	4.43		5.5		LLA	4.0
1905	11	25	10	57	45.95	-0.52		5.5		LLA	4.0	1906	6	16	11	17	46.10	14.57	5	6		ZivS	3.6
1905	12	5			46.85	9.52		6		SED	4.2	1906	6	27	9	45	51.62	-3.81	13	7	5.2L	Mus	4.8
1905	12	17	21	45	47.63	-2.82		5		LLA	3.8	1906	7	25	12	45	44.40	19.40	6	7	4.7L	Zsi	4.3
1905	12	17	22	16	45.90	16.10	7	7.5	5.6L	ZivC	5.2	1906	8	12			47.45	19.70		5.5	4.1L	Zsi	3.7
1905	12	25	17	5	46.80	9.40	12	7	4.9L	SED	4.5	1906	8	15	8	15	44.71	17.23		5	3.9L	ZivC	3.6
1905	12	26	0	20	46.80	9.40		6	4.2L	SED	3.8	1906	8	28	0	21	44.50	19.50	10	5	4.0L	ZivC	3.6
1905	12	28	22	24	45.92	16.15	7	5	3.9L	ZivC	3.6	1906	8	31			51.20	5.90		5		Hou	3.9
1906	1	2	4	26	45.92	16.10	5	8	6.1L	ZivC	5.8	1906	9	20	8	38	44.54	18.68	2	6	3.9L	ZivC	3.6
1906	1	4	4	25	45.80	16.00	9	6	4.5L	ZivC	4.1	1906	10	17	23	15	46.60	27.30	30	5.5	4.9w	Onc	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1906	11	10	17	55	44.50	9.63	10	6	4.4S	NT4.1	5.0	1908	2	19	21	11	47.94	16.74	7	6.5	4.8S	ZAMG	4.8
1906	11	17	19	30	61.90	6.00	38	4	4.1S	FEN	4.1	1908	2	22	10	34	46.02	15.90		6.5	4.2L	ZivC	3.8
1906	12	10	16	15	58.00	5.70	38		4.2S	FEN	4.2	1908	3	13	0	40	45.50	27.90	25	5	4.5w	Onc	4.5
1907	1	14	13	3	66.30	10.00			5.0S	FEN	5.0	1908	3	15	7	50	45.63	11.13	4	6	4.7S	NT4.1	5.2
1907	1	17	13	54	56.33	-5.40	10	6	4.4L	Mus	4.0	1908	4	8	0	4	45.95	14.70	11	5		ZivS	3.5
1907	1	27	4	58	65.70	10.00			5.2S	FEN	5.2	1908	5	12	5	9	46.98	14.38	8	5.5	3.7S	ZAMG	3.7
1907	3	10	8	49	45.50	21.10		5.5	3.8w	Onc	3.8	1908	5	28	9	27	46.90	19.68	12	7	4.4L	Zsi	4.0
1907	3	22	19	10	47.58	14.46	6	6	4.2S	ZAMG	4.2	1908	6	2	9	25	60.20	6.20		4	3.7S	FEN	3.7
1907	4	20	13	25	46.45	10.53		6	4.0S	NT4.1	4.8	1908	6	2	22	30	44.28	10.80		4.5	4.5S	NT4.1	5.1
1907	4	25	4	52	45.35	11.00	10	6	4.5S	NT4.1	5.1	1908	6	28	3	19	44.80	11.30		6	4.4S	NT4.1	5.0
1907	5	13	4	23	47.51	15.45	8	6.5	4.4S	ZAMG	4.4	1908	6	30	4	53	67.20	14.60		5	4.6S	FEN	4.6
1907	5	23	14	27	44.70	18.50		5	4.3L	ZivC	3.9	1908	7	10	2	13	46.47	13.18	10	7.5	5.0S	NT4.1	5.3
1907	6	25	0	33	44.40	17.80	4	7	4.5L	ZivC	4.1	1908	7	20	8	11	45.58	17.72	3	6.5	4.2L	ZivC	3.8
1907	6	29	20		60.50	7.80	24	5	4.2S	FEN	4.2	1908	8	26	8	8	46.90	19.68	11	5	3.9L	Zsi	3.6
1907	7	2	2	32	46.43	13.07		6	4.4S	NT4.1	5.0	1908	9	23	23	21	47.25	-0.45	15	5.5		LLA	4.3
1907	7	19	0	27	45.90	15.60		6		ZivS	4.0	1908	10	6	21	40	45.50	26.50	125	8	7.1w	Onc	7.1
1907	7	28	13	32	44.73	17.23	23	6	4.7L	ZivC	4.3	1908	10	21	14	4	50.27	12.32	10	5.5		Gru	3.6
1907	9	28	19	35	44.50	19.75	15	5	4.1L	Zsi	3.7	1908	10	21	20	39	50.28	12.29	10	6		Gru	4.0
1907	10	11	4	45	45.20	19.80		7	4.7L	Zsi	4.3	1908	10	22	21	42	50.35	12.49	9	5.5		Gru	3.6
1907	11	24	0	31	45.60	26.80		5	4.5w	Onc	4.5	1908	11	3	12	1	50.23	12.27	8	5.5		Gru	3.6
1907	11	30	3		44.71	17.23		5	3.9L	ZivC	3.6	1908	11	3	13	24	50.23	12.31	10	6		Gru	4.0
1907	12	9	1	30	44.52	5.10		5		LLA	3.8	1908	11	3	17	21	50.34	12.47	10	6.5		Gru	4.3
1907	12	12	5	33	47.62	-1.53		6		LLA	4.2	1908	11	4	3	32	50.36	12.49	6	6		Gru	3.8
1908	2	6	8	52	44.91	17.83		5	3.9L	ZivC	3.6	1908	11	4	10	55	50.34	12.47	9	6.5		Gru	4.3
1908	2	16	1	10	47.61	14.75	6	5.5	3.5S	ZAMG	3.5	1908	11	4	13	10	50.34	12.47	9	6.5		Gru	4.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1908	11	4	20	41	50.28	12.37	14	6		Gru	4.1	1909	3	14	3	5	48.60	17.51		5	3.7S	Lab	3.7
1908	11	6	4	35	50.34	12.47	14	6.5		Gru	4.5	1909	3	18	2	51	44.50	10.50	4	6	4.4S	NT4.1	5.0
1908	11	12	9	14	50.50	5.58		6		ORB	4.0	1909	4	21	14		45.83	15.33	12	6		ZivS	4.0
1908	11	18	1		49.57	2.42		5		LLA	3.8	1909	5	28	4	21	47.38	15.09	8	5.5	3.7S	ZAMG	3.7
1908	11	18	4		45.80	15.10	17	4.5		ZivS	3.5	1909	6	23	19	43	46.90	-1.15	15	5		LLA	4.0
1908	11	20	4	3	46.25	15.27	7	6.5		ZivS	4.0	1909	6	24	7	24	45.80	27.70		4	3.9w	Onc	3.9
1908	12	18	5	6	47.00	12.54	8	5.5	3.7S	ZAMG	3.7	1909	8	5	15	11	48.45	-4.52		6		LLA	4.2
1908	12	19	5	3	51.11	12.93	14	5.5		Gru	3.7	1909	8	31	21	21	45.10	21.80	20	6	4.4w	Onc	4.4
1908	12	20	6		69.70	18.00		5	4.3S	FEN	4.3	1909	9	6	11	21	47.68	15.94	7	5.5	3.6S	ZAMG	3.6
1908	12	23	7	35	44.98	16.73		5	3.9L	ZivC	3.6	1909	9	22	16	25	47.41	13.22	8	5.5	3.8S	ZAMG	3.8
1908	12	23	10	17	44.40	18.00	4	7	4.8L	ZivC	4.4	1909	10	5	1	10	44.83	7.25		5.5	4.2S	NT4.1	4.9
1908	12	25	21	41	44.15	19.00	18	7	5.3L	ZivC	4.9	1909	10	8	9	59	45.42	16.18	10	8.5	6.0L	ZivC	5.7
1908	12	27	23	3	44.10	19.00	6	7	4.8L	ZivC	4.4	1909	10	8	10	53	45.18	15.55	5	6	4.1L	ZivC	3.7
1908	12	29	1		56.80	26.30	12	7		Bob	4.4	1909	10	8	10	59	45.41	16.19			4.6L	ZivC	4.2
1908	12	29	18	40	59.40	6.00		4	3.5S	FEN	3.5	1909	10	10	5	37	45.41	16.17	38	5	5.1L	ZivC	4.7
1908	12	29	22		55.80	26.70		7		Bob	4.4	1909	10	10	5	54	45.40	16.20	33	5.5	5.2L	ZivC	4.8
1908	12	30	5		54.60	25.80		7		Bob	4.4	1909	12	13	0	21	45.40	16.20	38		4.9L	ZivC	4.5
1908	12	30	5		56.90	24.00		6		Bob	3.6	1909	12	24	0	14	46.02	16.03	6	6	4.1L	ZivC	3.7
1908	12	31	4		56.90	24.00		6		Bob	3.6	1910	1	17	1	40	47.98	5.33		5		LLA	3.8
1909	1	13	0	45	44.62	11.67	25	6.5	5.4S	NT4.1	5.4	1910	1	22	7	48	66.50	-17.00			7.1L	IMO	7.1
1909	2	12	1		56.60	20.90		6		Bob	3.6	1910	1	23	1	50	44.90	9.63		5.5	4.2S	NT4.1	4.9
1909	2	17	16	58	46.28	6.72		6		LLA	4.2	1910	1	28	23	57	45.44	16.16	32	7	5.4L	ZivC	5.0
1909	2	17	17	43	45.92	15.35	7	6		ZivS	3.8	1910	1	28	23	59	45.03	16.41		6	4.3L	ZivC	3.9
1909	2	26	10	2	47.38	15.09	8	5.5	3.7S	ZAMG	3.7	1910	1	29	0	11	45.40	16.14	18	6.5	5.1L	ZivC	4.7
1909	3	9			64.00	22.00	19	6		FEN	3.7	1910	1	29	2	59	45.42	16.13	15	6	4.4L	ZivC	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1910	3	24	14	37	47.20	14.28	8	6.5	4.0S	ZAMG	4.0	1911	6	19	4	21	46.90	19.68		6.5	4.5L	Zsi	4.1
1910	3	27	17	53	48.43	7.62		5.5		LLA	4.0	1911	7	8	2	2	46.90	19.68	12	8	5.6L	Zsi	5.2
1910	4	5	19	20	45.85	13.00		5.5	4.2S	NT4.1	4.9	1911	8	2	6	6	44.50	19.40		6	3.9L	Zsi	3.6
1910	5	11	20	18	47.74	15.99	7	6.5	4.5S	ZAMG	4.5	1911	8	16	11	31	44.40	19.40		7	3.9L	Zsi	3.6
1910	5	21	3		56.90	24.00		6		Bob	3.6	1911	8	24	21	50	60.00	5.90	35	5	4.5S	FEN	4.5
1910	5	26	6	12	47.40	7.30		7		SED	5.0	1911	9	6	4	21	48.22	9.00	12	5.5		Ley	3.7
1910	7	13	8	32	47.32	10.84	8	7	4.8S	ZAMG	4.8	1911	9	6	13	54	50.75	6.25	10	6		Ley96	4.0
1910	7	26	13	5	66.80	14.00		4	3.7S	FEN	3.7	1911	9	15	5	34	64.60	11.20		4	4.0S	FEN	4.0
1910	8	8	22	7	46.50	21.60	10	6	4.3w	Onc	4.3	1911	9	27	14	53	44.03	6.37		5		LLA	3.8
1910	10	11	11	52	44.90	22.40	7	6	4.3w	Onc	4.3	1911	11	11	19	9	46.80	12.30		5.5	4.2S	NT4.1	4.9
1910	12	3	9	15	44.00	21.30	5	7	4.5L	Zsi	4.1	1911	11	16	21	25	48.22	9.00	10	8	5.7w	Kun86	5.7
1910	12	7	19	51	47.73	7.57		5.5		LLA	4.0	1911	11	17	15	58	45.20	24.30		5	4.5w	Onc	4.5
1910	12	12	8	7	44.53	18.68		5	3.9L	ZivC	3.6	1911	11	23	1	59	48.20	9.03	3	6		Ley	3.6
1911	2	3	11	30	60.20	6.20		4	3.9S	FEN	3.9	1911	12	14			44.27	4.90		5.5		LLA	4.0
1911	2	8	2	54	46.50	13.30		5.5	4.4S	NT4.1	5.0	1912	1	19	5	45	48.20	9.03	8	6		Ley	3.9
1911	2	19	7	18	44.10	12.07	5	7.5	5.2S	NT4.1	5.5	1912	1	22	20	8	47.27	15.33	8	6	3.6S	ZAMG	3.6
1911	2	24	18	13	64.60	11.20		4.5	4.1S	FEN	4.1	1912	1	28	4	30	56.19	-5.30	12	4	4.1L	Mus	3.7
1911	3	26	13	51	44.07	12.57	8	5	4.9S	NT4.1	5.3	1912	3	3	1	30	45.20	24.30		4.5	4.2w	Onc	4.2
1911	4	18	6	40	58.20	7.40		4	3.7S	FEN	3.7	1912	3	9	8	25	45.20	24.30		5	4.5w	Onc	4.5
1911	4	24	17	19	47.15	10.34	8	6	3.7S	ZAMG	3.7	1912	4	16	4	30	45.20	21.90		6	4.1w	Onc	4.1
1911	5	30	19	43	50.58	6.32	7	5.5		Ley	3.5	1912	4	25	18	30	44.45	2.97	10	5.5		LLA	4.0
1911	5	31	0	18	50.57	6.32		5.5		Ley	3.6	1912	5	4	16	48	48.22	8.97	15	5.5		Ley	3.8
1911	5	31	2	8	50.78	6.33		5.5		Ley	3.6	1912	5	6	18		63.90	-20.00			7.0L	IMO	7.0
1911	6	1	22	52	50.45	4.50	2	7	4.3L	ORB	3.9	1912	5	9	23	3	47.27	11.39	6	5.5	3.5S	ZAMG	3.5
1911	6	3	14	35	50.45	4.50		6	4.2L	ORB	3.8	1912	5	12			45.80	26.60			4.1w	Onc	4.1

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1912	5	25	18	1	45.70	27.20	90	7	6.7w	Onc	6.7	1913	6	9	5	30	45.70	27.10		4	3.9w	Onc	3.9
1912	5	25	20	15	45.70	27.20	100	6	6.1w	Onc	6.1	1913	7	16	14	24	45.38	16.10	12	6	4.2L	ZivC	3.8
1912	5	25	21		45.70	27.20	130	5.5	5.8w	Onc	5.8	1913	7	19	15	46	64.40	7.60			5.0S	FEN	5.0
1912	5	25	23	45	45.80	27.10		4	3.9w	Onc	3.9	1913	7	20	12	6	48.23	9.01	11	7	5.0w	Kun86	5.0
1912	5	26	3		45.80	27.10		4	3.9w	Onc	3.9	1913	7	21	22	35	44.10	11.70	5	6	4.7S	NT4.1	5.2
1912	5	27	5	15	45.85	27.20		4.5	4.2w	Onc	4.2	1913	7	23	22	3	45.70	26.60	130	5.5	5.7w	Onc	5.7
1912	5	27	9	20	45.90	27.40	20	5	4.1w	Onc	4.1	1913	7	24	5	15	44.33	7.33		5.5	4.2S	NT4.1	4.9
1912	6	7	1	58	45.70	26.60	100	6	5.9w	Onc	5.9	1913	7	29	4		56.10	8.20	22	5	4.2S	FEN	4.2
1912	7	9	21	46	45.00	23.30		5	4.5w	Onc	4.5	1913	7	30	8	50	44.83	18.08	11	5	3.9L	ZivC	3.6
1912	7	12	2	55	46.10	27.20		4.5	4.2w	Onc	4.2	1913	8	4	7	38	61.30	5.20	55	5	4.9S	FEN	4.9
1912	8	5	10	33	46.15	12.40		6	4.0S	NT4.1	4.8	1913	8	31	19	1	45.41	16.41		6	4.1L	ZivC	3.7
1912	8	15	23	50	44.05	11.17		5.5	4.2S	NT4.1	4.9	1913	9	11	2	35	68.30	13.20		6	4.8S	FEN	4.8
1912	12	1	11		56.70	7.70	34		4.0S	FEN	4.0	1913	10	16	15	12	46.08	2.65		6		LLA	4.2
1913	1	23	21	49	45.89	15.81	9	5	4.5L	ZivC	4.1	1913	11	2	1	50	47.22	7.40		5.5		SED	3.8
1913	2	13	16	39	44.10	10.90	4	6	4.2S	NT4.1	4.9	1913	11	11	7	58	47.22	7.40		5.5		SED	3.8
1913	2	27	3	15	47.90	7.70		6		Ley96	4.0	1913	11	25	20	55	44.60	10.12		5	4.7S	NT4.1	5.2
1913	2	28	15	16	46.15	14.33	17	4.5		ZivS	3.5	1913	12	7	1	28	44.77	8.78		5	4.4S	NT4.1	5.0
1913	3	11	3	42	45.60	27.80	15	5	4.2w	Onc	4.2	1914	1	8	0	15	48.52	-3.20	15	5		LLA	4.0
1913	3	14	3	40	45.70	26.60	120	5.5	5.9w	Onc	5.9	1914	1	13	3	5	44.98	17.91	35	5	4.3L	ZivC	3.9
1913	3	23	3	10	48.30	-0.18		5		LLA	3.8	1914	2	11	0	22	45.63	14.17	17	5.5		ZivS	4.0
1913	3	26	17	54	45.40	16.10	10	6	4.2L	ZivC	3.8	1914	4	18	5	15	48.32	17.22	8	7.5	5.1S	Lab	5.1
1913	4	16	4	20	45.80	21.90		5	3.5w	Onc	3.5	1914	5	26	20	29	49.08	21.56		7	4.8S	Lab	4.8
1913	4	21	20	25	47.25	8.60		6		SED	4.2	1914	6	7	13	45	44.50	19.20	18	5	4.2L	Zsi	3.8
1913	5	20	16	15	45.52	14.37	7	7		ZivS	4.2	1914	6	27	1	44	51.36	12.43	8	6		Gru	3.9
1913	5	24	21	30	45.40	25.20		3.5	3.5w	Onc	3.5	1914	7	14	3		45.70	26.80	100	6	5.7w	Onc	5.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1914	7	31	18	23	45.90	26.30	80	5.5	5.7w	Onc	5.7	1916	1	14	19	29	52.85	-2.19	10	7	4.6L	Mus	4.2
1914	8	26	15	9	45.70	26.60	100	4	5.4w	Onc	5.4	1916	1	26	7	37	45.40	24.60	21	8	6.4w	Onc	6.4
1914	10	1	17	25	48.90	11.30		5	4.2L	Ley	3.8	1916	1	26	8	15	45.40	24.20	10	8	5.2w	Onc	5.2
1914	10	1	20	31	48.87	11.42		5	4.6L	Ley	4.2	1916	1	26	8	30	45.40	24.20	15	7	5.0w	Onc	5.0
1914	10	26	2	59	45.70	26.60	120	5	5.4w	Onc	5.4	1916	1	26	18	15	45.40	24.20	15	6	4.4w	Onc	4.4
1914	10	26	3	45	45.07	7.33	40	7	4.9S	NT4.1	5.3	1916	2	1	1	32	45.20	24.30		4	3.9w	Onc	3.9
1914	10	27	9	22	44.05	10.45	28	7	5.8S	NT4.1	5.7	1916	2	8	2	33	46.05	14.50	11	6		ZivS	4.0
1914	11	25	17	12	47.33	18.20	20	4.5	4.4L	Zsi	4.0	1916	2	12	0	50	44.80	23.20		4	3.9w	Onc	3.9
1914	11	30	19	43	47.27	11.39	6	5.5	3.5S	ZAMG	3.5	1916	3	1	20	53	46.85	6.03		5		LLA	3.8
1915	1	13	19	30	44.13	12.10		6	4.4S	NT4.1	5.0	1916	3	12	3	23	45.12	14.97	18	7.5	5.8L	ZivC	5.5
1915	2	22	0	37	45.77	15.22	11	6		ZivS	4.0	1916	3	15	21	42	46.07	15.48	11	5		ZivS	3.5
1915	6	2	2	33	48.87	11.42		6.5	5.0L	Ley	4.6	1916	5	1	10	24	47.17	14.66	8	7	4.7S	ZAMG	4.7
1915	6	13	14	15	48.33	8.99	11	5.5		Ley	3.7	1916	7	14	20	27	45.12	14.97	20	6.5	5.2L	ZivC	4.8
1915	8	25	2	11	46.03	7.03	10	7	4.4L	SED	4.0	1916	7	14	22	34	45.20	14.80	15		4.2L	ZivC	3.8
1915	8	25	7	30	45.75	15.20	15	6		ZivS	4.2	1916	7	27	18	38	44.10	10.50	5	6	4.4S	NT4.1	5.0
1915	10	2	3	9	54.96	-3.17	17	5	4.0L	Mus	3.6	1916	8	19	5	30	44.30	7.05		5	4.1S	NT4.1	4.8
1915	10	9	21	25	45.40	21.10	4	7	4.3w	Onc	4.3	1916	9	18	11	8	45.95	15.65	5	7		ZivS	4.1
1915	10	10	4	10	48.87	11.35		5	4.5L	Ley96	4.1	1916	9	24	5	48	45.95	15.65	4	6.5		ZivS	3.7
1915	10	10	4	50	48.82	11.57	7	7	4.8L	Kun86	4.4	1916	10	28	8	15	46.32	14.82	11	7		ZivS	4.5
1915	10	10	23	10	44.72	10.45		6	4.6S	NT4.1	5.1	1916	10	30	0	17	46.30	14.80	10	6.5		ZivS	4.2
1915	10	16	23		45.50	26.60		4	3.9w	Onc	3.9	1916	11	20	23	20	46.23	14.75	13	5		ZivS	3.6
1915	10	19	8	43	45.40	21.10	5	7.5	4.8w	Onc	4.8	1916	11	21	20	45	46.23	14.75	14	5		ZivS	3.7
1915	10	27			45.50	21.10	5	7	4.6w	Onc	4.6	1917	1	8	1	45	44.02	11.92		6	4.4S	NT4.1	5.0
1915	11	7	17	48	45.72	15.59	10	5	4.0L	ZivC	3.6	1917	1	29	8	22	45.90	15.57	13	8		ZivS	5.1
1916	1	2	15	10	45.63	15.28	6	6		ZivS	3.7	1917	1	29	8	38	45.90	15.57	7	6.5		ZivS	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1917	1	29	9	14	45.90	15.57	10	6.5		ZivS	4.2	1918	4	10	0	26	61.50	5.90	49	5	4.8S	FEN	4.8	
1917	1	29	10	29	45.90	15.57	19	6.5		ZivS	4.5	1918	4	24	14	21	45.80	9.55	17	6	4.7S	NT4.1	5.2	
1917	1	29	10	57	45.90	15.57	15	5		ZivS	3.7	1918	5	27	16	8	50.90	5.70	5	6.5	4.4L	Hou	4.0	
1917	1	29	21	18	45.90	15.57	16	6		ZivS	4.2	1918	7	16	11	49	46.13	14.85	11	5		ZivS	3.5	
1917	1	30	5	9	45.90	15.57	10	5.5		ZivS	3.7	1918	7	19	19	3	45.60	10.52		4	4.4S	NT4.1	5.0	
1917	2	15	20	12	45.90	15.57	5	6		ZivS	3.6	1918	8	13	20	1	46.00	14.02	13	6		ZivS	4.1	
1917	2	26	1	9	45.50	15.35	9	6	3.9L	ZivC	3.6	1918	8	22	20	22	60.80	6.00		4	4.0S	FEN	4.0	
1917	2	26	18	30	45.95	15.37	6	6		ZivS	3.7	1918	9	17	2	11	47.51	14.12	6	5.5	3.5S	ZAMG	3.5	
1917	3	15	20	42	46.00	26.50	130	5	5.9w	Onc	5.9	1918	9	26	0	16	47.28	10.22	5	5.5	4.8L	SED	4.4	
1917	4	10	2	14	45.83	15.43	20	6		ZivS	4.3	1919	2	22	15		46.97	16.46		6	4.4L	Zsi	4.0	
1917	5	14	6	57	72.00	-2.80				4.7S	FEN	4.7	1919	4	18	6	20	45.70	26.80	100	6	6.1w	Onc	6.1
1917	5	19	21		45.70	26.60	150	6	5.9w	Onc	5.9	1919	4	18	6	20	46.00	25.00		6	4.1w	Onc	4.1	
1917	6	20	23	9	47.72	9.02	12	6		Ley	4.0	1919	7	12	12	6	45.80	11.92		5.5	5.0S	NT4.1	5.3	
1917	7	8	14	40	68.80	16.10		4.5	4.2S	FEN	4.2	1919	8	9	14	38	45.70	26.60	120	6	6.0w	Onc	6.0	
1917	7	11	3	23	45.70	26.60	130	6	5.9w	Onc	5.9	1919	9	5	20	37	46.50	16.00	8	6		ZivS	3.8	
1917	7	30	1	30	48.45	22.09		5	3.7S	Lab	3.7	1919	9	16	2	18	46.45	9.93		4.5	4.3L	SED	3.9	
1917	8	21	10	44	72.00	-2.80			5.3S	FEN	5.3	1919	9	25	3	15	44.13	10.53		5.5	4.2S	NT4.1	4.9	
1917	10	11	10	10	61.60	5.10		4	3.9S	FEN	3.9	1919	11	5			45.90	15.60		5.5		ZivS	3.7	
1917	12	2	17	39	44.07	11.83	12	6.5	4.9S	NT4.1	5.3	1919	11	23	1	50	45.62	10.13		4	4.9S	NT4.1	5.3	
1917	12	9	21	40	46.60	9.90	18	6	4.5L	SED	4.1	1919	11	28	21	38	44.18	7.53		5.5	4.8S	NT4.1	5.2	
1917	12	30	7	50	47.48	10.95		5	4.5L	Ley	4.1	1920	1	17	3	11	50.43	3.82		6		ORB	4.0	
1918	1	13	12		45.33	9.50		4.5	4.9S	NT4.1	5.3	1920	5	5	14	41	46.38	13.15	20	6.5	5.3S	NT4.1	5.5	
1918	2	19	11	3	45.10	15.00	20	6	4.4L	ZivC	4.0	1920	5	19	7	10	48.92	11.52		4	4.1L	Ley	3.7	
1918	2	19	11	3	46.00	13.00		6	4.2S	NT4.1	4.9	1920	6	8	16	13	44.10	11.80		5	4.1S	NT4.1	4.8	
1918	2	25	2	7	45.70	26.60	120	6	5.9w	Onc	5.9	1920	6	27	1	40	48.57	-1.97		5		LLA	3.8	

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1920	7	30	20	6	45.10	14.90	7	6.5	4.7L	ZivC	4.3	1922	4	8	20	42	72.00	-8.50			6.2b	NEIC	6.5
1920	9	6	5		67.10	13.90		5	4.4S	FEN	4.4	1922	5	24	21	17	44.73	11.38		3.5	4.4S	NT4.1	5.0
1920	9	7	5	55	44.20	10.20	18	9.5	6.5S	NT4.1	6.3	1922	6	11	12	44	59.60	14.50	11	6		FEN	3.6
1920	10	3	4	57	45.33	3.35	10	5		LLA	3.8	1922	7	13	19		61.70	5.80	27	5	4.4S	FEN	4.4
1920	10	17	10	50	45.97	15.50	6	6		ZivS	3.7	1922	7	24	14		61.80	5.60	22	4	3.9S	FEN	3.9
1920	10	27	3	16	45.82	15.47	5	6		ZivS	3.6	1922	8	2	21	13	44.20	10.70	4	6	4.0S	NT4.1	4.8
1920	12	22	22	14	47.61	15.99	7	6	4.1S	ZAMG	4.1	1922	10	12	22	30	46.32	1.70		5		LLA	3.8
1920	12	27	16	19	44.25	10.28		5	4.2S	NT4.1	4.9	1922	11	8	10	28	46.00	12.00		6	4.2S	NT4.1	4.9
1921	1	5	0	20	45.75	15.08	7	6.5		ZivS	4.0	1922	11	24	2	15	45.70	18.75	18	7.5	5.3L	ZivC	4.9
1921	1	15	11	55	45.70	20.10	14	7	4.6L	Zsi	4.2	1922	11	24	2	28	45.70	18.80	26	5.5	4.8L	ZivC	4.4
1921	3	21	15	52	44.76	17.18		5	3.9L	ZivC	3.6	1923	2	27	5	45	45.70	15.30	16	6	4.2L	ZivC	3.8
1921	4	22	16	4	44.00	-17.00			5.6b	NEIC	5.7	1923	3	23	1	10	61.40	4.50	30	5	4.3S	FEN	4.3
1921	5	7	6	15	44.38	9.88		6.5	4.7S	NT4.1	5.2	1923	3	25	20	5	45.90	15.45	16	6		ZivS	4.2
1921	5	19	2	41	50.77	3.95	10	5	4.0L	ORB	3.6	1923	4	11	20	20	48.87	-1.72		5		LLA	3.8
1921	7	28	2	35	47.53	12.57	8	5.5	3.8S	ZAMG	3.8	1923	5	5	3	10	62.50	4.80	61	4	4.3S	FEN	4.3
1921	8	10	3	30	44.53	18.48		5	3.9L	ZivC	3.6	1923	5	27	1	30	44.60	28.60		4.5	4.2w	Onc	4.2
1921	8	11	7		47.33	-0.18		5		LLA	3.8	1923	6	28	15	12	44.58	10.83		6	4.9S	NT4.1	5.3
1921	8	22	6	8	45.78	15.18	5	6		ZivS	3.6	1923	7	5	3		45.70	24.20		5	3.5w	Onc	3.5
1921	9	12	0	25	45.80	11.92		4	5.0S	NT4.1	5.3	1923	7	23	12	45	45.00	29.00		3.5	3.5w	Onc	3.5
1921	10	22	5	13	45.70	26.60	100	4.5	5.3w	Onc	5.3	1923	9	1	5	45	47.76	18.14		5	3.6S	Lab	3.6
1921	11	29	12	4	44.50	9.80		5	4.6S	NT4.1	5.1	1923	9	10	4	23	44.67	6.75		6	4.4S	NT4.1	5.0
1921	12	13	6	30	47.29	12.53	8	5.5	3.8S	ZAMG	3.8	1923	9	18	14	8	45.70	26.60	100	3.5	4.7w	Onc	4.7
1922	1	6	6	53	44.00	20.40	5	6	4.1L	Zsi	3.7	1923	10	10	7	11	72.00	-10.00			6.5b	NEIC	6.8
1922	3	5	11	8	44.20	21.30	4	7	4.6L	Zsi	4.2	1923	10	18	0	55	45.50	14.25		6		ZivS	4.0
1922	3	24	13	22	44.40	20.40	12	9	6.0L	Zsi	5.7	1923	11	2	18	55	47.67	-2.83		5		LLA	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1923	11	28	6	7	47.13	13.81	8	6	4.8S	ZAMG	4.8	1925	4	3	10	52	44.50	16.50	20		4.3L	ZivC	3.9
1923	12	2	6		48.18	-3.02		5		LLA	3.8	1925	4	7	20	18	44.70	17.93	26	5	4.2L	ZivC	3.8
1924	1	3	14	36	47.45	14.67	6	5.5	3.5S	ZAMG	3.5	1925	4	21	22		61.10	4.20	20		3.8S	FEN	3.8
1924	1	17	5	45	44.62	3.82	20	5.5		LLA	4.4	1925	6	9	0	37	47.41	15.27	8	5.5	3.7S	ZAMG	3.7
1924	3	26	17	8	46.90	11.40		6.5	4.9S	NT4.1	5.3	1925	6	27	8	22	46.30	16.80	5	6.5	4.2L	ZivC	3.8
1924	4	15	12	48	46.25	7.92	35	7	5.1L	SED	4.7	1925	6	27	9	15	46.47	17.00		6.5	4.5L	Zsi	4.1
1924	5	5	6	20	61.80	4.70	28	4.5	4.1S	FEN	4.1	1925	7	4	17	48	46.13	12.20		5.5	4.3S	NT4.1	4.9
1924	5	12	8	46	46.40	12.90		6	4.8S	NT4.1	5.2	1925	9	5	7	43	45.10	14.80	20	6.5	5.0L	ZivC	4.6
1924	5	21	15	32	46.60	10.50		5.5	4.1S	NT4.1	4.8	1925	9	6	0	39	45.20	14.80	30		4.2L	ZivC	3.8
1924	6	12	21	3	44.17	10.73	15	6	4.6S	NT4.1	5.1	1925	9	10	10	33	45.10	14.80	15		4.3L	ZivC	3.9
1924	8	12	16	27	45.80	18.90	7	7	4.9L	ZivC	4.5	1925	9	11	4	41	45.20	14.70	25	6	5.1L	ZivC	4.7
1924	8	14	2	18	45.67	6.25		5		LLA	3.8	1925	9	11	6	58	45.00	14.90	30		4.8L	ZivC	4.4
1924	9	15	20	7	46.20	15.22	15	6.5		ZivS	4.4	1925	9	26	5	5	46.53	2.12	10	6.5		LLA	4.4
1924	9	21	20	18	44.40	8.95		5.5	4.2S	NT4.1	4.9	1925	11	28	8	14	69.00	-18.00			5.6b	NEIC	5.7
1924	9	24	12		44.10	4.75		6.5		LLA	4.4	1925	12	3	18	58	46.55	2.08	15	6		LLA	4.5
1924	10	10	9	21	71.00	-16.00			5.6b	NEIC	5.7	1925	12	9	23	40	46.62	2.00		5		LLA	3.8
1924	12	3	21	34	45.90	15.60	13	7		ZivS	4.6	1925	12	23	12	35	56.55	-5.53	15	5	4.3L	Mus	3.9
1924	12	3	22	35	45.82	15.41		6		ZivS	4.0	1925	12	25	2	37	45.70	26.60	130	6	6.1w	Onc	6.1
1924	12	11	16	33	48.26	9.09	14	6		Ley	4.1	1926	1	1	18	4	45.77	14.37	13	7.5		ZivS	4.8
1924	12	12	3	29	46.43	12.97		7	5.4S	NT4.1	5.4	1926	1	1	22	30	45.77	14.37	18	4.5		ZivS	3.6
1925	1	8	2	45	46.87	6.50		7		SED	5.0	1926	1	5	23	37	50.73	6.62	22	6		Ley	4.2
1925	1	31	8	5	47.86	20.42	5	7.5	5.0L	Zsi	4.6	1926	1	6	11	37	50.80	7.20	14	6		Ley	4.1
1925	2	1	21	52	49.16	-5.22	25		5.1L	Mus	4.7	1926	1	7	1	40	45.72	15.57	20	6	4.2L	ZivC	3.8
1925	2	23	21	32	50.85	5.55	5	7	4.1L	ORB	3.7	1926	1	28	16	57	50.88	11.76	4	6		Gru	3.7
1925	3	15	17	15	44.30	10.57		4.5	4.4S	NT4.1	5.0	1926	4	5	14	24	46.20	16.80	26	5	4.5L	ZivC	4.1

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1926	4	10	3	12	67.40	15.20		4.5	4.1S	FEN	4.1	1927	5	9	4	55	44.60	19.30	24	5	4.2L	ZivC	3.8
1926	5	12	1	12	45.93	16.15		7	4.6L	ZivC	4.2	1927	5	15	3	47	44.10	20.50	12	9	5.9L	Zsi	5.6
1926	5	19	11	11	44.50	20.60		6	4.6L	Zsi	4.2	1927	5	15	22	31	44.10	20.50	13	6	4.0L	Zsi	3.6
1926	6	28	21	15	44.48	10.48		4	4.2S	NT4.1	4.9	1927	5	17	16	40	46.00	17.00			4.0L	ZivC	3.6
1926	6	28	22	0	48.13	7.68	11	7		Kun86	4.7	1927	5	31	22	58	44.90	21.70	16	6	4.4w	Onc	4.4
1926	7	5	0	1	44.00	20.40	8	6	4.3L	Zsi	3.9	1927	6	1	0	10	44.00	20.90	12	6.5	4.4L	Zsi	4.0
1926	7	6	7	39	47.61	15.67	8	6.5	4.4S	ZAMG	4.4	1927	6	15	6	20	61.00	4.70	34	4	4.1S	FEN	4.1
1926	7	30	13	19	49.17	-1.62	18	6.5	5.5L	Mus	5.1	1927	7	16	1	35	71.00	-17.00			5.6b	NEIC	5.7
1926	8	10	1	10	48.02	23.70	5	7		KSh	4.2	1927	7	16	2	16	71.00	-17.00			5.6b	NEIC	5.7
1926	8	15	3	58	52.31	-2.66	17	6	4.8L	Mus	4.4	1927	7	24	20	17	45.70	26.60	120	5	5.9w	Onc	5.9
1926	8	18	13	57	65.80	28.50	18	6		FEN	3.7	1927	7	24	22	15	44.20	5.20	5	7		LLA	4.2
1926	9	28	15	41	47.72	16.04	7	6.5	4.7S	ZAMG	4.7	1927	7	25	20	35	47.53	15.49	8	7	5.1S	ZAMG	5.1
1926	9	28	21	30	46.50	13.00		6	4.7S	NT4.1	5.2	1927	8	1	16	53	62.70	-22.00			4.8L	IMO	5.1
1926	10	19	17	20	57.70	7.80			4.0S	FEN	4.0	1927	8	13	0	57	46.50	9.90	28	5.5	4.3L	SED	3.9
1926	10	21	9	29	45.10	14.90	26	6	4.7L	ZivC	4.3	1927	9	28	23	31	45.40	20.90	22	4.5	4.0w	Onc	4.0
1926	10	25	11	4	63.80	-22.80			4.3L	IMO	4.7	1927	10	1	1	30	47.15	-1.73		5.5		LLA	4.0
1926	11	18	22	57	44.30	10.00		5.5	4.2S	NT4.1	4.9	1927	10	8	19	49	48.07	16.58	7	8	5.2S	ZAMG	5.2
1926	12	15	13	58	46.75	7.18	12	6	4.3L	SED	3.9	1927	10	11	16	28	44.10	20.60	5	7	4.4L	Zsi	4.0
1927	1	24	5	18	59.90	1.80			5.3S	FEN	5.3	1927	10	28	21	49	44.53	9.53		6	4.8S	NT4.1	5.2
1927	1	27	9	3	55.91	-5.20	7	5	4.1L	Mus	3.7	1927	10	30	3	9	71.50	-14.00			5.6b	NEIC	5.7
1927	2	17	23	17	49.17	-1.62	22	6	5.4L	Mus	5.0	1927	10	31			44.85	26.70	5	6	3.8w	Onc	3.8
1927	3	21	2	17	44.98	17.91		5	3.9L	ZivC	3.6	1927	11	19	23	3	48.80	-0.57	20	6		LLA	4.7
1927	4	5	14	24	46.30	16.80	5	5	4.1L	ZivC	3.7	1927	11	20	10	24	44.40	10.40		6	4.0S	NT4.1	4.8
1927	4	22	0	18	45.06	17.70	18	5	4.1L	ZivC	3.7	1927	12	11	15	49	45.15	7.22		5.5	4.8S	NT4.1	5.2
1927	4	29	11	20	66.30	-19.50			5.5L	IMO	5.7	1927	12	16	10	44	48.27	9.02	8	6		Ley	3.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1928	1	27	3	13	47.67	7.70	11	4.5	4.0L	SED	3.6	1928	12	6	5	35	64.00	-21.30			4.3L	IMO	4.7
1928	1	31	21	59	47.71	15.82	7	5.5	3.6S	ZAMG	3.6	1928	12	13	19	36	50.95	6.48	10	5.5		Ley	3.6
1928	2	21	4	37	44.40	9.60		6	3.8S	NT4.1	4.6	1928	12	20	7	27	45.66	15.52	26	5	4.5L	ZivC	4.1
1928	3	18	23	49	45.35	17.15	6	7	4.9L	ZivC	4.5	1928	12	30	16	34	46.18	6.87		5		LLA	3.8
1928	3	22	5	27	45.40	17.00	4	6	4.2L	ZivC	3.8	1929	1	3	4	10	48.03	-2.50	15	5		LLA	4.0
1928	3	27	8	32	46.37	12.97	5	8.5	5.6S	NT4.1	5.6	1929	1	6	0	2	63.80	-22.80			5.3L	IMO	5.5
1928	3	30	9	38	45.90	26.50	120	6	6.0w	Onc	6.0	1929	3	1	10	32	46.77	6.75	6	7.5	4.4L	SED	4.0
1928	6	13	8		44.83	10.85	6	6.5	4.3S	NT4.1	4.9	1929	3	25	11	52	45.72	16.00	18	5	4.1L	ZivC	3.7
1928	6	19	21	25	50.45	7.45	7	6		Ley	3.9	1929	4	20	1	9	44.45	11.13		7	5.4S	NT4.1	5.4
1928	6	24	0	50	47.22	-1.02		5		LLA	3.8	1929	5	20	12	17	45.80	26.50	100	6	6.0w	Onc	6.0
1928	7	20	19	53	44.50	9.62		6	3.7S	NT4.1	4.6	1929	5	22	18	49	45.80	27.40		4	3.9w	Onc	3.9
1928	8	1	19	3	62.70	-22.00			4.5L	IMO	4.9	1929	5	23	18	36	57.20	6.60	77		4.4S	FEN	4.4
1928	8	1	19	46	62.70	-22.00			5.0L	IMO	5.3	1929	5	29	23	31	57.30	6.40	53		4.3S	FEN	4.3
1928	8	1	20	28	62.70	-22.00			4.5L	IMO	4.9	1929	6	10	23	3	70.90	9.20			6.1S	FEN	6.1
1928	8	1	20	35	62.70	-22.00			4.5L	IMO	4.9	1929	6	26	20	15	48.63	19.57		5	3.7S	Lab	3.7
1928	8	1	20	46	62.70	-22.00			5.0L	IMO	5.3	1929	6	27	22	39	71.00	-6.00			5.6b	NEIC	5.7
1928	8	2	8	42	46.40	13.00		5.5	4.2S	NT4.1	4.9	1929	7	15	23	37	45.30	14.60			4.0L	ZivC	3.6
1928	8	3	23	9	44.20	10.20		5.5	4.2S	NT4.1	4.9	1929	7	18	21	2	44.00	11.50		6.5	4.7S	NT4.1	5.2
1928	8	25	21	9	45.92	15.55	5	7		ZivS	4.1	1929	7	23	18	43	63.90	-21.70			6.3L	IMO	6.4
1928	8	26	10	31	45.92	15.55		5.5		ZivS	3.7	1929	7	23	20	4	63.90	-21.70			5.3L	IMO	5.5
1928	8	26	13	58	45.92	15.55		5.75		ZivS	3.8	1929	8	6	1	30	72.00	-8.00			5.6b	NEIC	5.7
1928	11	16	3	17	46.35	13.05		6	4.2S	NT4.1	4.9	1929	9	1	20	13	60.90	5.00		4	3.8S	FEN	3.8
1928	11	22	12	16	63.80	-22.80			4.8L	IMO	5.1	1929	9	2	5	52	46.40	14.28	14	6		ZivS	4.1
1928	11	23	4	23	45.70	26.60	150	5.5	5.7w	Onc	5.7	1929	10	3	17	5	46.08	13.43		6	4.4S	NT4.1	5.0
1928	12	2	22	51	64.00	-21.30			4.0L	IMO	4.4	1929	10	12	6	8	46.67	10.22	35	5.5	4.3L	SED	3.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1929	11	1	6	57	45.90	26.50	160	6.5	6.1w	Onc	6.1	1930	9	24	19	10	44.60	10.60		6	4.4S	NT4.1	5.0
1929	11	3	0	32	44.20	21.70	6	6	4.0L	Zsi	3.6	1930	10	7	23	27	47.36	10.66	8	7.5	5.3S	ZAMG	5.3
1929	11	5	8	50	46.75	19.69	19	5	4.0L	Zsi	3.6	1930	10	11	3	6	71.00	-13.00			5.6b	NEIC	5.7
1930	1	9	19	38	47.73	-2.80	15	7		LLA	4.9	1930	11	26	23	30	44.76	17.18		5	3.9L	ZivC	3.6
1930	1	10	21	53	46.35	13.03		6	4.1S	NT4.1	4.8	1930	11	27	9		44.76	17.18		5	3.9L	ZivC	3.6
1930	2	25	13	35	45.83	14.25	12	6		ZivS	4.0	1930	12	17	0	30	44.76	17.18		5	3.9L	ZivC	3.6
1930	3	4	9	30	48.60	17.51		5	3.7S	Lab	3.7	1931	1	22	2	54	46.50	14.85	12	6		ZivS	4.0
1930	3	5	23	55	48.58	17.62	6	7.5	5.0S	Lab	5.0	1931	1	25	10	48	44.25	10.10	5	6	4.0S	NT4.1	4.8
1930	3	6	5	13	48.55	17.63	8	6.5	4.6S	Lab	4.6	1931	3	5	8	40	64.00	-22.00			4.3L	IMO	4.7
1930	3	10	22	36	62.90	17.70	8	6		FEN	3.5	1931	4	5	13	34	44.20	11.71		6.5	4.7S	NT4.1	5.2
1930	4	3	17	45	70.20	23.00		4.5	4.4S	FEN	4.4	1931	4	7	2	35	48.17	22.53	6	6	4.0L	Zsi	3.6
1930	4	11	2	44	46.58	18.27	15	5	3.9L	Zsi	3.6	1931	4	12	22	25	49.90	17.90	10	6	4.0L	Zsi	3.6
1930	4	25	1	56	45.80	15.30	7	6		ZivS	3.8	1931	4	13	1	56	45.83	15.33	8	6		ZivS	3.8
1930	5	14	0	1	46.52	12.44	2	6	4.6S	NT4.1	5.1	1931	4	14	22	13	45.97	10.63	7	6	4.4S	NT4.1	5.0
1930	5	18	4	14	47.46	13.38	8	6	4.1S	ZAMG	4.1	1931	4	20	11	21	47.20	18.13		3	3.9L	Zsi	3.6
1930	5	24	22	2	44.18	10.65	15	6	4.9S	NT4.1	5.3	1931	4	21	15	22	47.20	18.13			4.0L	Zsi	3.6
1930	6	10	0	14	60.70	5.40		4	3.8S	FEN	3.8	1931	5	15	14	47	46.42	16.22	7	5.5		ZivS	3.5
1930	7	4	21	6	45.32	6.58	10	5.5		LLA	4.0	1931	6	7	0	25	54.08	1.50	23		6.1L	Mus	5.8
1930	7	10	13		45.20	14.50	7	5.5	4.4L	ZivC	4.0	1931	6	10	17	2	44.53	10.95		4	4.5S	NT4.1	5.1
1930	7	30	12	20	44.78	17.20	12	5	3.9L	ZivC	3.6	1931	6	28	0	40	67.10	15.00		4	3.7S	FEN	3.7
1930	8	22	6	49	47.98	19.43	10	6	4.2L	Zsi	3.8	1931	8	7	1	42	48.22	22.69	7	6		KSh	3.5
1930	8	25	15	22	63.90	-22.20			4.3L	IMO	4.7	1931	8	23	15	53	64.00	-21.50			4.3L	IMO	4.7
1930	8	25	15	35	63.90	-22.20			4.8L	IMO	5.1	1931	9	5	1	26	44.05	11.37		6.5	4.7S	NT4.1	5.2
1930	8	25	15	45	63.90	-22.20			4.0L	IMO	4.4	1931	10	27	19	16	64.60	-21.50			4.0L	IMO	4.4
1930	8	26	4	10	48.67	-0.52		5		LLA	3.8	1931	10	28	3	17	64.60	-21.50			4.3L	IMO	4.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1931	10	28	7	45	64.60	-21.50			4.5L	IMO	4.9	1932	12	31	3	30	66.50	-17.50			4.0L	IMO	4.4
1931	11	16	3	20	62.50	25.80	15	6		FEN	3.7	1933	1	14	8	30	54.30	-2.15	10	6	4.4L	Mus	4.0
1931	12	25	11	41	46.20	13.13	9	7	5.2S	NT4.1	5.5	1933	1	18			45.00	22.00		5	3.5w	Onc	3.5
1932	1	19	21	29	44.67	6.78		5.5		LLA	4.0	1933	2	8	7	7	48.85	8.20	7	7	5.3L	Kun86	4.9
1932	2	18	23	15	48.75	21.78	9	5.5	4.1S	Lab	4.1	1933	2	21	15	45	48.24	8.94	22	5		Ley	3.5
1932	2	19	12	57	45.65	10.75		6.5	4.5S	NT4.1	5.1	1933	2	21	15	48	48.24	8.94	22	5		Ley	3.5
1932	3	13	2	53	45.70	26.60	120	5.5	5.7w	Onc	5.7	1933	2	26	1	48	48.85	8.20	7	5.5		Ley	3.5
1932	4	7	20	3	64.00	-21.00			4.0L	IMO	4.4	1933	3	1	2	13	48.24	8.94	21	5		Ley	3.5
1932	4	17	7	46	63.80	-22.80			4.0L	IMO	4.4	1933	3	12	3	25	44.98	16.73		5	3.9L	ZivC	3.6
1932	4	17	13	34	63.80	-22.80			4.5L	IMO	4.9	1933	3	13	16	42	44.20	5.95		5		LLA	3.8
1932	5	27	10	42	45.70	26.60	120	6	6.0w	Onc	6.0	1933	3	26	0	19	44.98	16.73		5	3.9L	ZivC	3.6
1932	9	7	18	36	45.70	26.60	120		5.8w	Onc	5.8	1933	4	12	14	31	49.10	-1.90		5	5.2L	Mus	4.8
1932	9	24	14	15	64.00	-22.00			4.3L	IMO	4.7	1933	4	25	22	37	71.00	-19.00			5.6b	NEIC	5.7
1932	9	24	16	25	64.00	-22.00			4.3L	IMO	4.7	1933	6	10	12	6	63.90	-22.20			5.5L	IMO	5.7
1932	10	21	18	43	47.44	12.76	8	5.5	3.8S	ZAMG	3.8	1933	6	10	15	13	63.90	-22.20			4.5L	IMO	4.9
1932	11	2	8	42	63.80	-22.80			4.3L	IMO	4.7	1933	6	10	16	6	63.90	-22.20			4.0L	IMO	4.4
1932	11	2	12	33	63.80	-22.80			4.5L	IMO	4.9	1933	6	10	16	30	63.90	-22.20			4.8L	IMO	5.1
1932	11	15	16	28	47.20	14.45	8	5.5	3.7S	ZAMG	3.7	1933	6	10	20	38	63.90	-22.20			4.3L	IMO	4.7
1932	11	20	23	36	51.67	5.58	8	7.5	5.5L	Mei95	5.1	1933	6	11	20	32	63.90	-22.20			4.0L	IMO	4.4
1932	11	23	3	8	51.30	5.90		5	4.5L	Hou	4.1	1933	7	6	21	10	46.52	2.07		5.5		LLA	4.0
1932	11	28	3	59	51.90	5.40		5	4.0L	Hou	3.6	1933	7	24	9	41	46.49	14.59	7	5.5	3.6S	ZAMG	3.6
1932	11	28	5	41	51.60	5.30		5	4.3L	Hou	3.9	1933	8	3	8	33	46.13	2.78		5		LLA	3.8
1932	11	29	8	34	71.00	-8.00			5.6b	NEIC	5.7	1933	8	12	9	56	46.68	6.78	4	7	4.4L	SED	4.0
1932	12	3	18	11	64.00	-22.00			4.3L	IMO	4.7	1933	9	19	3	46	44.42	6.47		6.5		LLA	4.4
1932	12	31	2	50	66.50	-17.50			4.0L	IMO	4.4	1933	9	24	23	55	46.28	7.88		5.5	4.2L	SED	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1933	10	3	7	54	47.80	2.17	5	6		LLA	3.8	1934	6	2	18		66.00	-18.50			4.3L	IMO	4.7	
1933	10	5	5	50	68.50	-19.50			5.0L	IMO	5.3	1934	6	3	20	34	66.00	-18.50				4.5L	IMO	4.9
1933	10	5	6	22	68.50	-19.50			5.3L	IMO	5.5	1934	6	8	3	16	46.27	12.52	35	6		4.7S	NT4.1	5.2
1933	11	8	0	51	47.36	10.66	8	6.5	4.6S	ZAMG	4.6	1934	6	13	9	6	44.48	9.80	15	6		4.9S	NT4.1	5.3
1934	2	2	19	59	45.20	26.20	140	6	6.0w	Onc	6.0	1934	6	24	9	25	44.42	4.80			6		LLA	4.2
1934	2	13	9	51	70.50	-14.50			5.6b	NEIC	5.7	1934	7	14	5	45	44.42	4.80			5		LLA	3.8
1934	3	4	23	16	64.00	-23.00			4.0L	IMO	4.4	1934	7	18	11	52	64.60	-21.50				4.0L	IMO	4.4
1934	3	23	1	46	45.80	10.10	13	5.5	4.0S	NT4.1	4.8	1934	7	18	11	53	64.60	-21.50				4.3L	IMO	4.7
1934	3	29	20	6	45.80	26.50	90	7	6.6w	Onc	6.6	1934	8	16	2	15	57.54	-5.34	14	5.5		4.1L	Mus	3.7
1934	3	30	21	4	64.70	-17.40			4.5L	IMO	4.9	1934	9	1	0	29	46.79	16.93	7	6		4.7L	Zsi	4.3
1934	4	26	17	55	47.72	18.70		5.5	4.1L	Zsi	3.7	1934	9	4	1	26	47.39	11.80	6	6.5		4.7S	ZAMG	4.7
1934	5	1	2	14	44.43	4.75		5		LLA	3.8	1934	9	12	20	50	48.42	7.67		5			LLA	3.8
1934	5	4	13	56	46.40	13.05	7	6	4.3S	NT4.1	4.9	1934	9	18	9	37	44.50	11.00		4		4.2S	NT4.1	4.9
1934	5	11	22		44.38	4.77		6		LLA	4.2	1934	10	15	1	40	44.50	19.20		7		4.7L	ZivC	4.3
1934	5	11	22	15	44.42	4.77		5		LLA	3.8	1934	11	30	2	58	44.10	14.00	30			5.6L	ZivC	5.2
1934	5	12	2		44.42	4.77		5		LLA	3.8	1934	12	9	17	40	44.42	4.80		6			LLA	4.2
1934	5	12	8	21	44.40	4.78		7		LLA	4.7	1934	12	12	20	8	60.20	23.20	7	6			FEN	3.5
1934	5	13	18	25	44.38	4.75		5		LLA	3.8	1934	12	29			45.70	26.60	100			5.0w	Onc	5.0
1934	5	14	3	25	44.42	4.77		5		LLA	3.8	1935	1	4	4	12	51.27	6.40	13	6			Ley	4.1
1934	5	16	3	52	44.40	4.83	5	6		LLA	3.8	1935	1	28	15	12	65.80	11.00				4.2S	FEN	4.2
1934	5	16	4	30	44.33	4.83		6		LLA	4.2	1935	1	31	12	39	47.70	9.02	8	6			Ley	3.9
1934	5	20	19	4	64.70	-2.10			4.8S	FEN	4.8	1935	2	3	22	48	45.70	26.60	100			5.0w	Onc	5.0
1934	5	21	10	7	71.75	-1.50			5.6b	NEIC	5.7	1935	2	5	1	30	48.30	8.20		6			Ley	4.0
1934	6	2	13	43	66.00	-18.50			6.3L	IMO	6.4	1935	3	19	7	27	44.58	6.63	10	7			LLA	4.7
1934	6	2	14	54	66.00	-18.50			4.3L	IMO	4.7	1935	3	23	23	46	49.45	19.85		5.5			Pag	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1935	5	16	4	34	48.40	7.67		5		LLA	3.8	1935	12	10	11	4	44.79	17.20	20	5	4.2L	ZivC	3.8
1935	6	5	11	48	44.25	11.88	13	6	5.1S	NT4.1	5.4	1935	12	12	3	14	44.76	17.18	33	6	4.3L	ZivC	3.9
1935	6	8	4	2	64.00	-22.00			4.0L	IMO	4.4	1935	12	19	20	30	44.42	4.80		5		LLA	3.8
1935	6	27	17	19	48.04	9.47	9	7.5	5.4w	Kun86	5.4	1935	12	30	3	7	48.62	8.22	24	6		Ley	4.3
1935	6	28	9	9	48.04	9.47	20	5		Ley	3.5	1935	12	30	3	36	48.62	8.22	24	6.5		Ley	4.6
1935	7	13	0	3	45.30	26.60	140	6	6.0w	Onc	6.0	1936	1	8	16	23	46.42	14.92	19	6		ZivS	4.3
1935	7	13	0	6	45.70	26.60	100		5.2w	Onc	5.2	1936	1	11	4	40	44.45	4.78		5		LLA	3.8
1935	7	17	0	5	65.90	7.20			5.0S	FEN	5.0	1936	1	17	0	14	45.75	-0.02		5		LLA	3.8
1935	7	18	13	15	45.80	0.13		5		LLA	3.8	1936	1	20	2	30	64.30	10.70		4	4.0S	FEN	4.0
1935	7	24	23	18	50.07	17.02	7	7.5	4.2L	Zsi	3.8	1936	1	29	12	35	46.25	2.75	10	5		LLA	3.8
1935	8	14	12	59	45.77	3.17	10	5		LLA	3.8	1936	1	30	18	45	45.03	5.78		5.5		LLA	4.0
1935	8	19	18	32	45.75	0.07	5	5.5		LLA	3.6	1936	2	4	8	16	46.25	14.55	15	5.5		ZivS	3.9
1935	9	5	6		45.80	26.70	130	6	6.0w	Onc	6.0	1936	2	13	5	14	44.40	4.75	5	6		LLA	3.8
1935	9	28	16	17	45.77	-0.03	5	7		LLA	4.2	1936	3	4	5	45	48.02	21.08	12	5	3.9L	Zsi	3.6
1935	9	29	6	30	44.20	6.40		5.5		LLA	4.0	1936	3	15	1	26	47.65	9.48	8	6	4.3L	SED	3.9
1935	10	5	14	2	44.81	17.28	17	5	4.1L	ZivC	3.7	1936	4	8			44.42	4.80		5		LLA	3.8
1935	10	6	7	45	62.00	3.90	48		4.3S	FEN	4.3	1936	4	17	3	19	46.05	5.93	5	7		LLA	4.2
1935	10	8	7	6	44.76	17.18	5	6	3.9L	ZivC	3.6	1936	5	4	22	34	44.42	4.80		5		LLA	3.8
1935	10	9	22	8	64.00	-21.50			5.5L	IMO	5.7	1936	5	10	12	41	45.70	26.60	100		4.5w	Onc	4.5
1935	10	10	5	52	62.50	17.10	7	6		FEN	3.5	1936	5	14	12	50	45.70	26.60	100		5.0w	Onc	5.0
1935	10	11	0	46	44.79	17.21	6	7	4.6L	ZivC	4.2	1936	5	17	17	38	45.30	26.30	140	5.5	6.0w	Onc	6.0
1935	10	14	10	29	64.00	-21.50			5.0L	IMO	5.3	1936	5	22	22	51	45.70	26.60	100		4.5w	Onc	4.5
1935	10	20	22	37	45.77	0.10		5		LLA	3.8	1936	6	22	3	44	45.50	10.77	5	6	4.3S	NT4.1	4.9
1935	10	21	11	7	44.88	17.29	7	7	4.7L	ZivC	4.3	1936	7	1	21	32	47.52	9.43	7	5	4.4L	SED	4.0
1935	11	14	5	37	45.78	0.10		5		LLA	3.8	1936	7	7	1		44.42	4.80		5		LLA	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1936	7	14	18	37	64.40	-20.70			4.8L	IMO	5.1	1937	1	9	0	20	61.40	5.70		4	3.9S	FEN	3.9	
1936	8	2	20	27	48.61	22.53	6	6.5		KSh	3.8	1937	1	26	14	34	45.70	26.60	100			5.4w	Onc	5.4
1936	9	6	4	49	45.70	21.10	5	7	4.8w	Onc	4.8	1937	2	18	5	30	46.13	12.22		6	4.4S	NT4.1	5.0	
1936	9	21	15	32	63.80	-22.80			4.0L	IMO	4.4	1937	3	10	21	34	45.43	16.12	17	6	3.9L	ZivC	3.6	
1936	9	21	16	11	63.80	-22.80			4.5L	IMO	4.9	1937	4	4	15	25	45.30	17.90		6	4.3L	ZivC	3.9	
1936	9	21	16	26	63.80	-22.80			4.5L	IMO	4.9	1937	4	4	15	40	45.25	17.90	6	7	4.7L	ZivC	4.3	
1936	9	21	17	7	63.80	-22.80			4.0L	IMO	4.4	1937	4	4	15	43	45.22	18.00		6	4.3L	ZivC	3.9	
1936	9	21	17	12	63.80	-22.80			4.3L	IMO	4.7	1937	4	6	7	34	45.30	17.90	6	6	3.9L	ZivC	3.6	
1936	9	21	18	10	63.80	-22.80			4.8L	IMO	5.1	1937	5	27	1	5	45.70	26.60	100			4.5w	Onc	4.5
1936	9	21	18	12	63.80	-22.80			4.5L	IMO	4.9	1937	6	7	22	2	46.37	10.65		6	4.1S	NT4.1	4.8	
1936	9	21	18	13	63.80	-22.80			4.5L	IMO	4.9	1937	6	10	2	43	48.12	21.35	8	6	4.2L	Zsi	3.8	
1936	9	21	18	17	63.80	-22.80			4.0L	IMO	4.4	1937	7	2	23	51	45.70	26.60	100			4.0w	Onc	4.0
1936	9	21	18	28	63.80	-22.80			4.0L	IMO	4.4	1937	9	14	8	58	48.21	23.54	7	6.5		KSh	3.9	
1936	9	21	20	29	63.80	-22.80			4.8L	IMO	5.1	1937	9	17	12	19	44.80	10.30	5	6	3.8S	NT4.1	4.6	
1936	9	21	20	30	63.80	-22.80			4.5L	IMO	4.9	1937	11	27	20	10	71.00	10.00				5.1S	FEN	5.1
1936	9	22	12	39	63.80	-22.80			4.0L	IMO	4.4	1937	12	10	18	4	44.35	10.83	4	6.5	5.2S	NT4.1	5.5	
1936	10	3	15	48	47.07	14.70	8	7.5	5.1S	ZAMG	5.1	1937	12	17	3	11	44.67	6.72		6		LLA	4.2	
1936	10	18	3	10	46.07	12.37	18	9	5.8S	NT4.1	5.7	1938	1	25	1	36	64.00	-22.00				4.0L	IMO	4.4
1936	10	22	23	50	66.80	-17.40			5.8L	IMO	5.9	1938	2	2	10	55	46.13	15.22	7	5.5		ZivS	3.5	
1936	10	23	0	1	66.80	-17.40			5.8L	IMO	5.9	1938	2	10	5	30	64.80	-22.50				4.3L	IMO	4.7
1936	10	23	2	50	66.80	-17.40			4.8L	IMO	5.1	1938	2	10	5	59	64.80	-22.50				4.5L	IMO	4.9
1936	10	31	15	52	45.70	26.60	150		5.0w	Onc	5.0	1938	2	10	6	54	64.80	-22.50				4.5L	IMO	4.9
1936	11	1	0	23	45.70	26.60	75		5.0w	Onc	5.0	1938	2	10	7	3	64.80	-22.50				5.3L	IMO	5.5
1936	11	23	22	44	44.75	17.81	20	6	4.2L	ZivC	3.8	1938	2	10	8	28	64.80	-22.50				5.0L	IMO	5.3
1937	1	5	20	58	46.50	13.00		6	4.1S	NT4.1	4.8	1938	2	10	8	38	64.80	-22.50				5.0L	IMO	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1938	2	10	8	54	64.80	-22.50			4.5L	IMO	4.9	1938	8	17	20	14	45.70	26.80	100		4.2w	Onc	4.2
1938	2	10	9	29	64.80	-22.50			4.3L	IMO	4.7	1938	9	23	1	51	45.90	7.30		5	4.4S	NT4.1	5.0
1938	2	10	9	34	64.80	-22.50			4.8L	IMO	5.1	1938	9	29	15	6	46.02	16.98	24	4.5	4.2L	ZivC	3.8
1938	2	10	10	19	64.80	-22.50			5.3L	IMO	5.5	1938	11	8	3	12	47.96	16.40	7	7	5.0S	ZAMG	5.0
1938	2	10	11	40	64.80	-22.50			4.8L	IMO	5.1	1938	12	8	7	35	45.12	5.30		6		LLA	4.2
1938	2	15	2	32	44.62	6.55	5	6		LLA	3.8	1938	12	10	3	10	44.43	6.43		5		LLA	3.8
1938	3	11	16	10	61.60	4.10	72		4.3S	FEN	4.3	1938	12	23	17	34	45.40	7.50	11	6	4.4S	NT4.1	5.0
1938	3	27	11	16	46.02	16.85	7	8	5.6L	ZivC	5.2	1939	2	2	18	58	45.70	26.60	100		4.0w	Onc	4.0
1938	4	2	18	10	71.30	26.60		4	3.8S	FEN	3.8	1939	2	5	22		45.20	14.60	8	6.5	4.4L	ZivC	4.0
1938	4	11	6	42	48.04	9.47	7	6		Ley	3.9	1939	2	6	7	23	45.20	14.60	12	6.5	4.9L	ZivC	4.5
1938	4	11	6	47	48.04	9.47	13	5.5		Ley	3.7	1939	2	7	1		45.20	14.60	19	5	4.0L	ZivC	3.6
1938	6	11	10	57	50.78	3.58	24	7.5	5.6L	ORB	5.2	1939	2	11	11	17	44.07	11.57	5	7	4.8S	NT4.1	5.2
1938	6	11	13	8	50.78	3.58		4	4.0L	ORB	3.6	1939	3	5	23	23	45.42	5.30		5		LLA	3.8
1938	6	12	13	25	50.78	3.58		5	4.5L	ORB	4.1	1939	3	23	6	44	47.43	21.97	23	6	5.1L	Zsi	4.7
1938	7	4	23	8	45.70	26.60	100		4.7w	Onc	4.7	1939	4	5	16	2	45.70	26.60	100		4.0w	Onc	4.0
1938	7	7	7	48	46.05	12.75		5	4.7S	NT4.1	5.2	1939	4	24	20	6	45.70	26.60	100		4.6w	Onc	4.6
1938	7	8	6	32	46.10	21.10	6	6.5	4.3w	Onc	4.3	1939	5	6	4	10	46.07	14.82	11	6.5		ZivS	4.2
1938	7	8	16	47	46.15	15.23	6	6		ZivS	3.7	1939	5	9	21	9	64.00	-22.00			4.3L	IMO	4.7
1938	7	8	22	50	66.50	-17.00			4.5L	IMO	4.9	1939	5	16	4	5	44.37	3.10		6		LLA	4.2
1938	7	9	9	21	66.50	-17.00			4.5L	IMO	4.9	1939	6	17	3	41	45.70	26.60	100		3.9w	Onc	3.9
1938	7	13	20	15	45.90	26.70	120	6	6.0w	Onc	6.0	1939	6	22	14	11	61.40	4.70		4	3.9S	FEN	3.9
1938	7	14	19	57	46.38	12.97		6	4.5S	NT4.1	5.1	1939	6	30	12	3	45.70	26.60	100		4.5w	Onc	4.5
1938	7	18	0	57	44.67	6.60	15	6.5		LLA	4.7	1939	7	1	21	32	47.55	9.47		5.5		SED	3.8
1938	8	2	4	11	48.27	8.99	8	5.5		Ley	3.6	1939	7	2	15	49	44.58	16.79	10	6	4.3L	ZivC	3.9
1938	8	17	19	14	45.70	26.60	100		4.2w	Onc	4.2	1939	7	2	23	46	44.60	18.10	10	6	4.4L	ZivC	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1939	7	10	16	27	45.93	12.77		5	4.4S	NT4.1	5.0	1940	6	4	3	49	63.80	-22.80			4.0L	IMO	4.4
1939	7	21	13	4	50.43	7.82	13	5.5		Ley	3.7	1940	6	24	9	57	45.90	26.60	115	5.5	5.9w	Onc	5.9
1939	7	28	8	39	45.70	26.60	100		4.9w	Onc	4.9	1940	7	15	18	43	45.70	26.60	100		4.5w	Onc	4.5
1939	7	28	9	29	45.70	26.60	100		3.9w	Onc	3.9	1940	8	7	17	26	64.00	-22.00			4.8L	IMO	5.1
1939	8	1	19	55	45.70	26.60	100		3.8w	Onc	3.8	1940	8	15	18	43	45.70	26.60	100		4.6w	Onc	4.6
1939	8	3	22	26	45.70	26.60	100		4.4w	Onc	4.4	1940	9	27	13	33	45.70	26.60	100		4.0w	Onc	4.0
1939	9	5	6	2	45.90	26.70	120	6	6.2w	Onc	6.2	1940	10	3	15	4	45.60	26.60	150		5.1w	Onc	5.1
1939	9	18	0	14	47.77	15.91	7	7	5.0S	ZAMG	5.0	1940	10	21	22	14	45.70	26.80	100	4	5.0w	Onc	5.0
1939	10	9	10	10	59.30	8.40	22	5	4.1S	FEN	4.1	1940	10	22	6	37	45.80	26.40	125	7	6.5w	Onc	6.5
1939	10	15	14	5	44.17	10.23	18	6.5	4.9S	NT4.1	5.3	1940	10	22	22	14	45.70	26.60	130		5.0w	Onc	5.0
1939	12	11	18	42	59.90	5.20		4	3.7S	FEN	3.7	1940	11	6	19	58	45.70	26.60	130		5.0w	Onc	5.0
1939	12	13	4	3	45.90	-0.08		5		LLA	3.8	1940	11	6	22	6	45.70	26.60	100		4.1w	Onc	4.1
1940	1	3	19	15	46.03	11.80	15	6	4.4S	NT4.1	5.0	1940	11	8	12	0	45.50	26.20	145	6	5.9w	Onc	5.9
1940	1	5	2	36	45.30	25.20	7	6	4.5w	Onc	4.5	1940	11	10	1	39	45.80	26.70	150	9.5	7.7w	Onc	7.7
1940	1	7	20	12	46.70	9.60	20	5.5	4.1L	SED	3.7	1940	11	10	8	14	45.70	26.60	100		3.9w	Onc	3.9
1940	1	12	7	12	66.00	-17.50			4.0L	IMO	4.4	1940	11	10	9	3	45.70	26.60	130		4.6w	Onc	4.6
1940	1	12	9	40	66.00	-17.50			4.8L	IMO	5.1	1940	11	10	10	40	45.70	26.60	130		4.5w	Onc	4.5
1940	1	24	23	32	44.47	10.10	20	5	4.6S	NT4.1	5.1	1940	11	10	13	28	45.70	26.60	130		5.0w	Onc	5.0
1940	2	10	18	14	45.70	26.70	150		5.2w	Onc	5.2	1940	11	10	13	37	45.70	26.60	130		4.9w	Onc	4.9
1940	2	14	19	30	45.70	26.70	130		5.0w	Onc	5.0	1940	11	10	16	41	45.70	26.60	130		5.0w	Onc	5.0
1940	3	9	4	54	45.83	15.42	4	7		ZivS	4.0	1940	11	10	19	47	45.70	26.60	130		4.8w	Onc	4.8
1940	4	29	2	21	44.75	6.58		5		LLA	3.8	1940	11	10	21	41	45.70	26.60	130		4.9w	Onc	4.9
1940	5	1	9	36	44.80	10.18	25	5	4.8S	NT4.1	5.2	1940	11	11	6	34	46.00	26.80	130	6	5.9w	Onc	5.9
1940	5	7	7	15	45.70	26.60	100		4.9w	Onc	4.9	1940	11	12	14	48	45.70	26.60	130		4.7w	Onc	4.7
1940	5	17	12	50	45.70	26.60	100		4.5w	Onc	4.5	1940	11	12	20	57	45.70	26.60	130		4.6w	Onc	4.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1940	11	13	5	45	45.70	26.60	130		4.6w	Onc	4.6	1940	12	17	10	52	44.98	17.91	17	7	4.6L	ZivC	4.2
1940	11	13	16	51	45.70	26.60	130		5.2w	Onc	5.2	1940	12	22	7	54	45.70	26.60	100		3.9w	Onc	3.9
1940	11	13	17	11	45.70	26.60	100		4.4w	Onc	4.4	1941	1	6	16	16	45.70	26.60	100		4.7w	Onc	4.7
1940	11	14	14	37	45.70	26.60	130		5.3w	Onc	5.3	1941	1	12	15	48	45.70	26.60	100		4.3w	Onc	4.3
1940	11	14	22	32	45.70	26.60	130		4.9w	Onc	4.9	1941	1	13	2	29	45.70	26.60	100		3.9w	Onc	3.9
1940	11	15	10	54	45.70	26.60	100		4.4w	Onc	4.4	1941	1	13	3	39	45.70	26.60	100		3.9w	Onc	3.9
1940	11	16	22	31	45.70	26.60	130		5.0w	Onc	5.0	1941	1	27	1	21	61.00	5.00	28	4.5	4.1S	FEN	4.1
1940	11	17	6	1	45.70	26.60	130		5.1w	Onc	5.1	1941	1	29	7	4	45.70	26.60	130		5.5w	Onc	5.5
1940	11	19	20	27	46.00	26.50	110	6	5.7w	Onc	5.7	1941	2	2	4	44	45.70	26.60	100		4.3w	Onc	4.3
1940	11	20	8	9	45.70	26.60	100		4.0w	Onc	4.0	1941	2	11	8	32	45.70	26.60	100		4.6w	Onc	4.6
1940	11	20	9	44	45.70	26.60	100		4.4w	Onc	4.4	1941	2	13	10	28	45.70	26.60	100		4.3w	Onc	4.3
1940	11	20	12	58	45.70	26.60	100		4.0w	Onc	4.0	1941	2	23	20	12	44.13	7.28	20	6	4.3S	NT4.1	4.9
1940	11	21	1	21	45.80	26.60	130		4.9w	Onc	4.9	1941	3	9	22	37	45.70	26.60	100		3.8w	Onc	3.8
1940	11	21	12	18	45.70	26.60	100		3.8w	Onc	3.8	1941	3	12	23	45	45.70	26.60	100		4.7w	Onc	4.7
1940	11	22	2	30	45.70	26.60	130		5.0w	Onc	5.0	1941	3	16	6	50	45.70	26.60	130		5.0w	Onc	5.0
1940	11	22	9	35	45.70	26.60	100		4.1w	Onc	4.1	1941	4	4	19	27	45.70	26.60	130		5.0w	Onc	5.0
1940	11	23	14	49	45.80	26.80	150	5.5	5.7w	Onc	5.7	1941	4	24	23	21	45.70	26.60	100		3.8w	Onc	3.8
1940	11	24	21	39	45.70	26.60	100		4.1w	Onc	4.1	1941	5	8	6	23	63.50	-24.00			4.0L	IMO	4.4
1940	11	25	12	19	45.70	26.60	100		3.9w	Onc	3.9	1941	5	8	6	51	63.50	-24.00			4.0L	IMO	4.4
1940	11	25	13	31	45.70	26.60	100		3.9w	Onc	3.9	1941	5	8	6	56	63.50	-24.00			5.3L	IMO	5.5
1940	11	27	8	13	45.70	26.60	130		5.0w	Onc	5.0	1941	5	8	7	45	63.50	-24.00			4.3L	IMO	4.7
1940	12	1	17	19	45.70	26.60	130		5.5w	Onc	5.5	1941	5	14	13	45	45.70	26.60	100		4.9w	Onc	4.9
1940	12	6	19	58	45.80	26.60	130		4.8w	Onc	4.8	1941	5	19	20	25	45.70	26.60	100		4.8w	Onc	4.8
1940	12	10	1	35	45.70	26.60	130		5.3w	Onc	5.3	1941	6	5	2	49	48.86	21.80	3	7	4.4S	Lab	4.4
1940	12	12	21	20	52.90	-4.40	9	5.5	4.7L	Mus	4.3	1941	6	5	5	15	48.87	21.82		5	3.7S	Lab	3.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1941	6	6	21	2	72.00	-0.50			5.6b	NEIC	5.7	1942	4	12	0	1	46.25	13.83	11	6		ZivS	4.0
1941	6	27	2	55	45.70	26.60	130		5.1w	Onc	5.1	1942	4	13	3	7	45.70	26.50	70		5.6w	Onc	5.6
1941	7	3	10	43	45.70	26.60	100		4.9w	Onc	4.9	1942	4	25	20	2	66.30	-19.50			4.8L	IMO	5.1
1941	7	25	0	1	45.70	26.60	100		4.6w	Onc	4.6	1942	4	27	10	59	45.70	26.60	130		5.2w	Onc	5.2
1941	7	29	8	22	45.70	26.60	100		4.5w	Onc	4.5	1942	5	5	4	58	45.70	26.60	130		5.0w	Onc	5.0
1941	8	9	14	14	63.00	-25.00			4.8L	IMO	5.1	1942	6	8	5	49	45.70	26.60	100		4.5w	Onc	4.5
1941	8	9	14	24	63.00	-25.00			5.0L	IMO	5.3	1942	6	17	22	14	64.00	-20.70			4.5L	IMO	4.9
1941	8	9	15	7	63.00	-25.00			4.8L	IMO	5.1	1942	6	20	14	42	45.90	10.88	4	6	3.6S	NT4.1	4.5
1941	8	9	15	28	63.00	-25.00			5.5L	IMO	5.7	1942	7	1	23	42	46.40	7.15	2	4.5	4.1L	SED	3.7
1941	8	9	15	35	63.00	-25.00			5.8L	IMO	5.9	1942	7	17	10	26	48.27	9.00	11	6		Ley	4.0
1941	8	10	19	20	45.37	5.30	5	6		LLA	3.8	1942	7	18	15	46	47.52	7.44	1		3.9L	SED	3.6
1941	8	30	4	41	45.80	20.80	7	7	4.8w	Onc	4.8	1942	7	29	19	19	45.70	26.60	130		5.4w	Onc	5.4
1941	9	3	20	55	45.70	26.60	100		4.1w	Onc	4.1	1942	8	9	16	57	45.70	26.60	100		4.3w	Onc	4.3
1941	9	5	8	23	45.70	26.60	130		5.1w	Onc	5.1	1942	8	21			45.70	26.60	100		4.0w	Onc	4.0
1941	9	7		50	71.25	-2.50			5.6b	NEIC	5.7	1942	8	27	5	42	45.80	26.50	100		4.7w	Onc	4.7
1941	9	26	7	30	45.70	26.60	100		4.6w	Onc	4.6	1942	9	5	12	29	45.70	26.60	100		4.6w	Onc	4.6
1941	9	28	21	24	63.80	-22.50			4.0L	IMO	4.4	1942	9	6	1	34	45.70	26.60	100		3.9w	Onc	3.9
1941	11	4	21	59	45.70	26.60	100		4.1w	Onc	4.1	1942	9	15			45.70	26.60	100		4.1w	Onc	4.1
1941	12	10	7	23	45.70	26.60	130		5.3w	Onc	5.3	1942	9	20	5	37	45.70	26.50	140		5.3w	Onc	5.3
1942	1	4	22	40	60.00	6.00		4.5	3.8S	FEN	3.8	1942	9	20	20	2	45.70	25.20			4.1w	Onc	4.1
1942	1	20	9	38	64.00	-20.70			4.3L	IMO	4.7	1942	9	29	21	55	47.35	19.63		4	4.1L	Zsi	3.7
1942	2	12	16	2	45.42	5.45		5.5		LLA	4.0	1942	9	30	3	30	47.45	19.60	8	6	4.2L	Zsi	3.8
1942	3	8	22	54	45.70	26.60	100		4.5w	Onc	4.5	1942	10	3	12	43	45.70	26.60	125		5.0w	Onc	5.0
1942	3	15	23	30	44.52	6.67		5		LLA	3.8	1942	10	14	22	14	45.70	26.60	100		4.6w	Onc	4.6
1942	3	17	0	24	45.70	26.60	130		5.0w	Onc	5.0	1942	10	30	0	18	46.54	6.94	7		4.4L	SED	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1942	11	13			45.70	26.60	100		4.2w	Onc	4.2	1943	6	1	13	53	48.26	8.98	7	6.5	5.0L	Kun86	4.6
1942	11	19	17	55	63.50	-23.00			5.0L	IMO	5.3	1943	6	3	6	43	45.70	26.60	100		4.3w	Onc	4.3
1942	11	19	18	6	63.50	-23.00			4.3L	IMO	4.7	1943	6	12	4	21	46.40	13.00	5	6	4.4S	NT4.1	5.0
1942	11	19	21	9	63.50	-23.00			4.5L	IMO	4.9	1943	6	20	1		45.00	23.00		6	5.2w	Onc	5.2
1942	11	19	21	11	63.50	-23.00			4.5L	IMO	4.9	1943	6	22	4	25	45.60	26.40	145		4.6w	Onc	4.6
1942	11	19	21	31	63.50	-23.00			4.3L	IMO	4.7	1943	6	22	19	20	45.70	26.60	100		4.1w	Onc	4.1
1942	11	26	3	10	59.90	6.20	35	5	4.5S	FEN	4.5	1943	6	24	6	50	45.70	26.60	100		4.0w	Onc	4.0
1942	12	27	7	45	44.50	18.00			4.1L	ZivC	3.7	1943	6	24	9	45	45.70	26.60	100		3.8w	Onc	3.8
1943	1	1	8	50	45.70	26.60	100		4.0w	Onc	4.0	1943	6	24	19	42	48.26	8.98	7	5.5		Ley	3.5
1943	1	4	10	36	45.70	26.60	100		4.8w	Onc	4.8	1943	6	28	14	59	45.70	26.60	100		4.5w	Onc	4.5
1943	1	5	9	59	45.70	26.60	100		4.6w	Onc	4.6	1943	7	1	12	29	45.70	26.60	100		3.9w	Onc	3.9
1943	1	17	2	48	45.70	26.60	100		4.3w	Onc	4.3	1943	7	4	4	37	48.27	8.98	7	6		Ley	3.9
1943	1	30	21	5	44.47	6.83		5		LLA	3.8	1943	7	8	13	58	45.70	26.60	100		3.9w	Onc	3.9
1943	2	8	9	5	45.70	26.60	100		4.5w	Onc	4.5	1943	7	10	2	50	45.80	26.80	130		5.3w	Onc	5.3
1943	2	9	12	2	45.70	26.60	100		4.4w	Onc	4.4	1943	7	13	12	50	45.70	26.60	100		4.0w	Onc	4.0
1943	2	12	7	50	45.70	26.60	100		4.0w	Onc	4.0	1943	7	14	4	16	48.26	8.98	9	6		Ley	3.9
1943	2	19	16	3	45.70	26.60	100		3.9w	Onc	3.9	1943	7	19	10	16	45.70	26.60	100		3.8w	Onc	3.8
1943	4	23	20	55	45.70	26.60	100		4.3w	Onc	4.3	1943	7	24	1	44	45.97	12.02		6.5	4.8S	NT4.1	5.2
1943	4	25	11	35	48.27	8.98	8	6		Ley	3.9	1943	7	26			45.70	26.60	100		4.3w	Onc	4.3
1943	4	28	19	46	45.80	27.10	100	6	5.9w	Onc	5.9	1943	8	6	1	44	45.70	26.60	100		4.5w	Onc	4.5
1943	5	2	1	8	48.27	8.98	9	7	4.9w	Kun86	4.9	1943	8	10	13	59	45.70	26.60	100		3.9w	Onc	3.9
1943	5	18	18	34	45.70	26.60	120		5.0w	Onc	5.0	1943	8	16	2	54	45.70	26.60	100		4.1w	Onc	4.1
1943	5	19	7	30	45.70	26.60	100		4.3w	Onc	4.3	1943	8	21	18	31	45.70	26.60	100		4.2w	Onc	4.2
1943	5	22	19	3	45.15	7.17	10	5	4.6S	NT4.1	5.1	1943	8	25			45.70	26.60	100		4.0w	Onc	4.0
1943	5	28	1	24	48.27	8.98	9	8	5.3w	Kun86	5.3	1943	8	29	5	35	58.90	5.90	26	4.5	4.5S	FEN	4.5

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1943	9	2	6	8	45.70	26.60	100		4.4w	Onc	4.4	1944	2	18	21	37	63.40	-23.60			5.3L	IMO	5.5
1943	9	21	3	37	45.70	26.60	100		4.4w	Onc	4.4	1944	2	19	11	36	63.40	-23.60			5.8L	IMO	5.9
1943	10	6	20	42	46.91	8.56	10		4.0L	SED	3.6	1944	2	19	13	47	63.40	-23.60			5.5L	IMO	5.7
1943	10	13	22	57	45.70	26.60	100		4.6w	Onc	4.6	1944	2	20	19	32	63.40	-23.60			5.3L	IMO	5.5
1943	10	13	23	24	48.28	8.98	8	6		Ley	3.9	1944	2	21	0	26	63.40	-23.60			5.3L	IMO	5.5
1943	10	15	6	37	45.90	26.70	100		4.5w	Onc	4.5	1944	2	21	8	29	63.40	-23.60			5.3L	IMO	5.5
1943	10	15	7	36	45.63	26.60	60		4.7w	Onc	4.7	1944	2	21	15	26	63.40	-23.60			5.5L	IMO	5.7
1943	10	16	12	10	45.10	8.10		5	4.2S	NT4.1	4.9	1944	2	21	17	34	63.40	-23.60			5.3L	IMO	5.5
1943	10	17	2	30	48.30	9.00	3	6		Ley	3.6	1944	2	21	20	14	63.40	-23.60			5.0L	IMO	5.3
1943	10	20	1	24	45.70	26.60	100		4.3w	Onc	4.3	1944	2	22	0	33	63.40	-23.60			5.0L	IMO	5.3
1943	11	11	15	59	45.70	26.60	100		3.9w	Onc	3.9	1944	2	22	2	13	63.40	-23.60			5.3L	IMO	5.5
1943	11	15	8	30	46.02	11.80	16	6	4.4S	NT4.1	5.0	1944	2	23	1	29	63.40	-23.60			5.3L	IMO	5.5
1943	11	29	2	4	46.50	16.00	19	6		ZivS	4.3	1944	2	25	16	59	45.70	26.60	100		5.6w	Onc	5.6
1943	12	11	1	44	45.70	26.60	100		4.5w	Onc	4.5	1944	2	28	12	24	63.40	-23.60			5.3L	IMO	5.5
1943	12	22	15	35	45.80	26.50	150		5.1w	Onc	5.1	1944	3	1	15	48	45.70	26.60	100		4.5w	Onc	4.5
1943	12	27	18	50	48.26	8.98	7	6.5		Ley	4.2	1944	3	2	12	19	63.40	-23.60			4.5L	IMO	4.9
1943	12	27	18	57	48.26	8.98	10	6		Ley	4.0	1944	3	4	3	40	63.40	-23.60			4.3L	IMO	4.7
1943	12	27	19	46	48.26	8.98	12	5.5		Ley	3.7	1944	3	7	2	32	63.40	-23.60			4.3L	IMO	4.7
1944	1	6	3	40	45.70	26.60	100		4.1w	Onc	4.1	1944	3	9	19	44	46.37	4.76	10		4.3L	SED	3.9
1944	1	22	10	48	45.70	26.60	100		4.4w	Onc	4.4	1944	3	12	21	19	45.80	26.50	130		5.0w	Onc	5.0
1944	2	3	3	56	45.70	26.60	100		4.5w	Onc	4.5	1944	3	17			45.70	26.60	100		4.1w	Onc	4.1
1944	2	4	18	13	66.00	-17.50			5.3L	IMO	5.5	1944	3	18	0	52	45.70	26.60	100		4.0w	Onc	4.0
1944	2	6	17	6	66.00	-17.50			5.0L	IMO	5.3	1944	3	26	17	32	45.70	26.60	100		4.6w	Onc	4.6
1944	2	10	3	20	66.00	-17.50			4.8L	IMO	5.1	1944	4	6			45.70	26.60	100		4.1w	Onc	4.1
1944	2	18	20	3	63.40	-23.60			5.0L	IMO	5.3	1944	4	7	2	55	45.70	26.60	100		4.5w	Onc	4.5

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1944	4	7	8	8	45.70	26.60	100		4.1w	Onc	4.1	1945	4	11	22	36	45.70	26.60	100		3.8w	Onc	3.8
1944	5	28	13	17	45.70	26.60	100		4.3w	Onc	4.3	1945	4	28	2	2	45.70	26.60	100		3.8w	Onc	3.8
1944	5	29	9	32	45.70	26.60	100		4.2w	Onc	4.2	1945	4	29	15	12	45.70	26.60	100		3.8w	Onc	3.8
1944	6	2	4	52	64.00	-22.50			4.0L	IMO	4.4	1945	5	10	13	57	64.00	-22.00			4.0L	IMO	4.4
1944	6	6	7	51	45.70	26.60	100		3.8w	Onc	3.8	1945	6	12	23	48	45.70	26.60	100		4.1w	Onc	4.1
1944	6	10	6	16	45.70	26.60	100		4.7w	Onc	4.7	1945	6	25	16	22	45.70	26.60	100		4.4w	Onc	4.4
1944	7	8	10	50	45.70	26.60	100		4.9w	Onc	4.9	1945	6	29	15	37	44.82	9.10		7.5	4.6S	NT4.1	5.1
1944	7	10	6	21	63.40	-23.60			5.0L	IMO	5.3	1945	6	30	14	56	45.70	26.60	100		4.1w	Onc	4.1
1944	8	11	15	43	45.70	26.60	100		4.0w	Onc	4.0	1945	8	20	10	34	45.70	26.60	100		4.5w	Onc	4.5
1944	9	8	6	18	45.70	26.60	130		5.0w	Onc	5.0	1945	8	26	0	4	45.70	26.60	100		3.7w	Onc	3.7
1944	9	8	9	19	45.70	26.60	100		4.8w	Onc	4.8	1945	8	31	3	38	45.70	26.60	100		4.1w	Onc	4.1
1944	9	10	9	45	45.70	26.60	100		4.4w	Onc	4.4	1945	9	7	15	48	45.90	26.50	80	7.5	6.8w	Onc	6.8
1944	12	15	6	31	45.70	26.60	100		4.1w	Onc	4.1	1945	9	14	17	22	45.70	26.60	100		5.5w	Onc	5.5
1944	12	17	12	22	45.70	26.60	100		4.5w	Onc	4.5	1945	10	15	19	15	47.88	-3.08	15	5		LLA	4.0
1944	12	18	8	29	45.70	26.60	100		4.0w	Onc	4.0	1945	10	15	21	48	46.97	-2.15	15	5		LLA	4.0
1944	12	30	0	35	53.86	-2.02	21	6	4.8L	Mus	4.4	1945	10	23	7	22	45.70	26.60	100		4.9w	Onc	4.9
1945	1	5	23	29	47.58	14.46	6	5.5	3.5S	ZAMG	3.5	1945	11	13	12	14	45.70	26.60	100		4.2w	Onc	4.2
1945	1	10	5	6	47.58	14.46	6	5.5	3.5S	ZAMG	3.5	1945	11	24	21	18	45.70	26.60	100		3.8w	Onc	3.8
1945	1	19	16	17	45.70	26.60	100		4.3w	Onc	4.3	1945	12	9	6	8	45.70	26.80	80	7	6.5w	Onc	6.5
1945	1	19	23	55	45.70	26.60	100		4.8w	Onc	4.8	1945	12	15	5	27	44.83	9.12		5.5	4.7S	NT4.1	5.2
1945	2	20	3	42	45.70	26.60	130		5.0w	Onc	5.0	1945	12	17	22	36	45.70	26.80	130		5.0w	Onc	5.0
1945	3	12	16	51	45.70	26.60	100		4.5w	Onc	4.5	1946	1	25	17	31	46.38	7.52	4	8		SED	5.8
1945	3	12	20	51	45.60	26.40	125	6	6.1w	Onc	6.1	1946	1	26	3	15	46.32	7.52		6.5		SED	4.6
1945	3	26	16	44	45.70	26.60	100		3.8w	Onc	3.8	1946	2	4	4	11	46.30	7.52	15	6.5	4.2L	SED	3.8
1945	4	11	8	8	45.70	26.60	100		4.0w	Onc	4.0	1946	2	18	23		44.60	9.60		6	4.4S	NT4.1	5.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1946	5	11	16	25	65.70	-0.90			4.7S	FEN	4.7	1947	3	29	7	50	64.00	-19.70			5.3L	IMO	5.5	
1946	5	11	18	39	65.75	-1.00			5.2S	FEN	5.2	1947	3	29	7	59	64.00	-19.70			4.0L	IMO	4.4	
1946	5	30	4	41	46.37	7.53	10		4.7L	SED	4.3	1947	4	14	21	30	48.25	9.05	8	6		Ley	3.9	
1946	7	9	0	42	45.70	26.60	100		4.9w	Onc	4.9	1947	5	15	10	59	45.70	26.60	100			4.8w	Onc	4.8
1946	7	12	8	55	45.70	26.60	100		4.3w	Onc	4.3	1947	5	19	6	57	64.00	-21.20				4.0L	IMO	4.4
1946	7	17	16	7	46.10	16.00	30	5	4.1L	ZivC	3.7	1947	5	19	11	47	64.00	-21.20				4.3L	IMO	4.7
1946	7	18	16	15	45.70	26.60	100		3.9w	Onc	3.9	1947	5	25	4	1	64.00	-21.50				4.5L	IMO	4.9
1946	8	18	8	13	45.70	26.60	100		4.2w	Onc	4.2	1947	5	27	16	57	45.73	5.78		6		LLA	4.2	
1946	9	7	23	34	45.70	26.60	100		4.5w	Onc	4.5	1947	5	29	0	21	45.70	26.60	100			4.8w	Onc	4.8
1946	10	2	17	50	45.70	26.60	100		4.3w	Onc	4.3	1947	6	28	13	13	48.26	9.05	9	6.5		Ley	4.3	
1946	10	3	7	17	45.70	26.60	130	6	5.3w	Onc	5.3	1947	6	28	17	24	66.30	-19.00				4.5L	IMO	4.9
1946	11	3	18	47	45.60	26.30	140	6	6.0w	Onc	6.0	1947	6	28	19	18	66.30	-19.00				4.5L	IMO	4.9
1946	11	15	1	11	45.70	26.60	130		5.1w	Onc	5.1	1947	6	28	22	22	66.30	-19.00				4.8L	IMO	5.1
1946	11	15	4	34	48.32	-3.78	10	5		LLA	3.8	1947	8	12	15	59	64.00	-19.70				4.5L	IMO	4.9
1946	12	1	2	50	45.87	0.12		5		LLA	3.8	1947	8	16	1	33	45.90	16.60		6		4.3L	ZivC	3.9
1946	12	25	7	22	46.10	12.40		5.5	3.4S	NT4.1	4.4	1947	8	30	3	54	45.70	26.60	130			5.1w	Onc	5.1
1946	12	25	17	2	56.95	-4.80	11	5	4.1L	Mus	3.7	1947	9	22	9	22	47.38	-2.03		5		LLA	3.8	
1946	12	31	23	30	45.70	26.60	100		4.0w	Onc	4.0	1947	9	30	18	46	64.00	-19.70				4.0L	IMO	4.4
1947	1	8	9	24	45.70	26.60	100		4.9w	Onc	4.9	1947	10	17	13	25	45.70	26.60	130			5.8w	Onc	5.8
1947	1	24	2	30	45.70	6.10		5		LLA	3.8	1947	11	8	14	1	64.00	-19.70				5.0L	IMO	5.3
1947	2	8	20	45	62.10	8.20		4	3.9S	FEN	3.9	1947	11	17	21	3	46.37	15.33	16	6		ZivS	4.2	
1947	2	15	17	39	45.70	26.60	100		4.2w	Onc	4.2	1947	11	22	23	7	45.70	26.60	130			5.2w	Onc	5.2
1947	2	17	0	12	44.53	7.00	13		4.6S	NT4.1	5.1	1947	11	23	11	25	45.70	26.60	100			4.1w	Onc	4.1
1947	3	12	7	20	45.83	15.43	5	6		ZivS	3.6	1947	11	24	20	35	45.70	26.60	100			4.3w	Onc	4.3
1947	3	13	14	3	45.70	26.60	130		5.4w	Onc	5.4	1947	11	27	8	47	64.00	-19.70				4.0L	IMO	4.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w		
1947	12	21	9	43	49.23	18.76		6	4.3S	Lab	4.3	1948	7	29	8	57	45.70	26.60	130		5.3w	Onc	5.3		
1947	12	25	20	42	45.70	10.20		6	4.2S	NT4.1	4.9	1948	8	9	7	45	45.70	26.60	130		5.0w	Onc	5.0		
1948	1	27	3	17	48.26	9.05	12	5.5		Ley	3.7	1948	8	20	18	36	45.70	26.60	100		4.7w	Onc	4.7		
1948	1	28	2	5	45.70	26.60	130			5.3w	Onc	5.3	1948	8	30	1	29	66.50	-17.50			5.3L	IMO	5.5	
1948	3	13	21	6	45.90	26.70	150	5		5.7w	Onc	5.7	1948	9	25	7	37	45.78	15.08		6		ZivS	4.0	
1948	3	22	21	39	45.70	26.60	100			4.3w	Onc	4.3	1948	9	27	20	37	46.30	15.30	16	5		ZivS	3.7	
1948	4	18	9	2	45.70	26.60	100			4.8w	Onc	4.8	1948	10	12	11	51	46.28	13.07		6	4.4S	NT4.1	5.0	
1948	4	24	12	29	45.90	26.70	150	4.5		5.2w	Onc	5.2	1948	12	22	4	18	45.70	26.60	130		5.2w	Onc	5.2	
1948	4	29	0	33	45.90	26.70	130	4.5		5.4w	Onc	5.4	1949	1	6	19	29	46.12	14.83	11	6		ZivS	4.0	
1948	5	28	17	2	52.61	0.39	10	4.5		4.0L	Mus	3.6	1949	1	20	6	48	44.80	14.90	22	7	5.2L	ZivC	4.8	
1948	5	29	4	42	45.70	26.60	100			4.5w	Onc	4.5	1949	1	29	22	50	48.92	-1.18		5		LLA	3.8	
1948	5	29	4	48	45.80	26.50	130	6.5		6.3w	Onc	6.3	1949	2	17	4	38	44.32	6.68		5		LLA	3.8	
1948	5	30	4	41	46.37	7.53	10			4.7L	SED	4.3	1949	3	6	2	17	47.03	0.73		5		LLA	3.8	
1948	5	31	19	26	57.95	-5.21	14	4.5		4.4L	Mus	4.0	1949	3	9	4	16	44.10	11.38		6	4.2S	NT4.1	4.9	
1948	6	7	7	15	48.97	8.33	6	7			Ley	4.5	1949	3	14	12	45	45.67	15.25	11	6		ZivS	4.0	
1948	6	24	2	6	63.90	-22.10				4.8L	IMO	5.1	1949	3	22	18	45	44.45	6.37		6		LLA	4.2	
1948	6	24	2	11	63.90	-22.10				4.8L	IMO	5.1	1949	4	3	12	27	50.45	4.05		6	3.9L	ORB	3.6	
1948	6	24	2	15	63.90	-22.10				4.0L	IMO	4.4	1949	4	3	12	33	50.45	4.05	3	7	4.5L	ORB	4.1	
1948	6	24	2	17	63.90	-22.10				4.3L	IMO	4.7	1949	5	13	7	24	47.08	4.08		5		LLA	3.8	
1948	7	3	15	45	64.00	-20.50				5.3L	IMO	5.5	1949	6	10	20	3	46.07	15.47	6	6		ZivS	3.7	
1948	7	7	12	41	45.70	26.60	100			4.6w	Onc	4.6	1949	6	29	17	28	45.70	26.60	100		4.5w	Onc	4.5	
1948	7	17	19	34	45.90	10.40		5		4.7S	NT4.1	5.2	1949	7	7			45.70	26.60	100		4.6w	Onc	4.6	
1948	7	21	14	24	64.00	-22.00				4.3L	IMO	4.7	1949	7	14	11	9	44.10	21.00	7	7		4.9L	Zsi	4.5
1948	7	23	8	32	62.80	6.30		5		3.9S	FEN	3.9	1949	7	22	12	21	46.08	7.93			4.7L	SED	4.3	
1948	7	28	16		46.10	15.20		5.5			ZivS	3.7	1949	9	30	5	57	45.70	26.60	100		4.5w	Onc	4.5	

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1949	10	10	21	48	45.70	26.60	100		4.3w	Onc	4.3	1950	10	18	18	20	47.07	14.71	8	5.5	3.7S	ZAMG	3.7
1949	11	6	7	49	48.26	8.99	9	5.5		Ley	3.6	1950	10	18	21	35	47.07	14.71	8	5.5	3.7S	ZAMG	3.7
1949	11	25	3	17	45.70	26.60	130		5.2w	Onc	5.2	1950	10	24	11	48	47.01	14.74	8	6	4.1S	ZAMG	4.1
1949	12	7	1	43	45.88	13.93	5	6		ZivS	3.6	1950	11	9	8	41	45.70	26.60	100		4.9w	Onc	4.9
1949	12	23	19	3	45.70	26.60	100		4.5w	Onc	4.5	1950	11	17	2	6	48.55	-2.00	15	5		LLA	4.0
1949	12	26	3	36	45.70	26.60	135	5.5	5.7w	Onc	5.7	1951	1	11	1	50	52.80	-5.90	15		4.4L	Mus	4.0
1950	1	9	19	30	51.10	1.90	7		4.4L	Mus	4.0	1951	1	23	0	38	45.70	26.60	100		4.4w	Onc	4.4
1950	1	16	4	25	45.60	26.30	120	5.5	5.7w	Onc	5.7	1951	2	20	1	14	47.97	19.13	17	6.5	5.1L	Zsi	4.7
1950	2	2	5	36	45.70	26.60	100		4.7w	Onc	4.7	1951	3	14	9	46	50.63	6.72	9	7.5	5.1w	Kun86	5.1
1950	2	17	18	4	45.70	26.60	130		5.0w	Onc	5.0	1951	3	18	11	32	45.80	26.60	150	4.5	5.3w	Onc	5.3
1950	2	20	1	55	46.40	13.10		5.5	3.6S	NT4.1	4.5	1951	4	1	1	47	45.70	26.60	100		4.3w	Onc	4.3
1950	3	8	4	27	50.63	6.72	7	7	5.0L	Mei95	4.6	1951	5	15	22	54	45.30	9.62	12	6.5	4.9S	NT4.1	5.3
1950	3	20	17	29	45.70	26.60	130		5.0w	Onc	5.0	1951	6	10	3	29	46.17	12.37		5	3.9S	NT4.1	4.7
1950	4	26	18	45	45.70	26.60	100		4.7w	Onc	4.7	1951	6	20	0	23	46.36	7.38	5		3.9L	SED	3.6
1950	4	27	3	34	45.70	26.60	100		4.4w	Onc	4.4	1951	7	14	15	44	45.60	15.31			4.1L	ZivC	3.7
1950	4	30			45.70	26.60	100		5.0w	Onc	5.0	1951	8	12	21	19	44.07	10.48		5.5	4.5S	NT4.1	5.1
1950	5	6	3	43	44.72	10.70		4	4.1S	NT4.1	4.8	1951	8	20	19	48	46.27	7.23	10		4.3L	SED	3.9
1950	5	10	2	8	48.10	25.60	8	6		KSh	3.5	1951	8	27	13	15	45.70	26.60	100		4.3w	Onc	4.3
1950	6	20	1	18	45.90	26.50	160	6	5.9w	Onc	5.9	1951	9	7	23	6	50.53	5.80	13	6		ORB	4.2
1950	7	14	6	29	45.70	27.10	100	5	5.5w	Onc	5.5	1951	10	3			45.70	26.60	100		4.4w	Onc	4.4
1950	7	19	5	36	63.80	-20.80			4.8L	IMO	5.1	1951	10	18	19	57	48.28	9.02	6	6		Ley	3.8
1950	7	25	7	25	45.70	26.60	130		5.0w	Onc	5.0	1951	10	29	22	48	44.48	11.03	15	5	4.1S	NT4.1	4.8
1950	8	31	17	22	44.88	17.43	4	8	5.0L	ZivC	4.6	1951	12	4	0	30	45.70	26.60	100		4.7w	Onc	4.7
1950	9	8	2	30	60.00	6.00		4.5	3.7S	FEN	3.7	1951	12	13	16	24	45.70	26.60	100		4.7w	Onc	4.7
1950	9	10	5	43	46.88	-0.73		5		LLA	3.8	1951	12	27	4	5	45.70	26.60	100		4.9w	Onc	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1952	1	16	17	36	45.40	26.90	20		4.2w	Onc	4.2	1952	8	13	16	45	45.70	26.60	100		4.7w	Onc	4.7
1952	1	16	23	54	45.40	26.90	20		4.7w	Onc	4.7	1952	8	22	2	25	45.00	8.30	25	6	4.2S	NT4.1	4.9
1952	1	17	0	5	45.40	26.90	20		4.3w	Onc	4.3	1952	9	29	16	45	48.83	7.97		6.5		LLA	4.4
1952	1	18	1	36	46.03	12.55		5	4.3S	NT4.1	4.9	1952	10	6	22	27	48.95	7.98		5.5		LLA	4.0
1952	2	1	1	36	45.70	26.60	100		4.6w	Onc	4.6	1952	10	8	5	17	48.95	7.98	10	7		LLA	4.7
1952	2	23	21	56	45.80	14.27	19	6		ZivS	4.3	1952	10	19	3	36	64.00	-19.00			4.0L	IMO	4.4
1952	2	24	21	25	49.50	8.32	8	7	4.7L	Ley	4.3	1952	10	19	3	40	64.00	-19.00			4.7L	IMO	5.0
1952	3	12	12	13	63.90	-22.10			5.2L	IMO	5.5	1952	10	21	21	15	50.43	3.87		6		ORB	4.0
1952	4	28	21	45	60.30	6.40		4	3.7S	FEN	3.7	1952	10	27	6	11	50.43	3.87		6		ORB	4.0
1952	4	29	16	31	45.70	26.60	100		4.7w	Onc	4.7	1952	11	4	22	55	45.70	26.60	100		4.7w	Onc	4.7
1952	5	6	4	7	45.70	26.60	100		4.2w	Onc	4.2	1952	11	13	2	39	45.90	27.60	30		4.3w	Onc	4.3
1952	5	9	14	10	47.95	7.07		5		LLA	3.8	1952	11	13	2	47	45.70	27.60	30		4.2w	Onc	4.2
1952	5	16	14	32	63.90	-22.10			5.0L	IMO	5.3	1952	12	10	23	58	45.70	26.60	100		4.3w	Onc	4.3
1952	6	3	5	53	45.40	27.00	22	5	4.5w	Onc	4.5	1953	1	6	23	58	50.62	4.60		6		ORB	4.0
1952	6	8	21	26	44.25	5.22		7		LLA	4.7	1953	1	29	20	36	61.10	4.80	31	4.5	4.2S	FEN	4.2
1952	6	13	21	4	60.50	4.50		4	3.8S	FEN	3.8	1953	2	10	14	26	66.70	-17.00			4.8L	IMO	5.1
1952	7	4	20	35	44.07	11.85	15	5.5	4.4S	NT4.1	5.0	1953	2	13	16	29	44.03	11.52		6	4.4S	NT4.1	5.0
1952	7	14	21	1	45.90	26.70	100		4.7w	Onc	4.7	1953	2	22	17	58	45.60	26.70	135		5.2w	Onc	5.2
1952	7	16	3	57	45.60	26.70	135		5.0w	Onc	5.0	1953	3	7	20	21	45.70	26.60	100		3.8w	Onc	3.8
1952	7	27	21	34	64.00	-19.00			4.3L	IMO	4.7	1953	3	17	8	36	45.70	26.60	100		4.1w	Onc	4.1
1952	7	28	16	17	45.70	26.60	100		3.5w	Onc	3.5	1953	3	21	19	35	45.30	18.20	8	7	4.5L	ZivC	4.1
1952	7	28	23	28	45.70	26.60	100		4.4w	Onc	4.4	1953	5	2	12	37	48.08	16.75	7	6	4.1S	ZAMG	4.1
1952	8	1	20	19	64.00	-19.00			4.5L	IMO	4.9	1953	5	2	19	7	45.50	14.50	30		4.5L	ZivC	4.1
1952	8	3	16	36	45.60	26.50	150	5	5.5w	Onc	5.5	1953	5	9	2	59	45.60	26.60	135		5.0w	Onc	5.0
1952	8	10	21	22	48.92	8.05		5		LLA	3.8	1953	5	17	2	33	45.30	27.30	140	5	5.4w	Onc	5.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1953	5	21	13	5	45.70	26.60	100		4.6w	Onc	4.6	1954	4	9	2	1	59.90	5.90		4.5	3.8S	FEN	3.8
1953	5	23	13	9	46.00	27.40	23		4.0w	Onc	4.0	1954	4	13	10	6	45.70	26.80	120	4.5	5.3w	Onc	5.3
1953	6	19	6	15	63.00	11.70		4	4.0S	FEN	4.0	1954	4	25	22	17	46.37	12.60	10	6	4.2S	NT4.1	4.9
1953	6	21	13	5	45.70	26.60	100		4.7w	Onc	4.7	1954	5	9	9	25	45.60	26.30	150		5.0w	Onc	5.0
1953	7	3	15	53	45.70	26.60	100		4.6w	Onc	4.6	1954	5	19	9	34	46.36	7.07	10	6.5	5.3L	SED	4.9
1953	7	21	0	19	63.90	-22.10			4.0L	IMO	4.4	1954	6	4	22	12	45.60	26.34	145		4.0w	Onc	4.0
1953	7	25	1	34	46.48	13.03	7	5	4.1S	NT4.1	4.8	1954	6	26	8	49	45.70	26.40	190		4.1w	Onc	4.1
1953	7	30	22		62.10	6.20		4.5	3.9S	FEN	3.9	1954	7	7	0	25	59.70	4.90	55	5	4.9S	FEN	4.9
1953	8	20	13	11	64.10	-21.30			4.1L	IMO	4.5	1954	7	10	3	12	60.10	6.20		4.5	3.9S	FEN	3.9
1953	8	28	0	5	50.62	4.60		6		ORB	4.0	1954	7	10	17	18	50.43	3.87		6		ORB	4.0
1953	8	28	0	6	50.62	4.60		6		ORB	4.0	1954	7	15	8	58	46.42	7.18	21	4.5	4.0L	SED	3.6
1953	8	30	23	35	50.37	5.93		6		ORB	4.0	1954	7	29	4	42	46.28	7.50	12	5.5	4.5L	SED	4.1
1953	9	13	9	1	47.03	17.17	6	6.5	4.2L	Zsi	3.8	1954	8	5	21	21	45.50	26.30	150		3.8w	Onc	3.8
1953	9	15	23	55	50.45	3.87		7		ORB	4.8	1954	8	27	12	21	71.10	-14.00			5.2b	NEIC	5.2
1953	10	1	15	10	45.70	26.60	100		4.2w	Onc	4.2	1954	9	6	7	23	45.51	26.51	160		4.2w	Onc	4.2
1953	10	1	18	27	45.97	15.50	3	7	4.9L	ZivS	4.5	1954	9	15	12	11	63.80	-22.50			4.1L	IMO	4.5
1953	10	15	4	43	45.30	27.00	15		4.6w	Onc	4.6	1954	9	15	13	36	63.80	-22.50			4.2L	IMO	4.6
1953	11	4	0	24	71.20	9.00			4.0S	FEN	4.0	1954	10	1	13	30	45.70	27.10	60	4	5.6w	Onc	5.6
1953	11	16	16	37	45.20	20.40		6	4.1L	Zsi	3.7	1954	10	5	7	37	45.56	26.61	160		4.3w	Onc	4.3
1953	11	18	4	31	45.79	15.72	8	6	4.2L	ZivC	3.8	1954	10	11	16	45	46.30	13.15	30	6	4.4S	NT4.1	5.0
1953	12	14	7	11	44.07	12.18	13	6	4.6S	NT4.1	5.1	1954	10	21	12	3	45.60	26.60	120		5.0w	Onc	5.0
1954	1	19	3	24	64.50	-17.50			4.0L	IMO	4.4	1954	10	27	1	14	45.70	26.60	100		4.3w	Onc	4.3
1954	3	11	11	37	53.92	0.43		5	4.2L	Mus	3.8	1954	10	27	4	42	45.50	26.70	130		4.8w	Onc	4.8
1954	3	15	6	57	60.10	6.80		4.5	3.7S	FEN	3.7	1954	10	29	20	11	64.10	-21.30			4.3L	IMO	4.7
1954	4	8	15	36	45.60	26.30	100		4.7w	Onc	4.7	1954	10	29	21	24	64.10	-21.30			4.5L	IMO	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1954	10	29	21	26	64.10	-21.30			4.2L	IMO	4.6	1955	4	26	0	10	45.70	26.60	100		3.9w	Onc	3.9
1954	10	30	15	46	64.10	-21.30			4.3L	IMO	4.7	1955	5	1	21	22	45.50	26.30	135	5	5.8w	Onc	5.8
1954	11	2	20	58	46.15	1.52		5		LLA	3.8	1955	5	12	14	15	44.55	7.17	10	6.5	3.9S	NT4.1	4.7
1954	11	4	21	9	45.70	26.60	100		3.7w	Onc	3.7	1955	5	17	8		67.40	11.00			4.3S	FEN	4.3
1954	11	9	19	5	45.87	5.83		5.5		LLA	4.0	1955	5	17	18	12	64.30	-17.50			4.4L	IMO	4.8
1954	11	21	23	23	64.10	-21.30			4.5L	IMO	4.9	1955	5	17	18	15	64.30	-17.50			4.3L	IMO	4.7
1954	11	25	14	47	45.71	26.54	180		4.0w	Onc	4.0	1955	5	19	3	11	66.50	-17.50			5.0L	IMO	5.3
1954	12	17	2	7	64.40	-17.70			4.2L	IMO	4.6	1955	5	22	4	57	47.30	11.40	3	7	4.6w	Sch	4.6
1954	12	22	12	35	64.70	-20.20			4.1L	IMO	4.5	1955	5	26	6		45.70	26.60	100		4.5w	Onc	4.5
1954	12	22	12	52	64.70	-20.20			4.1L	IMO	4.5	1955	5	28	2	45	45.70	26.60	100		3.8w	Onc	3.8
1954	12	25	21	46	67.30	14.00		4	3.7S	FEN	3.7	1955	6	3	11	40	61.90	4.10			5.2S	FEN	5.2
1954	12	27	20	36	45.70	26.60	100		4.2w	Onc	4.2	1955	6	7	7	32	64.40	-17.40			4.2L	IMO	4.6
1955	1	7	8	21	46.00	-1.38	10	5		LLA	3.8	1955	6	13	22	31	45.18	17.70	9	6	4.2L	ZivC	3.8
1955	1	15	16	3	63.90	-22.30			4.8L	IMO	5.1	1955	7	14	21	50	68.00	-19.00			4.5L	IMO	4.9
1955	1	15	16	43	63.90	-22.30			5.0L	IMO	5.3	1955	7	19	7	2	45.70	26.60	100		4.3w	Onc	4.3
1955	1	16	11	14	45.70	26.60	100		4.1w	Onc	4.1	1955	7	20	7	46	45.70	26.60	100		4.0w	Onc	4.0
1955	1	20	19	54	45.70	26.60	100		3.9w	Onc	3.9	1955	7	23	3	54	46.20	12.72	6	6	4.1S	NT4.1	4.8
1955	2	10	19	30	67.00	11.70			4.2S	FEN	4.2	1955	9	12	20	32	46.27	1.38	10	5		LLA	3.8
1955	2	27	7	46	66.20	-16.30			4.3L	IMO	4.7	1955	9	14	11	38	45.70	26.60	100		3.8w	Onc	3.8
1955	2	27	8	28	66.20	-16.30			4.1L	IMO	4.5	1955	9	19	6	11	46.15	16.50		6	3.9L	ZivC	3.6
1955	2	28	3	59	66.20	-16.30			4.3L	IMO	4.7	1955	9	19	11	37	45.70	26.60	100		3.7w	Onc	3.7
1955	3	13	2	13	64.20	-20.70			4.3L	IMO	4.7	1955	9	19	13	8	45.70	26.60	100		4.8w	Onc	4.8
1955	4	1	17	25	64.10	-21.20			4.3L	IMO	4.7	1955	9	25	5	32	45.70	26.60	100		3.8w	Onc	3.8
1955	4	1	18	41	64.10	-21.20			5.5L	IMO	5.7	1955	10	2			50.65	5.68		6		ORB	4.0
1955	4	11	15	24	44.12	9.97	8	5.5	4.2S	NT4.1	4.9	1955	10	25	3	52	45.70	26.60	100		4.1w	Onc	4.1

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1955	10	29	8	13	45.70	26.60	100		3.9w	Onc	3.9	1956	4	21	22	47	50.58	4.63		6		ORB	4.0
1955	11	1	11	32	62.40	5.60		4	3.8S	FEN	3.8	1956	4	26	3	0	44.15	11.32	7	6	4.5S	NT4.1	5.1
1955	11	3	14	27	47.42	6.00	10	6		LLA	4.2	1956	5	7	3	54	45.70	26.90	100		5.0w	Onc	5.0
1955	11	9	13	25	45.70	26.60	100		4.0w	Onc	4.0	1956	5	10	12	30	46.43	12.87		6	4.4S	NT4.1	5.0
1955	11	14	17	52	45.70	26.40	150		5.0w	Onc	5.0	1956	5	18	12	52	46.10	27.40	21	5	4.5w	Onc	4.5
1955	11	23	6	27	46.13	6.95		4.5	4.5L	SED	4.1	1956	6	1	8	32	44.68	7.20	2	6	4.4S	NT4.1	5.0
1955	11	23	6	39	47.42	5.98	5	6		LLA	3.8	1956	6	1	10	46	63.90	-22.10			4.7L	IMO	5.0
1955	11	28	16	23	45.70	26.60	100		3.8w	Onc	3.8	1956	6	1	12	10	63.90	-22.10			4.1L	IMO	4.5
1955	12	13	17	4	44.12	10.15		5	4.1S	NT4.1	4.8	1956	6	10	13	49	47.07	14.70	8	5.5	3.7S	ZAMG	3.7
1955	12	14	19		45.40	25.20		4.5	4.2w	Onc	4.2	1956	6	10	14	5	64.40	-17.80			4.7L	IMO	5.0
1955	12	24	18	43	45.70	26.60	100		4.0w	Onc	4.0	1956	6	17	5	34	64.90	-17.60			4.1L	IMO	4.5
1955	12	27	8	11	45.70	26.40	150		5.0w	Onc	5.0	1956	7	16	6	53	63.90	-22.20			4.1L	IMO	4.5
1956	1	4	21	29	45.70	26.60	100		3.8w	Onc	3.8	1956	8	1	9	40	48.30	9.02	8	6		Ley	3.9
1956	1	12	6	46	47.35	19.09	10	8	5.6L	Zsi	5.2	1956	8	16	23	43	45.60	26.10	140		4.7w	Onc	4.7
1956	1	31	2	25	45.55	14.28	7	7	5.1L	ZivS	4.7	1956	8	21	17	30	45.70	26.60	100		4.4w	Onc	4.4
1956	2	3	13	42	45.55	14.28	8	6	4.1L	ZivS	3.7	1956	9	16	21	7	48.08	7.43		5		LLA	3.8
1956	2	7	1	50	45.75	6.42		5		LLA	3.8	1956	9	23	7	32	45.56	26.45	150		3.9w	Onc	3.9
1956	2	13	13	26	45.60	26.50	150		4.5w	Onc	4.5	1956	9	29	23	1	70.81	10.19			4.0S	FEN	4.0
1956	2	15	15	24	65.40	12.40		4.5	4.0S	FEN	4.0	1956	10	1	23	23	45.41	21.16	5	5.5	3.8w	Onc	3.8
1956	2	16	15	50	45.80	26.60	125		4.5w	Onc	4.5	1956	10	29	13	48	66.70	-17.50			4.5L	IMO	4.9
1956	2	20	1	29	44.57	11.95	13	5.5	4.8S	NT4.1	5.2	1956	10	29	16	20	66.70	-17.50			4.8L	IMO	5.1
1956	3	2	23	0	45.60	26.40	100		4.1w	Onc	4.1	1956	10	29	16	31	66.70	-17.50			4.5L	IMO	4.9
1956	3	8	11	3	45.55	14.28	8	6		ZivS	3.8	1956	10	29	16	56	66.70	-17.50			4.0L	IMO	4.4
1956	3	31	15	7	46.98	17.00	10	6	4.5L	Zsi	4.1	1956	10	30	0	11	66.70	-17.50			5.1L	IMO	5.4
1956	4	18	12	52	46.10	27.40	20	5	4.5w	Onc	4.5	1956	11	4	1	23	45.65	26.85	125		4.6w	Onc	4.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1956	11	5	19	45	46.52	13.03	15	6	4.8S	NT4.1	5.2	1957	7	10	6	5	68.20	-18.30			4.5L	IMO	4.9
1956	11	16	5	57	45.67	5.88		5		LLA	3.8	1957	8	27	11	54	44.35	11.02	10	6	4.7S	NT4.1	5.2
1956	11	18	16	2	45.80	26.80	150		4.7w	Onc	4.7	1957	8	29	3	45	48.23	9.02	9	6		Ley	3.9
1956	11	19	5	49	45.75	26.75	150		4.5w	Onc	4.5	1957	9	2	10	25	45.70	26.60	100		3.5w	Onc	3.5
1956	11	29	21	15	45.58	26.55	150		4.1w	Onc	4.1	1957	9	22	14	44	45.70	21.10	5	5.5	3.8w	Onc	3.8
1956	12	4	6	21	46.80	16.20		6		ZivS	4.0	1957	9	28	11	37	45.70	26.60	100		4.0w	Onc	4.0
1956	12	10	23	21	45.70	26.60	100		4.3w	Onc	4.3	1957	10	22	2	51	47.93	-4.20	15	5		LLA	4.0
1956	12	14	1	12	47.92	20.27	16	5.5	4.5L	Zsi	4.1	1957	10	25	23	2	44.38	10.20	6	5.5	4.2S	NT4.1	4.9
1957	1	6	2	13	45.70	26.60	100		4.1w	Onc	4.1	1957	11	17	16	19	57.70	8.90	28		4.1S	FEN	4.1
1957	1	8	16	12	50.43	3.80		6		ORB	4.0	1957	12	2	4	21	45.80	26.50	140	3	4.7w	Onc	4.7
1957	1	18	8	6	65.30	11.00		4.5	4.1S	FEN	4.1	1957	12	9	8	2	64.80	-17.30			4.6L	IMO	5.0
1957	2	11	15	43	52.82	-1.33	13	6.5	5.3L	Mus	4.9	1957	12	23	23	38	45.40	26.90	20		4.0w	Onc	4.0
1957	2	12	23	59	52.82	-1.33	12	5	4.2L	Mus	3.8	1958	1	15	2	58	47.61	15.67	8	5.5	3.7S	ZAMG	3.7
1957	3	2	0	46	45.70	26.60	100		3.9w	Onc	3.9	1958	1	15	15	11	46.63	13.69	7	5.5	3.6S	ZAMG	3.6
1957	3	19	19	32	63.80	-22.10			4.0L	IMO	4.4	1958	1	23	13	35	65.20	6.50			5.0S	FEN	5.0
1957	3	25	7	46	46.05	3.45	5	6		LLA	3.8	1958	2	9	23	21	53.75	1.01	16		5.1L	Mus	4.7
1957	4	30	3	10	45.78	5.95		5		LLA	3.8	1958	2	16	9	44	45.80	26.60	100		4.2w	Onc	4.2
1957	5	20	0	49	64.40	-17.40			4.2L	IMO	4.6	1958	2	16	23	1	67.80	-18.40			4.8L	IMO	5.1
1957	6	5	21	11	68.90	14.20		4.5	4.0S	FEN	4.0	1958	3	19	16	3	46.50	14.75	15	6.5		ZivS	4.4
1957	6	22	9		68.80	14.30	15	5.5	4.5S	FEN	4.5	1958	3	20	4	48	45.80	26.60	100		4.1w	Onc	4.1
1957	6	29	23	32	45.68	26.75	130		4.2w	Onc	4.2	1958	3	20	14	47	57.20	7.00	67		4.1S	FEN	4.1
1957	7	8	0	45	62.00	4.00	93		4.1S	FEN	4.1	1958	3	30	16	10	45.77	5.80	5	6.5		LLA	4.0
1957	7	9	20	20	68.20	-18.30			4.1L	IMO	4.5	1958	4	7	15	24	45.60	26.70	180		3.7w	Onc	3.7
1957	7	9	20	35	68.20	-18.30			4.3L	IMO	4.7	1958	4	26	10	40	48.12	21.98	12	5	3.9L	Zsi	3.6
1957	7	9	21	20	68.20	-18.30			4.4L	IMO	4.8	1958	5	4	10	52	44.50	7.40	15	6	4.0S	NT4.1	4.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1958	5	19	17	25	63.90	-19.00			4.0L	IMO	4.4	1958	12	13	9	22	63.70	-19.10			4.3L	IMO	4.7
1958	5	19	23	16	62.30	6.60	19	5	4.0S	FEN	4.0	1958	12	19	0	50	66.20	13.50		5	4.7L	FEN	3.8
1958	5	30	14	45	50.45	4.05		6		ORB	4.0	1958	12	19	7	56	66.36	13.20			4.7L	FEN	3.8
1958	6	2	16	29	45.70	26.75	115		4.0w	Onc	4.0	1959	1	2	6	20	47.93	-4.00	15	7		LLA	4.9
1958	6	9	18	47	45.70	26.60	135		4.6w	Onc	4.6	1959	1	26	5	35	44.50	9.50	10	5.5	4.2S	NT4.1	4.9
1958	6	25	7	22	45.70	26.80	150	4	5.0w	Onc	5.0	1959	1	29	23	24	70.90	7.40			5.6S	FEN	5.6
1958	7	10	15	23	58.50	9.50			4.0S	FEN	4.0	1959	2	2	15	54	64.60	-17.10			4.0L	IMO	4.4
1958	7	20	0	25	45.80	26.60	100		4.3w	Onc	4.3	1959	2	10	7	19	47.18	9.40	10		3.9L	SED	3.6
1958	7	20	19	27	46.00	-1.35	20	6		LLA	4.7	1959	2	11	17	6	70.81	7.98			4.3S	FEN	4.3
1958	7	24	23	3	45.80	26.60	100		4.3w	Onc	4.3	1959	2	16	14	14	45.75	26.75	100		4.3w	Onc	4.3
1958	8	1	2	11	45.70	26.60	100		3.8w	Onc	3.8	1959	2	17	1	54	48.45	15.56	4	6	3.5S	ZAMG	3.5
1958	8	4	10	5	45.70	26.60	100		3.8w	Onc	3.8	1959	2	18	21	56	63.70	-19.10			4.0L	IMO	4.4
1958	8	6	17	16	59.60	5.80	27	5.5	4.6S	FEN	4.6	1959	2	19	2	13	48.35	-1.72		5		LLA	3.8
1958	9	15	16	21	45.70	5.72	5	6		LLA	3.8	1959	2	25	4	41	63.70	-19.10			4.0L	IMO	4.4
1958	9	27	10	41	66.10	-17.80			4.6L	IMO	5.0	1959	2	28	17	35	63.70	-19.10			4.0L	IMO	4.4
1958	9	30	8	45	47.23	10.59	8	6.5	4.5S	ZAMG	4.5	1959	3	24	20	11	45.70	26.60	100		4.5w	Onc	4.5
1958	9	30	17	5	47.17	4.07	15	5		LLA	4.0	1959	3	29	13	54	45.70	26.60	100		4.2w	Onc	4.2
1958	10	2	14	29	71.45	-2.26			4.6b	NEIC	3.6	1959	4	2	8	32	66.10	12.60			4.0S	FEN	4.0
1958	10	9	19	5	63.70	-19.00			4.0L	IMO	4.4	1959	4	5	10	48	44.53	6.82	10	7.5		LLA	4.9
1958	11	8	13	42	64.80	-17.40			4.1L	IMO	4.5	1959	4	16	11	1	45.80	27.40	33		4.1w	Onc	4.1
1958	11	11	23	7	45.50	27.20	40		4.7w	Onc	4.7	1959	4	26	14	45	46.45	13.02	6	7.5	4.9S	NT4.1	5.3
1958	11	20	0	10	61.50	4.80		5	3.7S	FEN	3.7	1959	4	29	1	35	45.60	26.50	160	4.5	5.1w	Onc	5.1
1958	12	6	11	12	66.40	-18.50			4.8L	IMO	5.1	1959	5	2	6	36	46.38	14.50	7	5.5		ZivS	3.5
1958	12	6	15	31	66.40	-18.50			4.3L	IMO	4.7	1959	5	27	20	38	45.70	21.10	5	7.5	5.0w	Onc	5.0
1958	12	6	15	33	66.40	-18.50			4.7L	IMO	5.0	1959	5	31	12	15	45.80	27.40	60	6	5.0w	Onc	5.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1959	6	26	13	44	45.80	26.50	135	6	5.3w	Onc	5.3	1960	1	26	20	27	45.80	26.20	140	5.5	5.7w	Onc	5.7
1959	6	28	3	44	45.66	26.78	120		4.1w	Onc	4.1	1960	1	28	14	34	44.55	6.73		5		LLA	3.8
1959	6	28	4	23	63.90	-19.20			4.9L	IMO	5.2	1960	2	2	12	32	67.00	30.90	22	5.5	4.6L	FEN	3.8
1959	6	28	13	6	63.70	-19.10			4.3L	IMO	4.7	1960	2	17	15	32	45.58	14.32	14	6		ZivS	4.1
1959	6	28	13	11	63.70	-19.10			4.0L	IMO	4.4	1960	2	19	2	30	45.92	10.63	15	6	4.4S	NT4.1	5.0
1959	6	30	7	24	45.50	26.30	150	5	5.2w	Onc	5.2	1960	2	21	4	23	64.60	-17.00			4.3L	IMO	4.7
1959	7	17	13	16	44.53	6.72		5		LLA	3.8	1960	2	21	11	47	45.80	21.00			4.5w	Onc	4.5
1959	7	22	3	1	45.80	26.50	150		4.5w	Onc	4.5	1960	2	26	13	33	45.50	26.20	100		4.5w	Onc	4.5
1959	8	2	3	33	45.60	26.60	125		4.8w	Onc	4.8	1960	3	10	20	10	45.70	26.60	100		4.5w	Onc	4.5
1959	8	5	11	53	45.80	26.60	150		4.7w	Onc	4.7	1960	3	21	18	2	46.00	15.30	10	6		ZivS	3.9
1959	8	7	11	31	63.00	-25.00			4.0L	IMO	4.4	1960	3	23	23	8	46.37	8.15		7	4.7L	SED	4.3
1959	8	19	15	32	45.90	26.80	150	5	5.5w	Onc	5.5	1960	4	5	17	25	65.54	-1.40			4.3S	FEN	4.3
1959	9	4	8	36	48.35	7.63	10	7		Kun86	4.7	1960	4	6	14	41	45.70	26.60	100		4.1w	Onc	4.1
1959	9	16	15	17	45.70	26.60	100		3.8w	Onc	3.8	1960	4	22	17	36	45.70	26.60	100		4.7w	Onc	4.7
1959	10	1	16	4	45.90	26.90	80		4.9w	Onc	4.9	1960	4	26	10	59	46.43	7.40	10		4.2L	SED	3.8
1959	10	6	16	48	45.70	26.60	100		4.3w	Onc	4.3	1960	4	28	19	47	45.60	26.90	30		4.4w	Onc	4.4
1959	10	12	16	43	46.10	27.40	33		4.1w	Onc	4.1	1960	4	30	1	38	44.17	11.75		6	4.4S	NT4.1	5.0
1959	10	23	3	54	64.60	13.30		4	3.7S	FEN	3.7	1960	4	30	1	54	45.80	26.80	30		4.1w	Onc	4.1
1959	11	10	18	2	45.50	26.40	150		5.3w	Onc	5.3	1960	5	13	3	55	48.43	7.33		5		LLA	3.8
1959	12	2	18	20	44.70	15.40	7	7	4.6L	ZivC	4.2	1960	5	14	23	53	64.50	-20.60			4.0L	IMO	4.4
1959	12	28	10	26	63.70	-23.30			4.4L	IMO	4.8	1960	5	18	1	6	45.70	26.60	100		4.0w	Onc	4.0
1960	1	4	12	51	44.60	27.00	40	5.5	5.4w	Onc	5.4	1960	5	23	1	8	48.40	7.28		5		LLA	3.8
1960	1	5	6	7	45.60	26.50	150		5.0w	Onc	5.0	1960	5	25	19	47	66.70	-18.70			4.2L	IMO	4.6
1960	1	6	15	18	46.48	12.72	4	6.5	4.3S	NT4.1	4.9	1960	6	19	3	35	47.58	7.38		5		LLA	3.8
1960	1	19	0	5	58.50	6.50	34	4	4.1S	FEN	4.1	1960	6	22	13	58	68.00	-18.50			4.0L	IMO	4.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1960	6	25	14	29	51.18	5.68	13	5	4.0L	ORB	3.6	1961	5	8	22	45	44.10	11.93	15	5.5	3.8S	NT4.1	4.6	
1960	7	1	9	5	45.70	26.60	130		4.6w	Onc	4.6	1961	5	14	15	8	67.70	-18.40				4.0L	IMO	4.4
1960	7	4	1	38	45.70	26.60	100		4.3w	Onc	4.3	1961	5	14	15	38	67.70	-18.40				4.5L	IMO	4.9
1960	7	12	0	46	46.12	5.57	15	5		LLA	4.0	1961	6	11	17	6	46.00	27.00	150			5.0w	Onc	5.0
1960	7	14	4	18	46.40	13.02		5	4.1S	NT4.1	4.8	1961	6	23	5	37	45.70	26.60	100			3.8w	Onc	3.8
1960	8	24	1	41	45.70	26.60	100		4.4w	Onc	4.4	1961	6	29	18	8	45.50	26.60	100			5.1w	Onc	5.1
1960	9	2	5	39	45.60	26.50	150		4.8w	Onc	4.8	1961	7	20	12	1	45.70	26.60	100			4.0w	Onc	4.0
1960	9	24	4	40	45.70	26.60	130		4.6w	Onc	4.6	1961	7	26	12	1	47.42	13.31	8	5.5	3.8S	ZAMG	3.8	
1960	9	26	9	46	64.60	-20.20			4.0L	IMO	4.4	1961	8	3	10	26	44.20	10.20		6	4.4S	NT4.1	5.0	
1960	10	1	7	47	45.70	26.60	100		4.0w	Onc	4.0	1961	8	4	19	38	45.50	27.00	80			4.7w	Onc	4.7
1960	10	13	2	21	45.70	26.40	160	6	5.9w	Onc	5.9	1961	8	9	13	4	46.60	10.40		5.5	4.2S	NT4.1	4.9	
1960	10	13	23	32	45.70	26.60	100		4.2w	Onc	4.2	1961	8	25	12	22	47.38	10.56	8	5.5	3.7S	ZAMG	3.7	
1960	10	22	19	17	45.60	21.10	12	6	4.2w	Onc	4.2	1961	9	25	0	42	45.50	26.50	160			4.6w	Onc	4.6
1960	12	6	1	26	44.63	6.63		5		LLA	3.8	1961	10	7	8	50	45.70	26.60	100			3.8w	Onc	3.8
1960	12	6	2	57	45.70	26.60	100		4.4w	Onc	4.4	1961	10	26	11	55	65.10	-16.70				4.0L	IMO	4.4
1961	1	17	1	51	46.03	7.47		5.5	4.4L	SED	4.0	1961	11	17	21	6	45.90	26.80	140			4.7w	Onc	4.7
1961	1	21	5	29	67.93	11.67			4.3S	FEN	4.3	1961	11	18	3	18	45.50	26.70	100			5.1w	Onc	5.1
1961	2	6	13	56	64.80	11.30			3.7S	FEN	3.7	1961	11	23	1	12	45.72	9.57		6	4.4S	NT4.1	5.0	
1961	2	23	4	46	66.90	11.10			4.2S	FEN	4.2	1961	11	29	4	15	44.83	15.88	7	6	4.7L	ZivC	4.3	
1961	3	2	13	38	45.70	26.60	100		4.3w	Onc	4.3	1961	12	16	8	7	45.70	26.60	100			4.2w	Onc	4.2
1961	4	4	22	43	61.80	1.50	83		4.5S	FEN	4.5	1962	1	1	18	6	61.80	4.50		3	3.9S	FEN	3.9	
1961	4	5	10	16	45.70	26.60	130		4.7w	Onc	4.7	1962	1	8	5	5	44.83	15.88	30	5	4.2L	ZivC	3.8	
1961	4	28	20	48	47.72	7.88	22	6		Ley	4.2	1962	1	23	17	31	44.10	12.80	60			4.7S	NT4.1	5.2
1961	4	29	9	29	71.40	-7.40	14		5.8b	NEIC	6.0	1962	2	2	3	26	46.05	-0.40	15	5		LLA	4.0	
1961	5	7	15	40	71.60	-6.30	33		5.2b	NEIC	5.2	1962	2	21	12	43	61.20	3.40	74			4.1S	FEN	4.1

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1962	2	27	21	34	45.70	26.40	145		5.2w	Onc	5.2	1962	12	14	11	57	44.60	20.40		5	4.0L	Zsi	3.6
1962	3	6	20	27	45.70	26.60	100		4.7w	Onc	4.7	1962	12	15	3	49	66.70	13.90		5	4.5L	FEN	3.7
1962	3	13	23	50	65.10	-16.70			4.2L	IMO	4.6	1963	1	14	18	33	45.90	26.70	117	6	5.8w	Onc	5.8
1962	3	14	20	54	47.70	-1.97	10	5		LLA	3.8	1963	1	14	20	22	46.50	13.58		5.5	4.2S	NT4.1	4.9
1962	3	27	19	48	45.70	26.60	100		4.1w	Onc	4.1	1963	2	14	13	18	44.20	15.05	30	6	5.1L	ZivC	4.7
1962	3	31	23	36	45.80	26.70	140		4.5w	Onc	4.5	1963	3	22	23	56	46.30	7.45	10		3.9L	SED	3.6
1962	4	12	13	38	45.03	5.57		5		LLA	3.8	1963	3	23	22	52	67.10	13.80		4	3.8S	FEN	3.8
1962	4	22	21	58	45.40	26.50	110		4.6w	Onc	4.6	1963	3	28	0	16	66.30	-19.60			7.0L	IMO	7.0
1962	4	25	4	44	45.00	5.57	5	7.5		LLA	4.4	1963	3	28	0	26	66.30	-20.20			5.4L	IMO	5.6
1962	4	27	4	17	45.00	5.57		5		LLA	3.8	1963	3	28	0	34	66.30	-19.80			4.0L	IMO	4.4
1962	5	11	1	5	44.20	11.17	15	6	4.3S	NT4.1	4.9	1963	3	28	0	58	66.30	-19.70			4.0L	IMO	4.4
1962	5	28	16	21	45.00	5.55		5		LLA	3.8	1963	3	28	1		66.40	-19.60			5.4L	IMO	5.6
1962	6	7	19	55	45.02	5.57		5		LLA	3.8	1963	3	28	1	29	66.60	-20.00			4.6L	IMO	5.0
1962	6	12	9	46	65.00	-16.60			4.4L	IMO	4.8	1963	3	28	1	44	66.30	-19.60			4.2L	IMO	4.6
1962	7	15	4	36	44.95	5.60		5		LLA	3.8	1963	3	28	2	40	66.30	-19.60			4.0L	IMO	4.4
1962	7	26	22	34	45.30	23.50	16	5	4.0w	Onc	4.0	1963	4	1	13	10	66.30	-19.80			4.0L	IMO	4.4
1962	7	28			47.10	25.60			4.5w	Onc	4.5	1963	4	2	10	3	66.30	-19.60			4.2L	IMO	4.6
1962	8	1	13	55	59.90	6.60		3.5	4.4S	FEN	4.4	1963	4	5	21	40	66.30	-19.60			4.1L	IMO	4.5
1962	8	1	13	58	59.80	6.00			4.2S	FEN	4.2	1963	4	7	11	16	71.50	-12.90	33		5.0b	NEIC	4.9
1962	8	6	4	24	46.20	7.30	10		4.8L	SED	4.4	1963	4	20	2	45	69.40	16.70		4	3.8S	FEN	3.8
1962	8	30	7	46	45.50	26.00	108		5.3w	Onc	5.3	1963	4	25	13	36	44.93	5.67	5	7		LLA	4.2
1962	9	1	11	53	66.39	8.53			4.0S	FEN	4.0	1963	4	27	3	43	66.40	-19.40			5.1L	IMO	5.4
1962	11	5	11	46	66.58	7.08			4.4S	FEN	4.4	1963	4	27	5	28	44.93	5.65	5	7		LLA	4.2
1962	11	9	2	14	45.70	26.70	129	4.5	5.1w	Onc	5.1	1963	4	30	17	30	65.10	-16.10			4.5L	IMO	4.9
1962	12	3	16	58	45.70	26.60	100		4.6w	Onc	4.6	1963	5	4	16	48	45.20	23.10		5	4.5w	Onc	4.5

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1963	5	19	10	0	46.10	14.80	13	7		ZivS	4.6	1964	1	9	0	27	63.20	-20.70			4.0L	IMO	4.4
1963	6	27	0	11	44.90	6.63		5		LLA	3.8	1964	1	9	4	52	63.30	-20.80			4.4L	IMO	4.8
1963	7	1	10	27	64.70	-20.20			4.6L	IMO	5.0	1964	1	9	10	37	63.40	-20.80			4.0L	IMO	4.4
1963	7	20	15	7	68.80	-4.60	49		4.8b	NEIC	4.2	1964	1	9	16	33	63.20	-20.60			4.5L	IMO	4.9
1963	8	5	5	3	44.93	3.08		5		LLA	3.8	1964	1	23	11	6	63.30	-20.60			4.0L	IMO	4.4
1963	8	9	6	5	44.30	11.98	30	5.5	5.2S	NT4.1	5.5	1964	2	1	2	2	63.30	-20.70			4.3L	IMO	4.7
1963	8	12	15	33	45.70	26.60	100		4.5w	Onc	4.5	1964	2	1	7	28	63.40	-20.80			4.1L	IMO	4.5
1963	9	3	9	12	62.30	-24.70			4.3L	IMO	4.7	1964	2	1	8	57	63.40	-20.80			4.2L	IMO	4.6
1963	9	3	9	21	62.30	-24.70			4.3L	IMO	4.7	1964	2	1	14	51	63.40	-20.70			4.2L	IMO	4.6
1963	9	27	23	51	44.65	6.62		5		LLA	3.8	1964	2	17	12	18	46.92	8.23	10		5.1L	SED	4.7
1963	10	15	9	37	66.90	-18.70			4.3L	IMO	4.7	1964	2	18	21	53	46.86	8.26	10		3.9L	SED	3.6
1963	10	15	10		67.00	-19.30			5.2L	IMO	5.5	1964	2	21	5	8	46.86	8.23	10		4.0L	SED	3.6
1963	10	22	22	14	44.05	6.07		5		LLA	3.8	1964	2	26	22	59	64.50	-17.60			4.2L	IMO	4.6
1963	10	25	4	45	50.77	-0.97	12	5	4.7L	Mus	4.3	1964	3	11	19	19	46.90	8.25		5.5	4.2L	SED	3.8
1963	11	15	5	15	46.06	14.78		6		ZivS	4.0	1964	3	14	2	37	46.87	8.28	10		5.2L	SED	4.8
1963	12	2	6	49	47.88	16.37	7	6.5	4.5S	ZAMG	4.5	1964	3	16	1	58	61.16	10.50	25	4.5	4.0S	FEN	4.0
1963	12	4	11	26	45.03	5.58		6		LLA	4.2	1964	3	18	16	43	45.54	14.35	14	6	4.6L	ZivS	4.2
1963	12	7	10	39	45.00	5.55		6		LLA	4.2	1964	4	13	8	30	45.25	18.20	16	8	5.7L	ZivC	5.4
1963	12	12	13	24	45.05	5.52		6		LLA	4.2	1964	4	15	22	41	45.30	18.10	8	6	4.1L	ZivC	3.7
1963	12	14	3	33	64.60	-16.70			4.0L	IMO	4.4	1964	5	6	7	10	61.60	4.20			3.5S	FEN	3.5
1963	12	23	8	48	46.26	7.43	9	5	4.3L	SED	3.9	1964	5	8	21	59	71.10	-6.20	25		4.9b	NEIC	4.6
1964	1	7	22	10	63.20	-20.80			4.0L	IMO	4.4	1964	5	27	19	16	46.84	6.91	10	5	4.2L	SED	3.8
1964	1	7	22	31	63.30	-20.60			4.0L	IMO	4.4	1964	6	6	20	48	46.08	16.87	12	6	4.3L	ZivC	3.9
1964	1	8	9	39	63.20	-20.80			4.3L	IMO	4.7	1964	6	17	13	38	45.90	26.70	145		4.8w	Onc	4.8
1964	1	8	19	44	63.30	-20.80			4.4L	IMO	4.8	1964	7	11	17	44	66.00	-19.80			5.0L	IMO	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1964	7	14	5	34	57.20	7.00	38		4.2S	FEN	4.2	1965	3	15	8	56	44.70	8.70	12	5.5	4.2S	NT4.1	4.9
1964	7	26	20	21	46.14	7.83	4	3.5	4.1L	SED	3.7	1965	3	31	8	27	44.81	16.86	15	5	4.0L	ZivC	3.6
1964	8	8	13	16	45.40	27.10	33		4.3w	Onc	4.3	1965	4	12	19	14	45.30	26.40	67		4.5w	Onc	4.5
1964	8	20	3	56	64.00	-20.40			5.0L	IMO	5.3	1965	5	11	22	35	45.90	26.90	84		5.0w	Onc	5.0
1964	8	22	13	17	45.40	27.10	33		3.8w	Onc	3.8	1965	5	14	17	17	63.30	-20.60			4.3L	IMO	4.7
1964	8	29	5	20	71.60	-3.70	33		4.7b	NEIC	3.9	1965	5	28	3	57	63.50	5.00			4.3S	FEN	4.3
1964	9	5	21	9	44.13	11.20		5	4.6S	NT4.1	5.1	1965	6	20	14	59	63.90	-22.00			4.0L	IMO	4.4
1964	9	20	19		62.00	4.00			4.1S	FEN	4.1	1965	6	29	0	43	47.14	10.00	7		4.0L	SED	3.6
1964	9	23	3	34	48.78	19.70	8	5	3.7S	Lab	3.7	1965	7	8	0	13	71.70	-1.80	33		4.7b	NEIC	3.9
1964	9	30	21	35	49.12	19.36	10	4.5	3.5S	Lab	3.5	1965	7	8	0	57	45.50	26.40	140		4.5w	Onc	4.5
1964	10	6	18	24	70.90	-5.70	33		4.8b	NEIC	4.2	1965	7	8	23	21	47.27	11.39	6	6	3.5S	ZAMG	3.5
1964	10	27	19	46	47.63	15.81	7	6.5	5.3S	ZAMG	5.3	1965	8	19	19	14	46.10	13.10	36	5	5.0S	NT4.1	5.3
1964	11	13	22	3	45.60	26.50	135		4.8w	Onc	4.8	1965	8	27	7	26	46.82	8.32	10		3.9L	SED	3.6
1964	12	28	11	46	46.30	7.26	10	3.5	4.3L	SED	3.9	1965	9	16	0	40	46.10	27.10	45		4.3w	Onc	4.3
1964	12	30	2	9	48.30	17.10	9	4.5	3.5S	Lab	3.5	1965	9	19	8	10	47.95	8.27	18	6	4.4L	Ley	4.0
1964	12	30	3	10	48.33	17.13	7	6	4.2S	Lab	4.2	1965	10	1	13	40	46.76	9.15	10		4.0L	SED	3.6
1965	1	2	18	15	44.88	18.43		5	3.9L	ZivC	3.6	1965	10	13	3	53	71.28	-19.90			4.8b	NEIC	4.2
1965	1	4	12		46.38	13.10		5.5	4.2S	NT4.1	4.9	1965	10	24	6	26	48.22	22.66	2	7		KSh	4.0
1965	1	10	2	52	45.80	26.60	128	6	5.8w	Onc	5.8	1965	10	24	12	16	46.30	7.40		5.5	4.8L	SED	4.4
1965	1	23	3	39	44.20	18.00	13	6	4.5L	Zsi	4.1	1965	11	8	18	44	47.95	-2.40	15	5		LLA	4.0
1965	2	10	4	43	46.80	8.60	10		3.9L	SED	3.6	1965	11	9	15	35	44.45	10.30	10	5	4.8S	NT4.1	5.2
1965	2	11	12	57	67.50	14.80			3.5S	FEN	3.5	1965	11	13	1	7	63.20	-20.90			4.2L	IMO	4.6
1965	2	22	9	15	45.47	5.40	10		4.1L	SED	3.7	1965	11	14	8	20	57.90	8.40		3.5	3.8S	FEN	3.8
1965	3	4	0	47	47.68	-0.72	25	5.5		LLA	4.6	1965	11	17	10	47	63.30	-20.70			4.2L	IMO	4.6
1965	3	13	20	22	44.07	7.18		5		LLA	3.8	1965	11	17	11	43	63.30	-20.70			4.3L	IMO	4.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1965	11	17	15	45	63.30	-20.70			4.1L	IMO	4.5	1966	6	16	17	5	71.50	-2.80	33		4.7b	NEIC	3.9
1965	11	21	10	27	63.30	-20.80			4.1L	IMO	4.5	1966	6	22	9	9	46.30	7.50	10		3.9L	SED	3.6
1965	11	22	0	2	63.30	-20.80			4.4L	IMO	4.8	1966	6	28	0	1	45.60	26.40	158		4.7w	Onc	4.7
1965	12	15	12	7	50.47	4.07	3	7	4.4L	ORB	4.0	1966	7	23	1	50	50.09	-5.22	18	5.5	4.1L	Mus	3.7
1965	12	18	9	22	44.40	12.00	10	5.5	4.9S	NT4.1	5.3	1966	8	2	6	54	57.90	8.30		3.5	3.8S	FEN	3.8
1965	12	21	10	0	50.65	5.53	7	7	4.3L	ORB	3.9	1966	8	24	20	47	44.98	5.70		5		LLA	3.8
1966	1	16	12	32	50.47	4.23	2	7	4.4L	ORB	4.0	1966	8	31	18	15	71.60	-2.70	33		5.0b	NEIC	4.9
1966	1	18	20	20	46.00	26.80	69	5	5.1w	Onc	5.1	1966	9	1	1	38	71.70	-2.80	33		5.0b	NEIC	4.9
1966	1	19	7	0	45.76	6.63	10		4.6L	SED	4.2	1966	9	1	19	18	71.60	-2.90	33		5.0b	NEIC	4.9
1966	1	23	1	31	45.97	12.50	16	4.5	4.0S	NT4.1	4.8	1966	9	4	1	29	45.70	26.60	136	4.5	4.8w	Onc	4.8
1966	1	28	17	52	46.60	7.52	10		4.4L	SED	4.0	1966	9	4	8	40	62.80	6.00	30	4	4.3S	FEN	4.3
1966	2	9	23	54	57.80	8.20			3.8S	FEN	3.8	1966	10	2	11	21	45.70	26.50	140	6	5.9w	Onc	5.9
1966	2	13	10	48	71.90	-0.70	33		4.8b	NEIC	4.2	1966	10	15	6	59	45.60	26.40	140	5	5.1w	Onc	5.1
1966	2	24	0	15	63.90	-19.00			4.1L	IMO	4.5	1966	10	16	2	39	45.80	26.50	129		4.7w	Onc	4.7
1966	2	24	0	18	63.90	-19.10			4.1L	IMO	4.5	1966	10	25	1	11	63.60	-19.20			4.0L	IMO	4.4
1966	2	24	15	14	64.00	-19.20			4.3L	IMO	4.7	1966	11	11	16	16	45.30	16.00	5	6.5	4.6L	ZivC	4.2
1966	3	6	23	32	64.40	-17.40			4.0L	IMO	4.4	1966	12	14	14	49	45.70	26.40	150	5	5.2w	Onc	5.2
1966	3	16	13	27	46.68	9.85	10		4.2L	SED	3.8	1966	12	17	5	59	70.80	-14.00	9		5.1b	NEIC	5.1
1966	3	20	21	49	71.70	-2.80	33		4.9b	NEIC	4.6	1966	12	29	6	30	45.50	26.40	129		4.8w	Onc	4.8
1966	4	7	19	38	44.33	7.47	7	6	3.7S	NT4.1	4.6	1967	1	5	16	35	46.15	6.76	10		3.9L	SED	3.6
1966	4	25	21	16	66.20	-19.70			4.1L	IMO	4.5	1967	1	29	0	12	47.90	14.30	7	6.5	4.4w	Sch	4.4
1966	5	26	18	7	44.50	11.20		6	4.4S	NT4.1	5.0	1967	2	16	8	15	63.60	-19.20			4.0L	IMO	4.4
1966	6	9	14	17	46.50	7.21	10		4.3L	SED	3.9	1967	2	27	21	0	44.90	26.70	42	5	5.0w	Onc	5.0
1966	6	10	9	12	45.10	25.10	32	4.5	4.6w	Onc	4.6	1967	3	5	17	22	45.81	26.82	131		4.9w	Onc	4.9
1966	6	10	9	12	45.10	25.30	49		4.0w	Onc	4.0	1967	3	7	17	57	63.60	-19.10			4.0L	IMO	4.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1967	3	11	12	23	63.60	-19.20				4.1L IMO	4.5	1967	8	2	14	6	71.20	-8.50	33		5.3b NEIC	5.4	
1967	3	24	17	38	46.50	7.45	13	4.5		4.5L SED	4.1	1967	8	14	10	16	46.90	10.41	9		4.5L SED	4.1	
1967	3	28	15	49	50.47	4.26	3	7		4.5L ORB	4.1	1967	8	18	12	3	46.80	9.80	10		3.9L SED	3.6	
1967	4	1	12	41	63.60	-19.20				4.3L IMO	4.7	1967	8	21	13	42	57.30	4.70			4.0S FEN	4.0	
1967	4	1	15	40	63.60	-19.20				4.0L IMO	4.4	1967	8	28	10	31	63.70	-19.20			4.1L IMO	4.5	
1967	4	3	16	36	44.80	10.75	15	5.5		4.2S NT4.1	4.9	1967	9	11	22	54	63.70	-22.90			4.0L IMO	4.4	
1967	4	4	18	6	45.73	26.37	161			5.0w Onc	5.0	1967	9	16	6	53	47.83	11.10		5.5	Ley	3.6	
1967	4	25	22	37	63.70	-19.10				4.1L IMO	4.5	1967	9	16	20	19	48.44	17.07	10	4.5	3.5S Lab	3.5	
1967	5	15	10	3	44.60	10.40		6		4.4S NT4.1	5.0	1967	9	20	6	9	44.70	17.20		6	4.2L ZivC	3.8	
1967	5	16	16	11	63.70	-19.20				4.1L IMO	4.5	1967	9	20	22	44	48.39	17.19	13	5	3.9S Lab	3.9	
1967	5	26	17	33	45.39	26.13	162			4.8w Onc	4.8	1967	9	28	23	54	63.90	-22.30			4.1L IMO	4.5	
1967	6	7	2	57	63.70	-19.00				4.5L IMO	4.9	1967	9	29	10	57	63.90	-22.20			4.1L IMO	4.5	
1967	6	17	17	45	48.58	17.38	8	5		3.7S Lab	3.7	1967	9	30	2	34	63.80	-22.50			4.6L IMO	5.0	
1967	6	17	20	22	46.40	7.40	10			4.0L SED	3.6	1967	9	30	4	19	63.80	-22.50			4.3L IMO	4.7	
1967	6	30	0	13	70.40	-15.30	33			4.6b NEIC	3.6	1967	9	30	4	30	63.80	-22.50			4.4L IMO	4.8	
1967	7	3	3	53	44.00	19.00	6	7		5.0L Zsi	4.6	1967	9	30	4	46	63.80	-22.40			4.0L IMO	4.4	
1967	7	11	12	41	44.50	17.29	30	6		4.5L ZivC	4.1	1967	10	1	22	45	44.57	10.95	50	5	4.0S NT4.1	4.8	
1967	7	25	12	33	45.80	26.50	146			4.7w Onc	4.7	1967	10	4	15	43	63.60	-19.10			4.0L IMO	4.4	
1967	7	26	22		66.50	-17.90				4.2L IMO	4.6	1967	10	4	18	58	63.60	-19.10			4.0L IMO	4.4	
1967	7	27	5	18	64.00	-20.80				4.8L IMO	5.1	1967	10	4	21	47	63.70	-19.10			4.4L IMO	4.8	
1967	7	28	2	47	66.50	-18.00				4.3L IMO	4.7	1967	10	5	4	29	63.70	-19.10			4.0L IMO	4.4	
1967	7	28	15	35	64.20	-20.80				4.9L IMO	5.2	1967	10	6	17	45	63.70	-19.20			4.2L IMO	4.6	
1967	7	29	2	21	64.00	-20.80				4.5L IMO	4.9	1967	10	9	10	3	46.54	7.40	10		4.1L SED	3.7	
1967	7	30	12	47	64.20	-20.70				4.1L IMO	4.5	1967	10	14	6	34	46.54	7.40			4.0L SED	3.6	
1967	8	2	11	6	71.20	-8.00	33			5.0b NEIC	4.9	1967	10	15	6	40	47.77	-2.65	15	5	LLA	4.0	

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1967	10	27	7	59	45.80	26.70	IM		4.5w	Onc	4.5	1968	7	22	5	29	63.50	-23.20			4.2L	IMO	4.6
1967	12	3	22	10	48.57	17.39	4	6.5	4.3S	Lab	4.3	1968	7	30	2	25	66.40	-17.40			4.6L	IMO	5.0
1967	12	6	4	15	44.00	7.23		5		LLA	3.8	1968	7	30	20	29	64.40	-17.20			4.2L	IMO	4.6
1967	12	24	4	22	71.90	-0.90	33		5.0b	NEIC	4.9	1968	8	13	16	57	50.47	4.13	3	7	4.1L	ORB	3.7
1967	12	30	4	19	44.67	11.83	35	6	5.3S	NT4.1	5.5	1968	8	14	15	47	45.71	26.50	128		4.8w	Onc	4.8
1968	1	6	10	23	45.80	26.60	163	5	5.0w	Onc	5.0	1968	8	16	21	33	46.30	14.10	14	6		ZivS	4.1
1968	1	11	17	8	44.40	12.00		5	4.3S	NT4.1	4.9	1968	8	19	0	36	46.30	6.77		7		LLA	4.7
1968	1	28	2	10	46.11	7.22	10		3.9L	SED	3.6	1968	9	7	13	36	62.30	5.40		4.5	3.8S	FEN	3.8
1968	2	5	2	28	46.30	5.40	10		4.1L	SED	3.7	1968	9	7	16	49	44.23	8.20	6	6	4.4S	NT4.1	5.0
1968	2	9	13	22	45.60	26.40	122		5.0w	Onc	5.0	1968	9	21	11	5	45.70	26.59	128		4.7w	Onc	4.7
1968	2	24	13	23	45.80	26.60	134		3.6w	Onc	3.6	1968	10	20	23	15	45.73	26.57	123		5.0w	Onc	5.0
1968	3	7	7	21	71.70	-3.10	26		4.6b	NEIC	3.6	1968	11	8	15	18	64.50	-18.00			4.0L	IMO	4.4
1968	3	7	7	27	71.60	-3.50	33		4.9b	NEIC	4.6	1968	11	9	16	11	64.50	-17.80			4.6L	IMO	5.0
1968	3	8	4	1	47.30	5.05	10		4.1L	SED	3.7	1968	11	9	19	20	64.10	-21.20			4.7L	IMO	5.0
1968	4	18	19	38	44.08	8.02	7	5	4.1S	NT4.1	4.8	1968	11	20	1	51	45.72	26.80	110		4.7w	Onc	4.7
1968	4	29	21	59	57.90	8.30	38	4	4.1S	FEN	4.1	1968	11	21	22	50	46.10	6.00		5	4.1L	SED	3.7
1968	5	30	18	16	44.96	17.16		6	4.3L	ZivC	3.9	1968	11	26	9	53	45.71	27.85	46		4.7w	Onc	4.7
1968	6	7	9	34	44.10	10.20	19		4.3S	NT4.1	4.9	1968	11	27	2	3	46.23	6.70		5		LLA	3.8
1968	6	13	3	58	71.17	-5.57	33		4.6b	NEIC	3.6	1968	12	3	20	57	44.68	18.60	7	6.5	4.6L	ZivC	4.2
1968	6	18	5	27	45.60	7.75	1	6	5.0S	NT4.1	5.3	1968	12	5	9	44	63.90	-21.70			5.4L	IMO	5.6
1968	6	22	12	21	45.80	11.30	37	6	4.3S	NT4.1	4.9	1969	1	6	22	3	44.07	10.73	8	6	4.0S	NT4.1	4.8
1968	6	27	15	43	46.28	6.75		6.5		LLA	4.4	1969	1	10	16	17	44.38	12.00	20	5.5	4.0S	NT4.1	4.8
1968	6	27	15	55	46.30	6.80			4.0L	SED	3.6	1969	1	15	8	46	45.56	26.42	135		5.0w	Onc	5.0
1968	7	8	5	45	46.11	7.60	33		4.1L	SED	3.7	1969	2	10	0	8	47.45	18.10	20	5	4.6L	Zsi	4.2
1968	7	22	4	53	63.50	-23.20			4.0L	IMO	4.4	1969	2	15	8	54	44.08	11.28	30	4	4.3S	NT4.1	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1969	2	26	1	28	48.29	9.01	8	7	4.4w	Kun86	4.4	1969	12	18	19	0	71.67	-2.70	33		4.6b	NEIC	3.6
1969	3	5	22	41	71.12	-5.64	33		4.8b	NEIC	4.2	1969	12	21	19	6	45.56	26.93	34		4.6w	Onc	4.6
1969	4	1	4	11	66.70	-18.20			4.7L	IMO	5.0	1969	12	31	13	18	44.88	17.21	12	7	5.0L	ZivC	4.6
1969	4	3	16	52	66.50	-17.70			4.1L	IMO	4.5	1970	1	2	7	31	45.46	26.31	134		3.6w	Onc	3.6
1969	4	12	20	38	45.25	25.02	8	6	5.2w	Onc	5.2	1970	1	2	19	45	44.86	17.46	23	4.5	4.1L	ZivC	3.7
1969	5	5	21	47	66.50	-17.60			5.0L	IMO	5.3	1970	1	22	15	25	48.28	9.03	8	7	4.9w	Kun86	4.9
1969	5	6	23	56	66.50	-17.40			4.0L	IMO	4.4	1970	2	4	8	38	63.50	-23.50			4.1L	IMO	4.5
1969	5	15	18	28	63.70	-23.00			4.0L	IMO	4.4	1970	2	8	11	17	64.80	-17.20			4.2L	IMO	4.6
1969	6	1	23	20	46.98	14.22	8	5.5	4.4S	ZAMG	4.4	1970	2	22	23	41	71.12	-8.63	33		5.4S	NEIC	5.4
1969	7	27	9	1	45.65	26.44	163		4.8w	Onc	4.8	1970	3	5	4	56	53.92	-19.71	33		4.6b	NEIC	3.6
1969	8	26	22	41	66.50	-17.50			4.5L	IMO	4.9	1970	3	7	8	1	46.20	6.90			4.2L	SED	3.8
1969	8	26	22	47	66.50	-17.50			4.9L	IMO	5.2	1970	3	24	11	15	63.60	-23.50			4.1L	IMO	4.5
1969	8	26	23	49	66.50	-17.50			4.5L	IMO	4.9	1970	3	25	11	18	66.30	-19.30			4.2L	IMO	4.6
1969	8	27	12	12	66.50	-17.50			4.3L	IMO	4.7	1970	4	10	20	19	48.32	9.05	2	5.5	3.9L	Ley	3.6
1969	9	9	6	32	63.80	-22.80			4.0L	IMO	4.4	1970	4	19	18	16	45.65	10.45	6	6	3.7S	NT4.1	4.6
1969	9	10	3	26	46.10	7.90		4	3.9L	SED	3.6	1970	4	25	4	24	44.75	17.25	8	6	4.1L	ZivC	3.7
1969	9	29	10	28	65.10	6.50			5.0S	FEN	5.0	1970	5	3	4	17	44.63	10.38	5	6	4.2S	NT4.1	4.9
1969	10	9	3	31	45.08	7.37	10	6	4.1S	NT4.1	4.8	1970	5	5	12	49	44.35	10.85	10	6	4.4S	NT4.1	5.0
1969	10	26	15	36	44.79	17.29	24	7.5	5.6L	ZivC	5.2	1970	5	10	1	49	47.30	9.70		5.5		SED	3.8
1969	10	27	2	55	44.90	17.10	18	5.5	4.5L	ZivC	4.1	1970	5	11	3	50	64.00	-19.80			4.1L	IMO	4.5
1969	10	27	8	10	44.79	17.20	18	8.5	6.4L	ZivC	6.1	1970	5	11	5	52	44.86	17.39	10	6	4.0L	ZivC	3.6
1969	10	27	8	53	44.90	17.10	20	5	4.7L	ZivC	4.3	1970	5	14	8	37	64.00	-19.80			4.0L	IMO	4.4
1969	11	3	1	55	44.76	17.20		6	4.0L	ZivC	3.6	1970	5	17	18	31	64.00	-19.80			4.0L	IMO	4.4
1969	11	3	14	33	44.76	17.20		5	3.9L	ZivC	3.6	1970	5	31	8	11	48.32	9.05	2	5	4.0L	Ley	3.6
1969	11	22	7	49	44.38	6.63		5		LLA	3.8	1970	6	5	12	0	45.65	26.62	129		3.6w	Onc	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1970	6	30	3	37	68.00	-18.70			4.4L	IMO	4.8	1971	2	1	12	26	44.50	7.20	5	6	4.3S	NT4.1	4.9
1970	7	9	21	8	45.71	26.47	143		3.8w	Onc	3.8	1971	2	12	8	48	44.16	16.98	6	7	4.4L	Zsi	4.0
1970	7	10	14	18	47.70	25.60	33	7	4.7w	Onc	4.7	1971	2	18	23	41	51.05	5.95	20	4.5	4.4L	Hou	4.0
1970	8	2	8	14	64.00	-19.10			4.0L	IMO	4.4	1971	3	12	12	45	47.60	24.00	14	5	3.5w	Onc	3.5
1970	8	4	21	7	45.85	25.40	33		4.0w	Onc	4.0	1971	3	23	9	26	70.99	-7.03	33		6.3S	NEIC	6.3
1970	8	8	4	27	44.70	12.80	27		4.0S	NT4.1	4.8	1971	4	22	22	37	71.62	-3.22	33		4.7b	NEIC	3.9
1970	8	9	20	9	54.50	-2.47	20	5	4.1L	Mus	3.7	1971	4	25	13	34	68.20	-17.90			4.2L	IMO	4.6
1970	8	21	19	38	44.71	17.29	6	6	3.9L	ZivC	3.6	1971	4	25	17	48	68.20	-18.10			5.0L	IMO	5.3
1970	9	7	20	58	44.00	16.20	10	7.5	5.3L	ZivC	4.9	1971	5	13	18	35	63.60	-23.90			4.3L	IMO	4.7
1970	9	18	2	6	71.16	-7.69	33		5.3S	NEIC	5.3	1971	5	13	20	8	63.60	-23.90			4.3L	IMO	4.7
1970	9	26	16	42	44.10	12.30		6	3.6S	NT4.1	4.5	1971	5	19	17	30	48.30	9.10	17		3.9L	SED	3.6
1970	10	1	7	44	44.76	17.26		6	4.1L	ZivC	3.7	1971	6	6	21	59	44.67	6.68	5	5.5		LLA	3.6
1970	10	20	13	45	44.70	17.20			4.0L	ZivC	3.6	1971	6	8	2	22	48.35	8.93	6	6	4.2L	Ley	3.8
1970	10	20	20	19	44.70	17.30	20	6	4.8L	ZivC	4.4	1971	6	21	7	25	46.37	5.72		7		LLA	4.7
1970	11	3	8	45	50.40	4.37	3	7	3.9L	ORB	3.6	1971	7	1	16	42	47.10	17.90			4.0L	Zsi	3.6
1970	11	6	7	15	63.60	-23.00			4.3L	IMO	4.7	1971	7	15	1	33	44.78	10.38	12	7.5	5.4S	NT4.1	5.4
1970	11	6	7	19	63.70	-23.20			4.2L	IMO	4.6	1971	7	18	16	18	45.71	26.31	137		3.8w	Onc	3.8
1970	11	6	7	30	63.50	-23.40			4.2L	IMO	4.6	1971	8	8	3	51	59.20	6.30		4	3.7S	FEN	3.7
1970	11	6	11	25	63.70	-22.80			4.3L	IMO	4.7	1971	8	15	0	36	44.85	6.77		5		LLA	3.8
1970	11	6	11	49	63.80	-23.10			4.2L	IMO	4.6	1971	8	20	19	6	61.70	4.70	27	5	4.5S	FEN	4.5
1970	11	24	17	20	71.82	-2.54	33		4.6b	NEIC	3.6	1971	8	29	10	56	68.00	-18.50			4.5L	IMO	4.9
1970	12	19	2	59	46.50	16.30	10	6	3.9L	ZivC	3.6	1971	9	25	10	34	44.23	8.68	5	6	3.9S	NT4.1	4.7
1970	12	31	22	4	44.22	8.33	2	6	4.2S	NT4.1	4.9	1971	9	29	7	18	47.10	9.00	10	7	4.3w	Sch	4.3
1971	1	14	9	30	62.10	5.30	19	5	4.0S	FEN	4.0	1971	11	10	14	25	63.90	-22.10			4.0L	IMO	4.4
1971	1	15	2	55	48.30	8.95	8	5	4.1L	Ley	3.7	1971	11	10	15	8	63.90	-22.10			4.0L	IMO	4.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1971	11	10	18	28	63.90	-22.20			4.2L	IMO	4.6	1972	4	16	10	10	47.71	16.18	10	7.5	5.3S	ZAMG	5.3	
1971	11	17	12	22	69.07	-16.26	33		4.7b	NEIC	3.9	1972	4	16	11	5	47.71	16.18	7	6.5	4.0S	ZAMG	4.0	
1971	11	19	1	20	63.80	-22.80			4.3L	IMO	4.7	1972	4	21	13	33	62.90	2.50				4.1S	FEN	4.1
1971	11	19	1	23	63.80	-22.80			4.3L	IMO	4.7	1972	4	22	10	18	47.00	13.10	21	4		3.6S	ZAMG	3.6
1971	11	19	2	57	63.80	-23.00			4.5L	IMO	4.9	1972	5	18	8	11	48.28	9.03	8	7		4.8L	Ley	4.4
1971	11	19	3		63.70	-23.00			4.2L	IMO	4.6	1972	5	26	12	23	65.00	-20.70				4.0L	IMO	4.4
1971	11	19	3	3	48.23	9.58	10	5	3.9L	Ley	3.6	1972	6	17	9	3	48.36	14.53	4	6.5		3.6S	ZAMG	3.6
1971	11	19	3	16	63.70	-22.80			4.1L	IMO	4.5	1972	6	19	4	9	44.42	6.27			5		LLA	3.8
1971	11	19	4	34	63.80	-22.80			4.3L	IMO	4.7	1972	6	23	4	18	66.00	-17.30				4.3L	IMO	4.7
1971	11	19	4	48	63.80	-22.90			4.1L	IMO	4.5	1972	6	25	17	10	44.60	10.20	10	6		3.6S	NT4.1	4.5
1971	11	19	5	57	63.80	-22.80			4.3L	IMO	4.7	1972	8	23	18	0	45.85	26.77	82			4.0w	Onc	4.0
1971	12	31	9	8	47.60	16.05	11	5	3.6S	ZAMG	3.6	1972	9	7	22	26	45.92	-1.22	15	7			LLA	4.9
1972	1	1	13	1	63.90	-22.40			4.3L	IMO	4.7	1972	9	8	1	51	45.95	-1.30	15	5			LLA	4.0
1972	1	1	13	5	63.80	-22.40			4.2L	IMO	4.6	1972	9	8	11	34	71.59	-10.03	33			5.9S	NEIC	5.9
1972	1	1	14	8	63.90	-22.40			4.2L	IMO	4.6	1972	9	9	2	48	45.95	-1.30	15	5			LLA	4.0
1972	1	1	14	41	64.00	-22.40			4.1L	IMO	4.5	1972	9	11	7	48	46.08	-1.28		5			LLA	3.8
1972	1	4	17	13	65.90	-16.90			4.1L	IMO	4.5	1972	10	1	0	56	45.80	26.18	155			3.8w	Onc	3.8
1972	1	5	4	58	47.82	16.24	9	6	4.1S	ZAMG	4.1	1972	10	7	8	32	44.59	18.66	16	5		3.9L	ZivC	3.6
1972	1	18	23	26	44.13	8.27		6	4.0S	NT4.1	4.8	1972	10	25	18	25	70.92	-7.01	33			5.1S	NEIC	5.1
1972	3	3	21	27	44.59	18.54	9	7	4.6L	ZivC	4.2	1972	10	25	21	56	44.42	9.92	45	5		4.7S	NT4.1	5.2
1972	3	4	19	12	71.33	-5.28	33		4.8S	NEIC	4.8	1972	11	14	4	31	71.05	-7.91	33			5.1S	NEIC	5.1
1972	3	7	6	52	53.70	-2.03	6	5.5	4.0L	Mus	3.6	1972	11	25	1	19	64.60	-20.90				4.0L	IMO	4.4
1972	3	22	16	33	70.97	-6.81	33		5.3b	NEIC	5.4	1972	11	30	11	25	44.00	13.20				4.4S	NT4.1	5.0
1972	4	7	20	20	62.20	5.60	15	5.5	4.2S	FEN	4.2	1972	12	25	12	53	45.80	26.73	132			3.5w	Onc	3.5
1972	4	16	0	3	45.53	26.44	136		3.8w	Onc	3.8	1973	1	2	23	20	71.33	-7.55	33			4.7b	NEIC	3.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1973	1	4	8	3	71.11	-7.67	33		5.1b	NEIC	5.1	1973	9	17	1	14	63.90	-22.40			4.1L	IMO	4.5
1973	1	5	12	37	45.56	26.59	131		3.6w	Onc	3.6	1973	9	21	2	38	44.13	17.03	8	5	4.4L	Zsi	4.0
1973	1	6	2	6	46.00	-1.37	15	5		LLA	4.0	1973	9	27	12	29	71.54	-12.10	33		5.6S	NEIC	5.6
1973	4	1	8	51	68.20	-18.80			4.1L	IMO	4.5	1973	10	23	10	50	45.69	26.50	174		4.3w	Onc	4.3
1973	5	6	22	36	63.70	-22.60			4.0L	IMO	4.4	1973	10	28	3	56	48.35	17.07	5	5	3.5S	Lab	3.5
1973	5	15	22	51	47.10	12.95	18	5	4.1S	ZAMG	4.1	1973	10	28	10	2	67.00	-18.90			4.3L	IMO	4.7
1973	6	5	13	48	44.52	9.57		4	4.4S	NT4.1	5.0	1973	10	28	10	43	66.90	-19.90			4.1L	IMO	4.5
1973	6	11	3	15	46.15	15.96	14	6.5	4.0L	ZivC	3.6	1973	10	28	10	49	67.00	-19.60			4.4L	IMO	4.8
1973	6	12	21	3	47.54	15.51	8	6	4.0S	ZAMG	4.0	1973	10	28	10	53	66.90	-19.80			4.0L	IMO	4.4
1973	8	20	15	18	45.74	26.48	73	6	6.0w	Onc	6.0	1973	10	28	11	12	66.90	-19.70			4.4L	IMO	4.8
1973	9	7	19	37	45.79	26.48	140		3.8w	Onc	3.8	1973	10	28	11	15	66.80	-19.90			4.1L	IMO	4.5
1973	9	10	16	22	66.00	-17.40			4.0L	IMO	4.4	1973	10	28	11	26	66.90	-19.70			4.1L	IMO	4.5
1973	9	15	1	46	63.90	-22.20			5.5L	IMO	5.7	1973	10	28	11	32	66.80	-19.70			4.6L	IMO	5.0
1973	9	15	2	22	63.90	-22.20			4.9L	IMO	5.2	1973	10	28	11	48	66.80	-19.80			4.5L	IMO	4.9
1973	9	16	3	8	63.90	-22.30			4.4L	IMO	4.8	1973	10	28	12	2	66.80	-19.90			4.2L	IMO	4.6
1973	9	16	3	13	63.80	-21.80			4.1L	IMO	4.5	1973	10	28	14	26	67.00	-19.70			4.6L	IMO	5.0
1973	9	16	3	15	63.80	-21.80			4.0L	IMO	4.4	1973	10	29	8	42	66.80	-19.10			4.0L	IMO	4.4
1973	9	16	4	53	63.90	-22.30			4.1L	IMO	4.5	1973	10	29	9	22	66.90	-19.00			4.1L	IMO	4.5
1973	9	16	4	54	63.90	-22.30			4.0L	IMO	4.4	1973	10	29	14	2	66.90	-19.00			4.2L	IMO	4.6
1973	9	16	4	55	63.90	-22.30			4.0L	IMO	4.4	1973	10	29	19	14	66.70	-19.20			4.1L	IMO	4.5
1973	9	16	4	56	63.90	-22.30			4.1L	IMO	4.5	1973	11	4	16	14	45.97	9.30			3.6S	NT4.1	4.5
1973	9	16	21	26	63.90	-22.30			5.3L	IMO	5.6	1973	11	10	3	1	44.00	13.20			4.2S	NT4.1	4.9
1973	9	16	21	39	63.90	-22.30			4.1L	IMO	4.5	1973	12	12	0	3	47.05	14.09	13	6	4.5S	ZAMG	4.5
1973	9	16	21	54	63.90	-22.50			4.2L	IMO	4.6	1973	12	21	8	17	46.12	14.17	11	6		ZivS	4.0
1973	9	16	22	23	63.90	-22.30			4.5L	IMO	4.9	1974	1	15	19	47	64.50	-17.80			4.6L	IMO	5.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1974	1	28	19	57	44.08	10.88	5	6	3.2S	NT4.1	4.3	1974	6	20	17	8	46.20	15.46	15	7.3		ZivS	4.8	
1974	2	8	20	12	44.15	6.48	10	5		LLA	3.8	1974	6	20	22	26	46.09	15.43	7	6.5		ZivS	4.0	
1974	2	25	18	10	51.64	-3.05			3.9L	Mus	3.6	1974	6	25	22	23	64.70	-17.40				5.1L	IMO	5.4
1974	2	25	20	3	51.64	-3.12		5	4.1L	Mus	3.7	1974	6	30	19	5	44.10	10.70		4.5		4.0S	NT4.1	4.8
1974	3	22	19	10	70.85	-14.37	20		5.1b	NEIC	5.1	1974	7	1	1	26	49.42	6.03				4.3L	SED	3.9
1974	3	30	18	41	63.80	-23.20			4.4L	IMO	4.8	1974	7	11	17	56	71.57	-4.13	33			5.0b	NEIC	4.9
1974	3	30	19	9	63.60	-23.60			4.3L	IMO	4.7	1974	7	17	5	9	45.75	26.53	145	5.5		4.6w	Onc	4.6
1974	3	30	20	16	63.50	-23.50			4.4L	IMO	4.8	1974	8	6	8	7	57.20	-5.40		5		4.0L	Mus	3.6
1974	4	15	21	49	44.65	9.68		5.5	4.1S	NT4.1	4.8	1974	8	7	20	38	44.43	6.38		5			LLA	3.8
1974	4	17	1	31	46.00	21.10	33		4.9w	Onc	4.9	1974	8	10	12	49	57.19	-5.35	22	5		4.4L	Mus	4.0
1974	4	18	2	24	44.52	2.42	10	5		LLA	3.8	1974	10	10	4	3	47.45	12.70	11	5		3.7S	ZAMG	3.7
1974	4	26	9	57	70.24	16.42			4.0S	FEN	4.0	1974	10	16	3	42	48.32	9.02	10	6		4.2L	Ley	3.8
1974	4	28	12	53	68.80	16.20		5	4.3S	FEN	4.3	1974	10	29	1	5	44.58	18.46	10	8		5.0L	ZivC	4.6
1974	5	6	7	50	46.30	13.40	54	4.5	4.8S	NT4.1	5.2	1974	10	31	23	23	44.50	18.30				4.0L	Zsi	3.6
1974	5	11	9	17	64.80	-21.00			4.6L	IMO	5.0	1974	11	12	2	58	48.23	6.53		5			LLA	3.8
1974	5	11	14	46	64.80	-21.30			4.5L	IMO	4.9	1974	12	8	0	26	63.60	-23.20				4.2L	IMO	4.6
1974	5	17	14	27	64.60	-21.20			5.0L	IMO	5.3	1974	12	8	0	36	63.70	-23.10				4.3L	IMO	4.7
1974	5	18	23	39	64.70	-21.20			4.7L	IMO	5.0	1974	12	8	1	26	63.70	-22.90				4.2L	IMO	4.6
1974	5	25	20	13	71.11	-20.85			4.6b	NEIC	3.6	1974	12	8	1	46	63.90	-22.80				4.1L	IMO	4.5
1974	5	31	12	29	64.80	-20.90			4.4L	IMO	4.8	1974	12	8	3	56	63.80	-22.50				4.3L	IMO	4.7
1974	6	12	16	8	64.80	-21.00			4.9L	IMO	5.2	1974	12	8	6	47	63.80	-22.70				4.2L	IMO	4.6
1974	6	12	17	55	64.80	-21.20			5.5L	IMO	5.7	1974	12	8	7	5	64.00	-22.70				4.2L	IMO	4.6
1974	6	13	13	40	64.90	-21.20			4.3L	IMO	4.7	1974	12	15	20	57	46.00	12.40		4.5		3.6S	NT4.1	4.5
1974	6	20	10	28	44.34	17.82		7	4.8L	Zsi	4.4	1974	12	18	20	12	67.85	10.50				4.1S	FEN	4.1
1974	6	20	17	8	46.17	15.43	8	6		ZivS	3.8	1974	12	29	3	50	64.60	-17.60				5.1L	IMO	5.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1975	1	11	15	54	45.60	10.72		5.5	3.8S	NT4.1	4.6	1975	11	12	17	51	71.73	-2.45	33		4.9b	NEIC	4.6
1975	1	20	10	47	71.70	14.21			4.2S	FEN	4.2	1975	11	12	22	1	71.67	-1.27	33		4.9b	NEIC	4.6
1975	2	17	14	25	44.90	17.10	5	6	4.0L	ZivC	3.6	1975	11	12	23	38	71.68	-2.48	33		5.0b	NEIC	4.9
1975	2	19	17	49	44.38	4.60		6		LLA	4.2	1975	11	16	4	57	46.13	12.45		5	3.9S	NT4.1	4.7
1975	3	7	4	13	45.86	26.63	21		4.5w	Onc	4.5	1975	11	16	13	4	44.62	9.43	20	5.5	4.5S	NT4.1	5.1
1975	3	11	23	42	66.30	-18.60			4.5L	IMO	4.9	1975	11	27	20	26	57.26	-5.41	11	5	4.1L	Mus	3.7
1975	3	12	12	38	45.72	-15.03			4.6b	NEIC	3.6	1975	12	16	3	57	66.60	-18.10			4.6L	IMO	5.0
1975	3	14	2	1	71.64	-4.12	33		4.7S	NEIC	4.7	1975	12	16	10	13	66.70	-18.00			4.5L	IMO	4.9
1975	3	18	13	15	65.50	5.16			4.0S	FEN	4.0	1975	12	21	12	52	66.20	-16.50			4.4L	IMO	4.8
1975	3	24	2	33	46.38	13.40		6	3.9S	NT4.1	4.7	1975	12	22	10	35	66.20	-16.40			4.4L	IMO	4.8
1975	3	31	8	28	45.63	26.35	140		4.0w	Onc	4.0	1975	12	23	6	18	66.00	-17.20			4.5L	IMO	4.9
1975	4	3	6	39	59.50	5.20	19	5	4.0S	FEN	4.0	1975	12	23	15	40	63.90	-21.90			4.5L	IMO	4.9
1975	4	4	9	10	44.08	10.92		6	3.6S	NT4.1	4.5	1975	12	23	16	6	63.90	-21.90			4.5L	IMO	4.9
1975	4	13	4	56	46.27	1.70	5	5.5		LLA	3.6	1975	12	23	16	28	63.90	-21.90			4.4L	IMO	4.8
1975	4	16	1	27	71.52	-10.43	13		6.5S	NEIC	6.5	1975	12	23	16	36	63.90	-21.90			4.1L	IMO	4.5
1975	5	16	19	41	45.51	14.32	14	5.5		ZivS	3.9	1975	12	24	9	33	66.10	-16.40			4.7L	IMO	5.0
1975	5	18	22	19	68.00	11.10			4.0S	FEN	4.0	1975	12	24	17	41	66.00	-16.50			4.5L	IMO	4.9
1975	5	29	0	32	46.02	5.95		5.5		LLA	4.0	1975	12	25	5	44	66.10	-16.40			4.5L	IMO	4.9
1975	6	1	13	25	46.20	10.90		5.5	4.2S	NT4.1	4.9	1975	12	25	22	4	66.30	-16.40			5.3L	IMO	5.6
1975	7	11	10	49	66.40	-19.90			4.8L	IMO	5.1	1975	12	26	0	50	66.10	-16.50			4.8L	IMO	5.1
1975	8	9	8	46	44.79	17.00		6	4.0L	ZivC	3.6	1975	12	26	18	24	65.90	-16.40			4.5L	IMO	4.9
1975	8	13	10	6	66.60	-17.80			4.5L	IMO	4.9	1975	12	26	20	31	66.10	-16.40			4.4L	IMO	4.8
1975	8	30	14	7	48.60	-3.27		5.5		LLA	4.0	1975	12	27	18	32	45.75	26.74	129		5.3w	Onc	5.3
1975	10	3	18	34	64.50	-17.30			5.1L	IMO	5.4	1975	12	28	11	3	66.10	-16.50			4.3L	IMO	4.7
1975	11	12	0	6	57.00	7.20			4.7b	FEN	4.7	1975	12	29	10	45	66.10	-16.50			4.7L	IMO	5.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1975	12	30	15	5	65.90	-16.50			4.5L	IMO	4.9	1976	1	15	10	45	66.20	-16.60		4.2L	IMO	4.6	
1975	12	31	8	43	66.20	-16.50			4.4L	IMO	4.8	1976	1	16	13	6	65.60	-17.30		4.2L	IMO	4.6	
1976	1	1	0	32	66.10	-16.70			4.4L	IMO	4.8	1976	1	17	2	44	66.00	-17.40		4.4L	IMO	4.8	
1976	1	2	2	15	65.70	-16.90			4.3L	IMO	4.7	1976	1	17	11	51	65.70	-17.00		4.5L	IMO	4.9	
1976	1	2	6	33	66.10	-16.70			4.7L	IMO	5.0	1976	1	17	12	25	65.80	-16.70		4.4L	IMO	4.8	
1976	1	4	4	29	66.10	-16.60			4.8L	IMO	5.1	1976	1	18	8	23	65.70	-16.80		4.7L	IMO	5.0	
1976	1	5	12	40	65.60	-16.80			4.4L	IMO	4.8	1976	1	19	9	22	65.70	-17.00		4.9L	IMO	5.2	
1976	1	6	8	50	65.80	-16.60			4.9L	IMO	5.2	1976	1	20	4	45	65.70	-16.80		4.6L	IMO	5.0	
1976	1	6	14	24	66.20	-16.60			4.4L	IMO	4.8	1976	1	21	14	32	65.70	-16.80		4.7L	IMO	5.0	
1976	1	6	23	1	66.10	-16.70			4.4L	IMO	4.8	1976	1	22	10	5	65.70	-16.80		4.5L	IMO	4.9	
1976	1	6	23	1	66.10	-16.70			4.7L	IMO	5.0	1976	1	22	20	55	65.70	-16.80		4.4L	IMO	4.8	
1976	1	8	21	54	66.10	-16.60			4.1L	IMO	4.5	1976	1	25	15	37	66.20	-16.90		4.6L	IMO	5.0	
1976	1	9	3	46	66.10	-16.70			4.8L	IMO	5.1	1976	1	25	15	41	66.30	-17.00		4.7L	IMO	5.0	
1976	1	9	6	9	66.00	-16.80			4.6L	IMO	5.0	1976	1	25	21	57	65.60	-17.10		4.3L	IMO	4.7	
1976	1	9	6	45	66.00	-16.70			4.7L	IMO	5.0	1976	1	31	22	40	65.70	-16.80		4.7L	IMO	5.0	
1976	1	13	4	34	66.10	-16.60			5.0L	IMO	5.3	1976	2	2	13	16	66.10	-16.70		5.0L	IMO	5.3	
1976	1	13	13	29	66.20	-16.60			6.2L	IMO	6.3	1976	2	6	7	23	65.70	-17.00		4.6L	IMO	5.0	
1976	1	13	13	59	67.30	-22.00			4.5L	IMO	4.9	1976	2	29	3	40	48.02	8.48	10	5	4.0L	Ley	3.6
1976	1	13	14	27	66.00	-16.70			4.4L	IMO	4.8	1976	3	2	8	27	47.58	9.42	20	5	4.2L	Ley	3.8
1976	1	13	16	26	66.10	-16.60			4.7L	IMO	5.0	1976	3	6	20	26	66.60	-17.90		4.6L	IMO	5.0	
1976	1	13	17		66.10	-16.70			4.3L	IMO	4.7	1976	3	25	21	16	71.69	-1.93	33		4.7b	NEIC	3.9
1976	1	13	18	58	66.10	-16.70			4.5L	IMO	4.9	1976	3	26	22	28	47.60	9.40	18	4.5	4.3L	Ley96	3.9
1976	1	14	9	5	65.70	-16.70			4.5L	IMO	4.9	1976	3	29	12	40	71.12	-8.52	33		4.7b	NEIC	3.9
1976	1	15	0	15	66.20	-16.60			4.5L	IMO	4.9	1976	5	6	20		46.24	13.12		9.5	6.3w	Bon84	6.3
1976	1	15	3	17	66.20	-16.50			4.1L	IMO	4.5	1976	5	11	22	44	46.29	12.99			5.3w	Bon84	5.3

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1976	5	25	12	45	71.58	-12.45	10		4.6b	NEIC	3.6	1977	2	16	19	34	45.98	16.18	10	5.5	4.0L	ZivC	3.6
1976	5	25	14	4	71.57	-12.25	10		4.6b	NEIC	3.6	1977	3	4	19	21	45.77	26.76	94	9	7.4w	Onc	7.4
1976	6	12	10	34	71.39	-8.61	33		4.8b	NEIC	4.2	1977	3	5	0	0	45.48	27.09	104		4.2w	Onc	4.2
1976	6	23	4	37	71.76	-3.00	33		4.9b	NEIC	4.6	1977	3	5	12	8	45.37	26.30	124		3.5w	Onc	3.5
1976	7	17	9	13	46.69	9.68	4	5	4.2L	SED	3.8	1977	3	5	13	31	46.41	7.39	14		4.1L	SED	3.7
1976	7	27	4		64.70	-17.30			5.1L	IMO	5.4	1977	3	9	11	5	45.44	27.07	118		3.6w	Onc	3.6
1976	8	22	2	49	44.57	9.50	20		4.0S	NT4.1	4.8	1977	3	12	13	27	45.74	26.90	100		3.8w	Onc	3.8
1976	8	24	23	23	48.57	17.36	8	5.5	4.0S	Lab	4.0	1977	3	12	18	2	45.79	26.89	100		3.5w	Onc	3.5
1976	9	7	17	38	45.62	26.50	155		3.6w	Onc	3.6	1977	3	13	18	47	45.75	27.08	136		3.5w	Onc	3.5
1976	9	8	19	54	45.68	0.80	10	5		LLA	3.8	1977	3	22	8	26	45.51	26.15	167		3.5w	Onc	3.5
1976	9	11	16	31	46.29	13.18			5.2w	Bon84	5.2	1977	3	24	9	25	63.60	-19.00			4.7L	IMO	5.0
1976	9	11	16	35	46.30	13.19			5.6w	Bon84	5.6	1977	4	3	0	24	46.40	13.00		4.5	4.2S	NT4.1	4.9
1976	9	15	3	15	46.30	13.19			5.9w	Bon84	5.9	1977	4	4	2	15	45.59	26.64	115		3.8w	Onc	3.8
1976	9	15	4	38	46.30	13.19			4.8w	Bon84	4.8	1977	4	6	11	9	46.48	1.68		5		LLA	3.8
1976	9	15	9	21	46.34	13.12		8.5	5.9w	Bon84	5.9	1977	4	15	0	27	57.10	6.10			4.4b	FEN	4.5
1976	9	15	23	39	48.32	9.07	1	6	4.0L	Ley	3.6	1977	4	18	12	35	70.52	-15.18	10		4.6b	NEIC	3.6
1976	9	16	23	48	46.28	12.98			5.0w	Bon84	5.0	1977	4	19	11	30	63.60	-19.00			4.0L	IMO	4.4
1976	9	19	14	52	45.53	14.31	10	6		ZivS	3.9	1977	4	20	0	32	44.75	17.21	25	6	4.4L	ZivC	4.0
1976	10	1	17	50	45.68	26.49	146	6	6.0w	Onc	6.0	1977	4	21	3	59	70.89	-14.21	10		4.9b	NEIC	4.6
1976	10	15	10	54	47.10	25.60	17		3.9w	Onc	3.9	1977	4	27	23	25	46.58	2.83		5		LLA	3.8
1976	10	24	20	33	50.36	4.03	1	6	4.2L	ORB	3.8	1977	4	30	23	33	67.80	13.80		4.5	3.9S	FEN	3.9
1976	10	25	8	39	59.26	23.39	10	6.5	4.7b	FEN	4.7	1977	5	2	20	34	61.10	3.80			4.5L	FEN	3.7
1976	12	13	5	24	45.90	10.77		7	4.1S	NT4.1	4.8	1977	5	7	2	13	71.75	-1.81	33		5.1S	NEIC	5.1
1977	1	20	2	57	65.80	-16.70			4.2L	IMO	4.6	1977	5	8	21	7	71.51	-12.47	33		4.4S	NEIC	4.4
1977	1	20	4	34	65.70	-16.80			4.2L	IMO	4.6	1977	5	16	15	7	63.90	-23.00			4.1L	IMO	4.5

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1977	5	16	16	30	63.80	-22.90				4.1L IMO	4.5	1977	11	7	0	23	48.07	9.38	12	5	3.9L Ley	3.6	
1977	5	16	16	44	63.90	-23.00				4.1L IMO	4.5	1977	11	19	21	41	47.38	12.95	10	5	3.5S ZAMG	3.5	
1977	5	16	16	47	63.90	-22.90				4.6L IMO	5.0	1977	11	22	2	17	45.70	26.60	120		3.8w Onc	3.8	
1977	5	16	16	58	64.00	-23.10				4.0L IMO	4.4	1977	12	5	3	44	62.40	2.20			4.4b FEN	4.5	
1977	5	16	17	9	63.80	-23.00				4.0L IMO	4.4	1977	12	28	20	32	64.60	-17.30			5.2L IMO	5.5	
1977	5	17	2	49	46.48	1.68		5		LLA	3.8	1978	1	1	7	40	45.72	26.46	136	5	5.1w Onc	5.1	
1977	6	2	13	32	52.94	9.94	8	5.5		4.0L Gru	3.6	1978	1	4	9	31	45.70	26.60	130		3.5w Onc	3.5	
1977	6	2	14	55	63.70	-19.00				5.1L IMO	5.4	1978	1	6	3	40	45.70	26.60	150		3.5w Onc	3.5	
1977	6	16	2	26	45.74	26.60	151			4.7w Onc	4.7	1978	1	9	4	35	66.10	-16.80			4.2L IMO	4.6	
1977	7	14	7	15	64.50	-17.30				4.8L IMO	5.1	1978	1	9	9	15	66.00	-16.80			4.3L IMO	4.7	
1977	7	16	13	13	46.31	14.24	8	6.5		ZivS	4.0	1978	1	9	13	54	65.90	-16.60			4.4L IMO	4.8	
1977	7	17	17	34	45.60	26.65	106			4.2w Onc	4.2	1978	1	9	19	3	66.00	-16.70			4.6L IMO	5.0	
1977	7	26	3	48	62.00	2.50				4.0S FEN	4.0	1978	1	9	20	3	65.80	-16.60			4.2L IMO	4.6	
1977	7	26	6	46	46.24	27.05	122			3.9w Onc	3.9	1978	1	10	1	56	66.00	-16.60			4.4L IMO	4.8	
1977	7	28	6	24	45.64	26.71	139			3.8w Onc	3.8	1978	1	10	3	26	65.80	-16.60			4.0L IMO	4.4	
1977	7	29	22	54	44.94	17.39	6	4		4.0L Zsi	3.6	1978	1	10	7	3	66.10	-16.80			4.0L IMO	4.4	
1977	8	4	22	32	45.68	26.62	146			4.8w Onc	4.8	1978	1	10	10	38	66.00	-16.80			4.1L IMO	4.5	
1977	8	26	9	48	45.64	26.70	96	4		4.0w Onc	4.0	1978	1	10	12	45	66.00	-16.60			4.5L IMO	4.9	
1977	8	28	13	14	45.51	26.55	125			3.8w Onc	3.8	1978	1	10	17	42	65.80	-16.90			4.6L IMO	5.0	
1977	9	2	22	47	48.03	9.32	3	6.5		3.9L Ley	3.6	1978	1	10	19	25	66.00	-16.80			4.3L IMO	4.7	
1977	9	13	0	39	45.70	26.60	120			3.6w Onc	3.6	1978	1	10	20	44	66.00	-16.80			4.4L IMO	4.8	
1977	9	13	4	25	45.70	26.60	110			3.8w Onc	3.8	1978	1	11	8	50	66.10	-16.80			4.0L IMO	4.4	
1977	9	16	23	48	46.30	12.98	14	7.5		5.4S NT4.1	5.4	1978	1	11	10	58	66.00	-16.90			4.8L IMO	5.1	
1977	10	10	6	5	46.08	-1.27		5		LLA	3.8	1978	1	11	16	41	66.10	-16.80			4.3L IMO	4.7	
1977	11	6	17	11	45.44	26.42	126			4.4w Onc	4.4	1978	1	12	9	7	65.90	-16.80			4.0L IMO	4.4	

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1978	1	13	0	31	66.00	-16.90			4.0L	IMO	4.4	1978	7	5	6	38	70.60	-15.07	10		4.3S	NEIC	4.3
1978	1	13	17	8	65.90	-16.90			4.1L	IMO	4.5	1978	7	11	13	11	45.70	26.60	90		3.5w	Onc	3.5
1978	1	14	19	9	66.10	-16.80			4.1L	IMO	4.5	1978	7	12	17	59	65.90	-16.70			4.0L	IMO	4.4
1978	1	14	19	44	47.65	15.92	10	5	3.5S	ZAMG	3.5	1978	7	19	0	57	48.88	21.68		5	3.7S	Lab	3.7
1978	1	15	10	26	45.78	26.73	142	4.5	4.8w	Onc	4.8	1978	8	6	2	48	45.70	26.60	150		3.6w	Onc	3.6
1978	1	16	14	31	48.30	9.03	7	6.5	4.6L	Ley	4.2	1978	8	14	7	18	45.70	26.60	140		3.5w	Onc	3.5
1978	1	16	14	33	48.30	9.04	6		4.1L	Ley	3.7	1978	8	19	18	43	48.79	19.19	3	5	3.6S	Lab	3.6
1978	1	17	6	48	45.70	26.60	110		3.6w	Onc	3.6	1978	9	3	5	8	48.28	9.03	7	7.5	5.1w	Kun86	5.1
1978	1	24	9	35	66.10	-16.80			4.1L	IMO	4.5	1978	9	3	5	23	48.28	9.00	10		3.9L	Ley	3.6
1978	1	28	9	35	45.70	26.60	160		3.6w	Onc	3.6	1978	9	3	5	34	48.28	8.72	10		4.3L	Ley	3.9
1978	2	9	17	30	44.16	16.98	8	6	4.5L	Zsi	4.1	1978	9	3	8	10	48.50	8.90	10		4.1L	Ley	3.7
1978	2	9	20	6	45.70	26.60	100	4	4.0w	Onc	4.0	1978	9	3	10	2	48.40	8.90	10		4.7L	Ley	4.3
1978	3	4	13	0	48.75	19.30	5	5	3.6S	Lab	3.6	1978	9	5	13	36	45.68	26.51	152	5	4.8w	Onc	4.8
1978	4	13	22		45.70	26.60	130		3.6w	Onc	3.6	1978	9	5	18	24	45.70	26.60	130		3.5w	Onc	3.5
1978	4	16	19	35	71.56	-3.36	10		4.6b	NEIC	3.6	1978	9	15	19	34	45.72	26.75	169		3.9w	Onc	3.9
1978	4	26	20	7	45.70	26.60	150		3.5w	Onc	3.5	1978	9	19	14	52	62.34	1.50			4.1S	FEN	4.1
1978	5	2	10	29	45.70	26.60	125		3.8w	Onc	3.8	1978	9	19	23	53	48.30	8.95	10		4.1L	Ley	3.7
1978	5	23	4		45.70	26.60	80		3.5w	Onc	3.5	1978	9	23	16	58	45.70	26.60	120		3.5w	Onc	3.5
1978	5	25	17	5	45.64	26.62	127	4	4.3w	Onc	4.3	1978	9	26	17	47	47.26	19.05	14	5	4.5L	Zsi	4.1
1978	5	26	23	47	45.70	26.60	90		3.6w	Onc	3.6	1978	9	30	2	24	45.70	26.63	154	4.5	4.4w	Onc	4.4
1978	6	21	23	29	64.60	-17.60			4.0L	IMO	4.4	1978	9	30	12	36	45.70	26.60	130		3.5w	Onc	3.5
1978	6	22	3	33	46.75	21.13	8	6	4.6L	Zsi	4.2	1978	10	2	20	28	45.72	26.48	164	5.5	5.2w	Onc	5.2
1978	6	22	3	57	46.75	21.13			3.9L	Zsi	3.6	1978	10	12	9	8	45.70	26.60	120		3.6w	Onc	3.6
1978	6	30	1	15	47.69	23.26	10		4.0w	Onc	4.0	1978	10	13	1	2	46.65	26.61	30	5	4.3w	Onc	4.3
1978	7	4	15	16	45.47	26.61	114	3	4.0w	Onc	4.0	1978	10	21	16	16	45.70	26.60	80		3.8w	Onc	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1978	10	22	4	12	45.70	26.60	100		3.8w	Onc	3.8	1979	3	28	13	2	47.96	23.62	10	5	3.5w	Onc	3.5	
1978	10	23	5	1	47.73	16.17	15	4.5	3.8S	ZAMG	3.8	1979	3	30	15	56	47.95	23.66	33	6	4.5w	Onc	4.5	
1978	11	5	0	10	45.40	26.30	145	3	4.0w	Onc	4.0	1979	4	1	4	31	64.50	-17.60				4.1L	IMO	4.5
1978	11	6	10	48	45.70	0.90	10	5.5		LLA	4.0	1979	4	4	16	40	45.70	26.60	65			3.5w	Onc	3.5
1978	11	19	3	46	45.34	26.23	121		4.2w	Onc	4.2	1979	4	16	12	27	44.65	5.23	5	5.5		LLA	3.6	
1978	11	19	7	27	64.00	-20.40			4.0L	IMO	4.4	1979	4	18	15	19	46.30	13.22	19			4.7S	NT4.1	5.2
1978	11	23	8	32	45.70	26.60	140		3.6w	Onc	3.6	1979	4	21	1	58	45.70	26.60	165			3.5w	Onc	3.5
1978	12	5	15	39	44.38	12.12			4.2S	NT4.1	4.9	1979	4	30	21	49	66.60	-17.90				4.2L	IMO	4.6
1978	12	9	21	1	61.50	3.20			3.9b	FEN	4.0	1979	4	30	23	28	66.50	-18.00				4.4L	IMO	4.8
1978	12	11	6	15	46.40	27.40	15	4	3.8w	Onc	3.8	1979	5	12	21	34	47.28	15.33	9	6		4.0S	ZAMG	4.0
1978	12	11	23	37	45.73	26.67	140		4.4w	Onc	4.4	1979	5	15	0	38	63.90	-22.90				4.2L	IMO	4.6
1978	12	12	15	14	46.27	12.73	23		4.2S	NT4.1	4.9	1979	5	18	7	39	45.71	26.64	91	4		4.2w	Onc	4.2
1978	12	17	3	48	46.16	14.13	7	6	3.9L	ZivS	3.6	1979	5	31	7	20	45.55	26.33	120	6		5.3w	Onc	5.3
1978	12	27	16	20	45.70	26.60	70		3.8w	Onc	3.8	1979	6	2	19	30	45.70	26.60	165			3.5w	Onc	3.5
1978	12	29	17	37	45.70	26.60	150		3.5w	Onc	3.5	1979	6	6	11	59	45.82	27.24	54	4		3.8w	Onc	3.8
1978	12	31	18	9	45.60	27.00	30		3.5w	Onc	3.5	1979	6	7	21	20	45.83	27.41	32	4		4.1w	Onc	4.1
1979	1	9	2	8	45.56	26.49	148	4	4.6w	Onc	4.6	1979	6	7	21	26	45.78	27.22	23	4		3.9w	Onc	3.9
1979	1	24	15	58	45.56	26.43	123	4	4.4w	Onc	4.4	1979	6	7	21	41	45.83	27.40	33	4		3.8w	Onc	3.8
1979	1	27	2	9	45.70	26.60	130		3.5w	Onc	3.5	1979	6	13	22	50	45.70	26.60	160			3.6w	Onc	3.6
1979	2	6	9	50	47.40	14.83	10	5.5	3.8S	ZAMG	3.8	1979	6	19	18		45.70	26.60	110			3.8w	Onc	3.8
1979	2	9	14	44	45.62	9.47	37		4.6S	NT4.1	5.1	1979	6	20	13	38	45.70	26.60	100			3.5w	Onc	3.5
1979	2	25	2	21	45.70	26.60	140		3.5w	Onc	3.5	1979	6	22	23	17	64.50	-17.20				5.2L	IMO	5.5
1979	3	4	4	28	45.46	26.52	139	3	3.8w	Onc	3.8	1979	6	23	20	21	45.58	26.41	167	4		4.3w	Onc	4.3
1979	3	9	8	17	45.44	26.60	138	4	4.3w	Onc	4.3	1979	6	29	21	54	45.85	27.33	10	4		3.5w	Onc	3.5
1979	3	12	23	37	45.70	26.60	130		3.6w	Onc	3.6	1979	7	6	1	33	45.52	26.52	133			4.0w	Onc	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1979	7	26	11	23	45.70	26.60	60		3.5w	Onc	3.5	1980	2	18	10	28	45.70	26.60	130		3.8w	Onc	3.8
1979	8	7	16	34	45.70	26.60	90		3.8w	Onc	3.8	1980	2	20	10	54	45.70	26.60	130		3.6w	Onc	3.6
1979	8	8	0	24	45.80	27.04	39	4	3.9w	Onc	3.9	1980	3	6	3	15	45.57	26.43	153		3.8w	Onc	3.8
1979	9	6	11	47	45.70	26.60	120		3.5w	Onc	3.5	1980	3	7	23	19	45.69	26.63	112		3.8w	Onc	3.8
1979	9	7	13	57	44.86	17.60	10	5	4.0L	Zsi	3.6	1980	3	8	6	22	45.70	26.60	80		3.5w	Onc	3.5
1979	9	11	15	36	45.56	26.30	154	5.5	5.3w	Onc	5.3	1980	3	10	19	15	45.61	26.47	157		3.8w	Onc	3.8
1979	9	14	12	45	44.81	17.28		5	3.9L	ZivC	3.6	1980	3	24	8	44	70.31	-15.26	10		4.8b	NEIC	4.2
1979	9	22	19	6	48.27	23.60			4.3L	Zsi	3.9	1980	4	8	17	5	45.20	24.20	13	4	3.5w	Onc	3.5
1979	9	30	19	39	63.60	-19.20			4.2L	IMO	4.6	1980	4	29	6	15	45.76	26.61	151		3.8w	Onc	3.8
1979	10	9	20	53	45.70	26.60	130		3.8w	Onc	3.8	1980	5	3	23	13	44.29	17.68			4.0L	Zsi	3.6
1979	10	13	14	25	45.70	26.60	100		3.8w	Onc	3.8	1980	5	5	13	22	64.60	-17.00			4.0L	IMO	4.4
1979	10	20	4	43	47.47	25.64	10		3.7w	Onc	3.7	1980	5	9	13	5	45.70	26.60	70		3.5w	Onc	3.5
1979	10	20	5	42	45.42	26.41	141		4.2w	Onc	4.2	1980	5	10	20	15	45.20	23.80	7	4	3.7w	Onc	3.7
1979	10	27	14	58	48.29	7.65	7	5	4.0L	Ley	3.6	1980	5	17	20	59	63.20	-24.20			4.4L	IMO	4.8
1979	11	11	2	17	45.72	26.67	124		3.8w	Onc	3.8	1980	5	17	21	15	63.20	-24.50			4.5L	IMO	4.9
1979	11	20	17	36	71.19	-8.03	10		5.4S	NEIC	5.4	1980	6	7	18	35	44.05	10.60	30		4.1S	NT4.1	4.8
1979	11	20	18	19	71.19	-6.88	10		4.8b	NEIC	4.2	1980	6	18	7	47	45.49	26.54	154		3.9w	Onc	3.9
1979	11	22	7	24	44.90	5.63	5	6		LLA	3.8	1980	7	3	16	14	45.65	26.33	163		3.8w	Onc	3.8
1979	12	26	3	57	55.03	-2.82	11	6	4.7L	Mus	4.3	1980	7	5	23	28	45.74	26.62	119		3.6w	Onc	3.6
1980	1	5	14	32	45.02	7.33	21		4.7S	NT4.1	5.2	1980	7	15	12	17	47.67	7.48	12	6.5	4.1w	Sch	4.1
1980	1	14	15	7	45.78	26.60	141		5.1w	Onc	5.1	1980	7	16	15	0	47.65	7.50	17	4	4.0L	SED	3.6
1980	1	22	6	26	45.71	26.65	163		4.3w	Onc	4.3	1980	7	22	22	46	47.72	7.32		5.5		LLA	4.0
1980	1	24	4	25	45.49	26.51	147		3.8w	Onc	3.8	1980	8	12	12	11	64.70	-17.10			5.3L	IMO	5.6
1980	1	25	0	27	46.63	10.75	4	5.5	3.4S	NT4.1	4.4	1980	8	17	2	25	45.58	15.79	39	5	3.9L	ZivC	3.6
1980	2	5	5		63.60	-19.10			4.5L	IMO	4.9	1980	8	22	22	9	44.35	18.49	35		4.4L	Zsi	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1980	8	29	7	33	44.03	16.93	5		4.4L	Zsi	4.0	1981	3	7	20	48	45.70	26.60	150	4	4.6w	Onc	4.6
1980	9	11	23	24	45.32	28.03	20	5	4.2w	Onc	4.2	1981	3	19	22	7	45.70	26.60	110		3.8w	Onc	3.8
1980	9	19	1	54	47.75	7.40		5		LLA	3.8	1981	3	23	21	29	47.63	7.53		5		LLA	3.8
1980	10	9	10	27	45.28	26.12	84		3.6w	Onc	3.6	1981	5	8	0	11	45.73	26.63	144		3.9w	Onc	3.9
1980	10	10	21	42	44.45	6.85		5		LLA	3.8	1981	5	9	1	31	64.60	-20.90			4.4L	IMO	4.8
1980	10	19	23	36	45.75	26.56	100		4.0w	Onc	4.0	1981	5	10	11	3	44.00	19.05	16		4.0L	Zsi	3.6
1980	12	2	5	58	45.77	6.30	5	6.5		LLA	4.0	1981	5	22	13	34	47.50	14.20	12	4.5	3.5S	ZAMG	3.5
1980	12	8	0	46	45.51	26.47	127		3.9w	Onc	3.9	1981	5	31	19	46	47.49	13.98	15	4.5	3.7S	ZAMG	3.7
1980	12	8	8	22	45.76	26.52	61		3.6w	Onc	3.6	1981	6	9	9	28	45.70	26.60	150		3.8w	Onc	3.8
1980	12	8	9	38	45.65	26.53	100		3.6w	Onc	3.6	1981	6	11	15	44	45.70	26.60	100		3.8w	Onc	3.8
1980	12	12	5	48	45.78	26.60	106		3.8w	Onc	3.8	1981	6	15	10	17	47.04	14.73	12	6	4.4S	ZAMG	4.4
1980	12	12	22	47	45.71	26.54	95		3.6w	Onc	3.6	1981	6	21	14	42	45.70	26.60	150		3.9w	Onc	3.9
1980	12	23	12	1	44.82	9.85	31		4.6S	NT4.1	5.1	1981	6	28	4	22	45.70	26.50	123		3.9w	Onc	3.9
1980	12	25	11	37	66.70	-17.70			5.1L	IMO	5.4	1981	6	28	6	16	45.72	14.17	9	5	3.9L	ZivS	3.6
1980	12	25	11	43	66.60	-17.80			4.6L	IMO	5.0	1981	7	6	7	37	45.54	26.42	129		3.8w	Onc	3.8
1980	12	25	17	47	66.50	-17.80			4.7L	IMO	5.0	1981	7	18	0	2	45.69	26.42	166	6	5.5w	Onc	5.5
1980	12	26	0	45	66.50	-17.80			4.5L	IMO	4.9	1981	7	19	0	19	45.63	26.50	129		4.3w	Onc	4.3
1980	12	26	1	5	66.40	-18.00			4.5L	IMO	4.9	1981	7	25	7	27	45.65	26.77	95		3.6w	Onc	3.6
1980	12	26	1	46	66.40	-18.20			4.5L	IMO	4.9	1981	7	28	4	57	68.20	-20.00			4.5L	IMO	4.9
1980	12	26	5		66.50	-17.90			4.5L	IMO	4.9	1981	8	13	2	58	44.70	17.29	14	8	5.4L	ZivC	5.0
1980	12	26	5	2	66.50	-17.80			4.8L	IMO	5.1	1981	9	1	14	51	71.73	-0.04	10		5.0b	NEIC	4.9
1981	1	9	20	58	45.83	26.44	157		3.6w	Onc	3.6	1981	9	3	18	40	69.00	16.50		5.5	4.7L	FEN	3.8
1981	1	26	23	43	68.70	-17.20			4.2L	IMO	4.6	1981	9	4	4	41	48.60	-4.60	15	5		LLA	4.0
1981	1	31	12	49	47.12	14.66	8	6	3.7S	ZAMG	3.7	1981	9	6	2	7	45.61	26.61	120		3.5w	Onc	3.5
1981	2	18	17	15	45.70	26.60	120		3.6w	Onc	3.6	1981	9	12	16	42	45.48	26.33	143		3.6w	Onc	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1981	9	25	18	39	45.68	26.58	144		3.9w	Onc	3.9	1982	5	17	17	30	48.55	10.25	30	5	4.3L	Ley96	3.9
1981	10	1	17	19	45.63	26.47	136		4.2w	Onc	4.2	1982	5	22	6	0	51.05	5.98	14	4	3.8w	AP83	3.8
1981	10	8	16	13	45.65	26.55	104		4.2w	Onc	4.2	1982	5	29	16	37	45.69	26.57	112		3.6w	Onc	3.6
1981	10	9	2	24	45.63	26.52	118		3.5w	Onc	3.5	1982	6	1	10	18	47.65	15.80	6	5	3.7S	ZAMG	3.7
1981	11	13	9	7	45.17	29.00	15	6.5	5.1w	Onc	5.1	1982	6	5	11	56	45.62	26.45	156		4.1w	Onc	4.1
1981	11	28	0	3	45.65	26.60	122		4.0w	Onc	4.0	1982	6	12	6	58	45.66	26.51	142		3.8w	Onc	3.8
1981	12	5	23	15	45.52	26.43	136		3.8w	Onc	3.8	1982	6	17	7	23	45.47	26.35	136		3.5w	Onc	3.5
1981	12	31	12	51	45.67	26.62	150		3.6w	Onc	3.6	1982	6	18	9	40	45.79	26.87	109		4.0w	Onc	4.0
1982	1	1	6	31	45.72	26.89	78		3.8w	Onc	3.8	1982	6	28	9	57	50.68	7.99	13	5.5	4.7L	Ley96	4.3
1982	1	1	8	53	44.90	26.60	10		3.8w	Onc	3.8	1982	7	1	6	50	48.48	22.23	14	6	4.6L	Zsi	4.2
1982	1	8	0	52	47.21	9.84	6	5.5	3.7S	ZAMG	3.7	1982	7	29	0	17	60.30	2.07	18		4.8L	FEN	3.9
1982	2	1	17	15	45.69	26.68	100		3.5w	Onc	3.5	1982	7	30	14	52	45.59	26.45	159		3.8w	Onc	3.8
1982	2	24	11	21	45.67	26.52	150		3.5w	Onc	3.5	1982	7	30	22	51	45.68	26.70	114		3.8w	Onc	3.8
1982	3	2	8	37	45.45	26.42	113		4.0w	Onc	4.0	1982	8	26	8	42	63.60	-19.60			4.2L	IMO	4.6
1982	3	11	19	6	45.72	26.76	114		3.9w	Onc	3.9	1982	9	27	20	18	71.59	-3.69	10		4.6b	NEIC	3.6
1982	4	9	1	42	45.80	26.85	79		3.5w	Onc	3.5	1982	10	9	6	57	45.64	26.51	141		3.5w	Onc	3.5
1982	4	19	9	50	61.70	4.40			4.1S	FEN	4.1	1982	10	10	11	16	70.41	-15.27	10		4.9b	NEIC	4.6
1982	5	5	12	22	45.76	26.82	112		3.5w	Onc	3.5	1982	10	10	12	7	70.35	-15.44	10		4.3S	NEIC	4.3
1982	5	5	17	23	45.70	26.52	150		3.6w	Onc	3.6	1982	10	16	18	57	45.57	26.58	140		4.2w	Onc	4.2
1982	5	6	1	49	45.72	26.73	94		3.8w	Onc	3.8	1982	10	18	3	57	45.79	26.77	89		3.8w	Onc	3.8
1982	5	7	6	41	45.62	26.52	151		3.5w	Onc	3.5	1982	10	30	15	2	49.86	18.44			4.2L	Zsi	3.8
1982	5	8	16	41	70.91	-6.16	10		4.7S	NEIC	4.7	1982	11	5	21	26	45.66	26.54	130		4.2w	Onc	4.2
1982	5	11	2	0	45.56	26.58	126		3.7w	Onc	3.7	1982	11	7	22	32	45.66	26.47	153		4.1w	Onc	4.1
1982	5	12	16	4	45.62	26.53	139		4.1w	Onc	4.1	1982	11	8	12	43	63.00	-24.40			4.6L	IMO	5.0
1982	5	16	4	3	45.36	26.38	218		4.1w	Onc	4.1	1982	11	8	13	2	46.10	6.38		5		LLA	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1982	11	13	10	3	45.67	26.83	131		3.7w	Onc	3.7	1983	4	12	20	10	45.67	26.61	140		4.4w	Onc	4.4
1982	12	1	16	52	45.68	26.65	145		4.3w	Onc	4.3	1983	4	14	14	52	47.66	15.13	10	6.5	4.4S	ZAMG	4.4
1982	12	2	11	20	45.63	26.54	97		3.5w	Onc	3.5	1983	4	21	1	53	46.08	1.05		5		LLA	3.8
1982	12	12	21	25	45.69	26.44	154		3.9w	Onc	3.9	1983	4	24	6	56	45.68	26.66	129		3.8w	Onc	3.8
1982	12	23	20	59	45.83	26.96	62		3.8w	Onc	3.8	1983	5	3	20	5	45.35	27.03	17		3.7w	Onc	3.7
1983	1	9	10	13	45.75	26.58	91		4.0w	Onc	4.0	1983	5	5	12	45	45.75	26.86	91		4.6w	Onc	4.6
1983	1	25	7	34	45.75	26.64	150		5.6w	Onc	5.6	1983	5	16	15	17	64.10	-22.80			4.2L	IMO	4.6
1983	1	25	19	0	45.52	6.53		5		LLA	3.8	1983	5	16	15	35	63.60	-23.60			4.6L	IMO	5.0
1983	2	16	23	43	45.81	26.62	143		4.9w	Onc	4.9	1983	5	16	15	41	63.60	-23.50			4.9L	IMO	5.2
1983	2	17	17	29	66.60	-18.10			4.0L	IMO	4.4	1983	5	21	2	13	45.62	26.56	140		4.1w	Onc	4.1
1983	2	21	18	3	45.33	26.91	24		3.5w	Onc	3.5	1983	6	1	6	55	45.69	26.70	112		3.5w	Onc	3.5
1983	2	21	18	9	45.31	26.97	20		3.5w	Onc	3.5	1983	6	6	19	19	45.72	26.77	128		4.1w	Onc	4.1
1983	2	27	0	57	45.65	26.46	155		3.7w	Onc	3.7	1983	6	6	22	26	45.65	26.52	146		3.5w	Onc	3.5
1983	3	6	18	13	45.57	26.36	146		3.8w	Onc	3.8	1983	6	11	20	1	45.58	26.47	139		3.7w	Onc	3.7
1983	3	8	18	44	59.70	5.60		5	4.4L	FEN	3.6	1983	6	20	7	24	45.72	26.67	92		3.5w	Onc	3.5
1983	3	11	6	29	45.68	26.54	154		4.5w	Onc	4.5	1983	7	8	13	18	64.70	-17.60			4.3L	IMO	4.7
1983	3	19	0	6	68.90	-17.30			4.7L	IMO	5.0	1983	7	11	19	32	63.60	-23.00			4.2L	IMO	4.6
1983	3	19	12	40	71.97	-2.15	10		4.8b	NEIC	4.2	1983	7	11	19	41	63.40	-23.90			4.6L	IMO	5.0
1983	3	20	16	1	44.40	6.35		5		LLA	3.8	1983	7	11	19	54	63.60	-23.70			4.2L	IMO	4.6
1983	3	22	18	4	45.50	26.34	138		3.6w	Onc	3.6	1983	7	11	20	26	63.40	-23.90			4.7L	IMO	5.0
1983	3	24	10	11	45.62	26.53	106		3.7w	Onc	3.7	1983	7	20	9	44	64.50	-17.80			4.6L	IMO	5.0
1983	3	29	18	3	45.72	26.65	137		3.6w	Onc	3.6	1983	7	29	2	23	45.53	26.55	118		3.5w	Onc	3.5
1983	4	2	23	24	45.57	26.39	127		3.8w	Onc	3.8	1983	8	12	9	23	45.59	26.52	132		3.5w	Onc	3.5
1983	4	3	0	51	45.79	26.69	121		3.7w	Onc	3.7	1983	8	17	6	10	45.54	26.34	152		4.1w	Onc	4.1
1983	4	8	4	2	45.73	26.53	91		3.5w	Onc	3.5	1983	8	25	23	57	45.63	26.49	113		3.8w	Onc	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1983	8	30	9	54	45.61	26.47	150		3.7w	Onc	3.7	1984	3	5	21	43	45.63	26.51	147		3.5w	Onc	3.5
1983	8	31	0	18	46.71	10.36	3		4.0L	SED	3.6	1984	3	9	15	32	45.55	26.43	142		3.9w	Onc	3.9
1983	9	7	14	33	68.30	-18.70			4.6L	IMO	5.0	1984	3	18	16	28	44.58	17.10	6	6	4.6L	Zsi	4.2
1983	9	9	3	40	71.31	-12.93	10		4.7b	NEIC	3.9	1984	3	21	1	36	45.67	26.66	134		4.3w	Onc	4.3
1983	9	20	0	18	45.65	26.47	152		4.3w	Onc	4.3	1984	4	1	15	52	45.67	26.65	133		4.0w	Onc	4.0
1983	9	21	1	44	45.68	26.59	136		3.5w	Onc	3.5	1984	4	8	21	58	44.55	17.13	51	6	5.0L	Zsi	4.6
1983	11	8	0	49	50.63	5.50	6	7	5.0L	ORB	4.6	1984	4	11	16	56	45.72	26.60	80		3.6w	Onc	3.6
1983	11	11	21	10	45.45	6.88		5		LLA	3.8	1984	4	15	10	57	47.64	15.87	7	6.5	4.9S	ZAMG	4.9
1983	11	17	12	50	45.61	26.48	152		4.2w	Onc	4.2	1984	4	17	8	53	44.98	5.17	5	5.5		LLA	3.6
1983	11	20	15	45	45.55	26.43	118		3.5w	Onc	3.5	1984	4	18	7	19	45.68	26.59	145		3.8w	Onc	3.8
1983	12	7	1	5	45.56	26.51	114		3.5w	Onc	3.5	1984	4	19	2	35	45.52	26.37	136		3.7w	Onc	3.7
1983	12	26	17	56	45.63	26.54	147		3.9w	Onc	3.9	1984	4	24	8	22	63.00	-24.90			4.7L	IMO	5.0
1984	1	12	7	55	45.71	26.63	92		3.8w	Onc	3.8	1984	5	3	8	56	46.05	6.52		5		LLA	3.8
1984	1	20	7	24	45.50	26.40	131		4.4w	Onc	4.4	1984	5	8	15	31	45.69	26.67	135		3.8w	Onc	3.8
1984	1	20	15	41	48.33	14.55	3	5.5	3.5S	ZAMG	3.5	1984	5	11	23	15	45.73	26.84	97		3.5w	Onc	3.5
1984	1	23	2	18	45.44	26.32	134		3.5w	Onc	3.5	1984	5	15	21	51	45.50	26.41	142		4.3w	Onc	4.3
1984	1	29	16	14	71.87	-1.62	10		5.4S	NEIC	5.4	1984	5	22	19	33	47.65	15.85	10	5.5	3.8S	ZAMG	3.8
1984	1	29	20	27	45.58	26.33	150		3.8w	Onc	3.8	1984	5	24	19	56	47.65	15.92	10	6	4.6S	ZAMG	4.6
1984	2	7	11	16	45.45	26.43	123		4.1w	Onc	4.1	1984	5	30	17	21	45.67	26.48	157		3.5w	Onc	3.5
1984	2	12	4	43	68.20	-18.90			4.3L	IMO	4.7	1984	6	11	10	39	45.47	26.35	117		3.5w	Onc	3.5
1984	2	12	19	9	45.69	26.75	124		4.7w	Onc	4.7	1984	6	14	14	46	45.44	26.27	155		4.2w	Onc	4.2
1984	2	21	10	0	45.48	26.44	132		3.8w	Onc	3.8	1984	6	19	11	40	44.05	6.15		6		LLA	4.2
1984	2	22	18	30	64.40	-20.60			4.6L	IMO	5.0	1984	6	27	2	55	70.61	-14.79	10		3.9S	NEIC	3.9
1984	2	26	1	35	47.22	11.40	11	5	4.4S	ZAMG	4.4	1984	6	27	3	4	70.64	-14.91	10		5.0b	NEIC	4.9
1984	3	1	2	22	45.57	26.61	118		3.9w	Onc	3.9	1984	6	30	19	34	44.05	6.13		5.5		LLA	4.0

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1984	7	14	10	3	45.41	26.35	132		4.0w	Onc	4.0	1985	1	6	7	57	71.18	-8.17	10		3.6S	NEIC	3.6
1984	7	19	6	56	52.96	-4.38	20	6	5.4L	Mus	5.0	1985	1	6	8	57	70.96	-7.40	10		4.7b	NEIC	3.9
1984	7	29	20	17	52.98	-4.44	21		4.0L	Mus	3.6	1985	1	6	10	22	71.22	-8.01	10		3.6S	NEIC	3.6
1984	7	30	12	16	71.50	-11.97	10		5.2S	NEIC	5.2	1985	1	6	12	6	71.09	-7.75	10		5.0b	NEIC	4.9
1984	8	3	19	36	45.74	26.72	84		4.0w	Onc	4.0	1985	1	6	12	35	71.24	-7.80	10		4.7b	NEIC	3.9
1984	8	7	9	22	45.59	26.40	153		4.2w	Onc	4.2	1985	1	7	21	53	71.14	-7.44	10		3.7S	NEIC	3.7
1984	8	9	7	40	47.70	18.21	11	4.5	3.6S	Lab	3.6	1985	1	10	7	39	45.73	26.53	142		3.8w	Onc	3.8
1984	8	18	11	37	52.96	-4.38	21		4.3L	Mus	3.9	1985	1	12	21	15	63.10	-24.40			4.3L	IMO	4.7
1984	9	2	16	14	44.88	17.28	6	6	4.2L	Zsi	3.8	1985	1	28	10	3	45.62	26.44	139		4.2w	Onc	4.2
1984	9	5	5	16	47.25	8.56	15		4.0L	SED	3.6	1985	1	30	21	54	45.72	26.55	123		3.6w	Onc	3.6
1984	9	30	23	31	64.50	-17.50			5.2L	IMO	5.5	1985	2	13	6	21	45.70	26.20	148		3.8w	Onc	3.8
1984	10	28	2	45	71.47	-4.26	10		4.3S	NEIC	4.3	1985	2	28	21	33	47.60	7.47		5		LLA	3.8
1984	11	2	20	33	45.49	26.46	118		3.5w	Onc	3.5	1985	3	5	22	6	45.67	26.35	150		3.6w	Onc	3.6
1984	11	4	6	35	45.67	26.62	136		3.8w	Onc	3.8	1985	3	6	7	21	45.52	26.29	156		3.8w	Onc	3.8
1984	11	30	22	25	45.69	26.52	89		3.9w	Onc	3.9	1985	3	11	2	37	45.60	26.30	160		3.9w	Onc	3.9
1984	12	22	2	18	48.07	6.60		5		LLA	3.8	1985	3	14	9	9	45.55	26.53	137		4.0w	Onc	4.0
1984	12	24	16	44	48.13	6.54	10		4.1L	Ley96	3.7	1985	3	15	10	39	45.64	26.55	150		4.3w	Onc	4.3
1984	12	29	11	2	48.07	6.60	5	6		LLA	3.8	1985	3	17	9	22	45.49	26.35	118		4.3w	Onc	4.3
1984	12	29	11	3	48.00	6.60	11		4.5L	Ley96	4.1	1985	3	26	2	57	45.71	26.65	146		3.5w	Onc	3.5
1984	12	29	14	2	48.09	6.53	10		4.3L	Ley96	3.9	1985	3	26	7	3	45.69	26.55	140		4.9w	Onc	4.9
1984	12	29	14	54	48.12	6.55	10		4.2L	Ley96	3.8	1985	4	25	21	24	45.80	26.77	94		3.8w	Onc	3.8
1984	12	31	23	26	48.07	6.60		5		LLA	3.8	1985	4	27	16	25	45.73	26.68	91		4.4w	Onc	4.4
1985	1	2	18	39	48.10	6.60	9		4.0L	Ley96	3.6	1985	5	11	0	30	45.68	26.66	133		3.5w	Onc	3.5
1985	1	4	23	59	45.32	6.57		5		LLA	3.8	1985	5	25	21	57	45.52	26.37	143		3.5w	Onc	3.5
1985	1	5	2	40	45.61	26.22	152		4.2w	Onc	4.2	1985	6	5	11	17	45.61	26.48	143		3.5w	Onc	3.5

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1985	6	5	23	54	48.05	16.35	11	5	3.8S	ZAMG	3.8	1985	8	23	11	9	68.10	-18.70			4.3L	IMO	4.7
1985	6	10	11	25	47.32	11.86	11	5	3.8S	ZAMG	3.8	1985	8	24	6	8	50.26	7.99	15	4	3.9L	Ley96	3.6
1985	6	15	0	40	56.56	12.25	11	7	3.7w	Arv91	3.7	1985	8	27	0	16	45.55	26.38	158		3.8w	Onc	3.8
1985	6	16	0	37	71.36	-11.15	10		5.1b	NEIC	5.1	1985	8	30	18	47	67.70	-19.10			4.6L	IMO	5.0
1985	6	21	16	50	45.63	26.37	120		4.5w	Onc	4.5	1985	8	30	19	1	67.70	-18.60			5.0L	IMO	5.3
1985	6	25	10	27	64.70	-20.80			4.0L	IMO	4.4	1985	9	4	11	4	46.99	18.04	5	5	3.9L	Zsi	3.6
1985	6	25	10	31	64.70	-20.70			4.4L	IMO	4.8	1985	9	10	1	38	47.03	18.12	10	5.5	3.9L	Zsi	3.6
1985	6	26	7	40	45.76	26.57	121		3.8w	Onc	3.8	1985	9	20	5	34	45.84	27.07	62		3.5w	Onc	3.5
1985	6	26	13	38	64.70	-20.80			4.3L	IMO	4.7	1985	9	30	0	8	45.65	26.42	153		3.5w	Onc	3.5
1985	6	28	16	44	64.50	-20.90			4.3L	IMO	4.7	1985	9	30	11	16	47.55	0.52	10	5		LLA	3.8
1985	7	6	11	53	44.22	17.48	11		4.0L	Zsi	3.6	1985	10	3	12	8	45.54	26.49	119		3.5w	Onc	3.5
1985	7	14	7	34	45.61	26.65	138		3.9w	Onc	3.9	1985	10	17	4	54	45.74	26.73	118		3.8w	Onc	3.8
1985	7	14	8	26	45.73	26.59	96		3.5w	Onc	3.5	1985	10	26	3	21	45.68	26.63	155		3.5w	Onc	3.5
1985	7	17	6	32	45.65	26.49	151		4.4w	Onc	4.4	1985	11	22	5	16	45.81	26.51	145		3.5w	Onc	3.5
1985	7	19	17	23	64.90	-21.20			4.2L	IMO	4.6	1985	12	12	2	58	47.59	14.36	9	5.5	4.1S	ZAMG	4.1
1985	7	27	4	20	64.80	-19.50			4.1L	IMO	4.5	1985	12	15	12	14	45.81	26.93	86		3.5w	Onc	3.5
1985	8	1	11	17	45.79	26.77	119	4.5	5.2w	Onc	5.2	1985	12	21	10	16	50.22	12.46		7	3.6w	GBK86	3.6
1985	8	1	14	35	45.73	26.62	94	6	5.8w	Onc	5.8	1985	12	22	6	1	69.07	-16.91	10		4.6b	NEIC	3.6
1985	8	14	18	23	45.64	26.53	147		3.5w	Onc	3.5	1985	12	24	0	4	50.24	12.45	9	5.5	4.0L	GruRA	3.6
1985	8	15	5	28	47.06	18.01	10	6.5	4.7L	Zsi	4.3	1985	12	24	10	52	67.70	-18.70			4.6L	IMO	5.0
1985	8	15	6	29	47.04	18.01	11		4.0L	Zsi	3.6	1985	12	24	16	35	68.20	-22.00			4.7L	IMO	5.0
1985	8	15	11	53	47.14	18.05	10		4.0L	Zsi	3.6	1985	12	26	20	50	68.80	-16.90			4.7L	IMO	5.0
1985	8	15	22	10	47.08	18.13	5		3.9L	Zsi	3.6	1985	12	29	9	4	45.79	26.67	116		3.5w	Onc	3.5
1985	8	19	7	16	47.11	18.12	2	4.5	3.9L	Zsi	3.6	1986	1	10	7	9	70.44	-15.26	10		4.6b	NEIC	3.6
1985	8	21	16	38	71.91	-1.48	10		5.1S	NEIC	5.1	1986	1	10	8	10	70.32	-15.27	10		4.7b	NEIC	3.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1986	1	20	23	38	50.24	12.45	9	6.5	4.2L	Gru91	3.8	1986	8	21	2	11	45.66	26.54	147		3.8w	Onc	3.8
1986	1	23	2	21	50.25	12.45	9	5.5	3.9L	GruRA	3.6	1986	8	30	21	28	45.52	26.49	131	8.5	7.1w	Onc	7.1
1986	2	5	17	54	62.80	4.90			4.6L	FEN	3.8	1986	8	30	22	50	45.55	26.46	141		3.7w	Onc	3.7
1986	2	13	0	18	45.81	26.58	130		3.9w	Onc	3.9	1986	8	31	5	13	45.49	26.40	135		3.5w	Onc	3.5
1986	2	27	12	7	47.72	8.93	13	5.5	4.4L	Ley96	4.0	1986	8	31	6	19	45.53	26.41	143		4.0w	Onc	4.0
1986	3	4	17	34	45.65	26.33	153		3.8w	Onc	3.8	1986	8	31	6	57	45.57	26.58	134		3.8w	Onc	3.8
1986	3	7	12	24	45.67	26.33	121		3.6w	Onc	3.6	1986	8	31	8	50	45.51	26.41	138		3.5w	Onc	3.5
1986	3	16	18	45	45.74	26.62	116		3.8w	Onc	3.8	1986	8	31	10	44	45.48	26.38	132		3.5w	Onc	3.5
1986	4	15	6	39	45.70	26.72	104		3.9w	Onc	3.9	1986	8	31	12	35	45.47	26.39	126		4.0w	Onc	4.0
1986	4	18	10	48	45.61	26.49	168		3.5w	Onc	3.5	1986	8	31	22	46	45.53	26.48	135		3.6w	Onc	3.6
1986	4	27	0	4	45.51	27.07	18		3.7w	Onc	3.7	1986	9	1	4	40	45.52	26.39	137		3.5w	Onc	3.5
1986	5	19	0	15	45.60	26.59	160		3.5w	Onc	3.5	1986	9	1	9	7	45.53	26.38	140		4.2w	Onc	4.2
1986	5	27	9	41	71.76	-2.36	10		4.6S	NEIC	4.6	1986	9	1	22	11	45.52	26.39	139		4.1w	Onc	4.1
1986	5	28	6	22	71.73	-10.84	10		4.6S	NEIC	4.6	1986	9	2	2	0	45.54	26.43	143		4.5w	Onc	4.5
1986	5	30	8	47	71.69	-2.47	10		4.3S	NEIC	4.3	1986	9	2	9	3	45.54	26.48	134		4.1w	Onc	4.1
1986	6	5	3	4	45.76	26.76	111		3.6w	Onc	3.6	1986	9	2	10	0	45.45	26.31	133		3.6w	Onc	3.6
1986	6	16	18	13	45.75	26.86	129		3.5w	Onc	3.5	1986	9	2	21	55	45.55	26.44	140		3.8w	Onc	3.8
1986	6	26	2	41	71.38	-4.33	10		4.2S	NEIC	4.2	1986	9	2	23	21	45.53	26.36	146		3.9w	Onc	3.9
1986	7	8	16	34	45.69	26.42	92		3.6w	Onc	3.6	1986	9	3	20	24	45.56	26.47	137		4.1w	Onc	4.1
1986	7	14	13	50	58.48	14.01	29	5.5	3.8w	AWK92	3.8	1986	9	4	0	6	45.49	26.41	131		3.5w	Onc	3.5
1986	7	28	20	54	70.92	-7.22	10		4.6S	NEIC	4.6	1986	9	4	1	8	45.53	26.42	138		3.5w	Onc	3.5
1986	8	16	6	41	45.58	26.33	148	5	4.7w	Onc	4.7	1986	9	4	1	30	45.49	26.38	136		3.8w	Onc	3.8
1986	8	17	11	56	45.67	26.47	105		4.4w	Onc	4.4	1986	9	4	2	15	45.55	26.45	148		3.8w	Onc	3.8
1986	8	20	9	7	45.53	26.57	122		3.6w	Onc	3.6	1986	9	5	11	1	45.51	26.39	136		3.7w	Onc	3.7
1986	8	20	17	0	45.64	26.67	143		3.5w	Onc	3.5	1986	9	7	1	56	45.49	26.28	142		3.8w	Onc	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1986	9	7	4	45	45.51	26.37	146		4.3w	Onc	4.3	1986	11	23	2	49	64.70	-17.30			5.2L	IMO	5.5
1986	9	7	8	0	45.51	26.36	140		4.0w	Onc	4.0	1986	12	2	8	56	45.50	26.30	151		4.2w	Onc	4.2
1986	9	7	19	4	45.50	26.21	156		4.0w	Onc	4.0	1986	12	8	19	19	45.88	26.96	67		3.7w	Onc	3.7
1986	9	7	23	4	45.54	26.41	143		3.5w	Onc	3.5	1986	12	10	19	44	45.47	26.38	151		3.9w	Onc	3.9
1986	9	8	12	39	45.60	26.54	147		3.7w	Onc	3.7	1986	12	15	2	18	71.36	-9.47	10		3.9S	NEIC	3.9
1986	9	8	17	19	45.53	26.41	140		3.7w	Onc	3.7	1986	12	16	22	33	45.59	26.56	144		4.5w	Onc	4.5
1986	9	9	3	49	45.53	26.43	143		3.8w	Onc	3.8	1987	2	17	17	24	45.51	26.33	157		4.2w	Onc	4.2
1986	9	11	4	37	71.00	-15.24	10		4.8b	NEIC	4.2	1987	2	19	8	41	45.55	26.50	188		3.6w	Onc	3.6
1986	9	12	8	38	45.57	26.59	135		3.6w	Onc	3.6	1987	2	22	1	51	63.80	-22.70			4.2L	IMO	4.6
1986	9	16	14	18	63.40	-24.10			4.5L	IMO	4.9	1987	2	22	2	26	63.80	-23.20			4.2L	IMO	4.6
1986	9	17	2	56	45.61	26.61	136		3.8w	Onc	3.8	1987	2	22	2	32	63.80	-23.20			4.4L	IMO	4.8
1986	9	17	13	0	45.52	26.36	143		4.0w	Onc	4.0	1987	3	6	15	18	45.15	23.11	10		3.5w	Onc	3.5
1986	9	19	0	21	45.53	26.68	143		4.4w	Onc	4.4	1987	3	18	17	55	45.69	26.61	115		4.4w	Onc	4.4
1986	9	20	13	51	45.53	26.42	140		3.5w	Onc	3.5	1987	3	20	8	41	68.20	-17.40			4.0L	IMO	4.4
1986	9	20	15	0	45.59	26.37	165		3.8w	Onc	3.8	1987	3	21	3	1	45.69	26.71	169		4.0w	Onc	4.0
1986	9	23	1	45	45.51	26.42	135		3.5w	Onc	3.5	1987	3	21	16	41	45.76	26.55	143		3.9w	Onc	3.9
1986	9	29	1	33	56.45	-5.65	23	5	4.1L	Mus	3.7	1987	3	30	3	41	45.88	26.74	76		4.3w	Onc	4.3
1986	10	10	17	16	45.51	26.31	132		4.4w	Onc	4.4	1987	4	8	16	11	45.61	26.64	96		3.5w	Onc	3.5
1986	10	12	0	52	45.73	26.80	140		3.5w	Onc	3.5	1987	5	16	8	56	45.55	26.47	120		3.6w	Onc	3.6
1986	10	12	23	34	66.20	-17.40			4.2L	IMO	4.6	1987	5	18	2	25	45.71	26.66	143		3.5w	Onc	3.5
1986	10	18	6	33	45.49	26.28	145		3.8w	Onc	3.8	1987	5	25	11	31	63.90	-19.80			5.8L	IMO	6.0
1986	10	24	16	21	45.47	26.31	147		3.6w	Onc	3.6	1987	5	26	2	43	66.10	-17.60			4.2L	IMO	4.6
1986	10	26	11	34	61.70	3.31	11		4.7L	FEN	3.8	1987	6	22	5	42	45.73	26.58	148		4.2w	Onc	4.2
1986	10	26	23	1	45.58	26.50	141		3.6w	Onc	3.6	1987	6	29	10	16	45.50	26.31	145		3.8w	Onc	3.8
1986	11	2	7	48	58.71	13.51	21	5	3.5w	AWK92	3.5	1987	7	1	17	56	64.70	-17.40			4.3L	IMO	4.7

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1987	7	19	2	18	45.55	27.79	15		4.4w	Onc	4.4	1988	1	11	2	46	47.46	13.99	10	5	3.5S	ZAMG	3.5
1987	8	29	19	24	71.71	-2.64	10		4.4S	NEIC	4.4	1988	1	20	0	14	44.39	17.81	6		4.2L	Zsi94	3.8
1987	8	30	6	7	45.83	27.12	50		3.5w	Onc	3.5	1988	1	21	17	41	45.61	26.53	144		3.9w	Onc	3.9
1987	9	4	1	40	45.68	26.43	160		5.0w	Onc	5.0	1988	1	31	18	51	68.02	9.70	31		4.6L	FEN	3.8
1987	9	4	9	58	45.72	26.44	151		4.7w	Onc	4.7	1988	2	1	17	48	45.70	26.70	110		3.6w	Onc	3.6
1987	9	16	2	37	66.60	-18.00			4.4L	IMO	4.8	1988	2	11	19	7	45.43	26.42	124		3.9w	Onc	3.9
1987	9	20	11	53	46.76	7.22	7		3.9L	SED	3.6	1988	2	12	19	36	45.54	26.55	152		3.6w	Onc	3.6
1987	9	23	20	40	45.60	26.58	140		3.9w	Onc	3.9	1988	2	13	5	3	45.78	26.47	106		3.6w	Onc	3.6
1987	9	25	7	55	45.69	26.65	142		4.4w	Onc	4.4	1988	3	13	17	41	45.75	26.45	111		3.5w	Onc	3.5
1987	9	27	4	40	45.56	26.42	129		3.5w	Onc	3.5	1988	3	15	0	31	45.68	26.57	152		4.0w	Onc	4.0
1987	10	5	16	9	45.67	26.54	146		3.9w	Onc	3.9	1988	3	20	4	8	45.73	26.68	87		4.0w	Onc	4.0
1987	10	9	7	12	45.65	26.48	156		4.4w	Onc	4.4	1988	3	20	14	39	70.96	-6.49	10		3.5S	NEIC	3.5
1987	10	19	19	20	45.70	26.68	121		4.8w	Onc	4.8	1988	4	1	7	15	47.90	27.70	17		4.2w	Onc	4.2
1987	10	28	23	49	47.08	9.21	7		4.2L	SED	3.8	1988	4	28	21	22	48.92	18.36	5	6	4.1S	Lab	4.1
1987	10	31	3	42	45.96	26.47	135		3.8w	Onc	3.8	1988	5	27	15	18	44.13	21.60			4.4L	Zsi94	4.0
1987	11	10	21	37	45.99	26.63	64		3.5w	Onc	3.5	1988	6	3	4	10	45.75	26.68	151		3.6w	Onc	3.6
1987	11	14	17	5	47.70	5.59	11		3.9L	Ley96	3.6	1988	6	15	21	2	45.79	26.88	101		3.8w	Onc	3.8
1987	11	20	0	3	44.50	18.86			4.3L	Zsi94	3.9	1988	6	27	5	36	45.76	26.89	97		4.3w	Onc	4.3
1987	11	23	8	28	62.70	-24.10			4.1L	IMO	4.5	1988	7	7	19	1	44.73	25.37	6		3.5w	Onc	3.5
1987	11	25	22	3	45.77	26.81	118		4.3w	Onc	4.3	1988	7	12	17	2	47.34	10.54	8	5	3.5S	ZAMG	3.5
1987	12	4	0	13	45.68	26.52	162		3.5w	Onc	3.5	1988	8	13	12	18	45.83	26.86	113		3.8w	Onc	3.8
1987	12	18	10	8	45.67	26.46	152		3.8w	Onc	3.8	1988	8	18	3	34	45.55	26.39	144		3.8w	Onc	3.8
1988	1	7	10	21	45.67	26.67	139	4	4.6w	Onc	4.6	1988	8	22	2	21	45.67	26.85	110		3.8w	Onc	3.8
1988	1	8	12	50	45.55	26.43	158		3.6w	Onc	3.6	1988	9	9	14	40	66.70	-17.90			4.9L	IMO	5.2
1988	1	8	16	50	45.49	26.41	133		4.6w	Onc	4.6	1988	9	9	22	29	66.60	-17.90			4.0L	IMO	4.4

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	
1988	9	12	20	19	66.60	-17.80			5.1L	IMO	5.4	1989	1	27	4	55	47.00	16.98	22	6	4.2L	Zsi94	3.8	
1988	9	12	23		66.60	-17.90			4.2L	IMO	4.6	1989	1	29	16	38	59.62	6.04	13	5	4.5L	FEN	3.7	
1988	9	13	0	22	66.60	-18.00			4.0L	IMO	4.4	1989	2	3	15	18	64.60	-17.40				4.8L	IMO	5.1
1988	9	14	20	13	66.70	-17.90			4.1L	IMO	4.5	1989	2	9	10	43	45.62	26.51	131			4.1w	Onc	4.1
1988	9	17	8	54	66.70	-17.90			4.1L	IMO	4.5	1989	2	25	15	43	47.56	22.42	20			3.7w	Onc	3.7
1988	9	23	5	46	65.20	-17.10			4.1L	IMO	4.5	1989	3	4	19	18	45.50	26.15	84			3.5w	Onc	3.5
1988	10	9	11	49	45.67	26.70	84		3.5w	Onc	3.5	1989	4	13	2	39	45.65	26.59	132			3.7w	Onc	3.7
1988	10	15	12	16	45.76	26.63	110		3.5w	Onc	3.5	1989	4	13	14	34	45.75	26.81	118			4.0w	Onc	4.0
1988	10	27	1	15	45.77	26.64	126		3.5w	Onc	3.5	1989	5	6	23	46	64.70	-17.30				4.4L	IMO	4.8
1988	11	1	5	45	45.68	26.59	151		3.5w	Onc	3.5	1989	5	16	0	5	45.69	26.59	147			3.8w	Onc	3.8
1988	11	3	15	56	45.82	26.90	84		4.4w	Onc	4.4	1989	5	16	1	30	45.48	26.30	131			4.0w	Onc	4.0
1988	11	7	21	53	45.81	26.72	128		3.5w	Onc	3.5	1989	5	21	2	15	45.48	26.44	133			4.4w	Onc	4.4
1988	11	19	12	56	45.55	26.53	125		3.8w	Onc	3.8	1989	5	26	13	28	45.67	26.54	143			3.7w	Onc	3.7
1988	11	26	10	25	45.57	26.78	127		3.9w	Onc	3.9	1989	6	7	0	18	48.69	19.33	12	5.5		4.1S	Lab	4.1
1988	11	29	1	23	45.89	21.60	3		3.9w	Onc	3.9	1989	6	9	9	46	71.57	-4.38	10			4.7b	NEIC	3.9
1988	12	11	11	20	45.59	26.47	126		4.1w	Onc	4.1	1989	6	9	12	19	71.43	-4.37	10			5.4S	NEIC	5.4
1988	12	13	4	1	71.13	-7.63	10		5.6S	NEIC	5.6	1989	6	10	4	53	71.48	-3.80	10			4.5S	NEIC	4.5
1988	12	15	11	24	45.74	26.68	157		3.8w	Onc	3.8	1989	6	10	21	46	45.39	26.27	125			3.5w	Onc	3.5
1988	12	24	5	43	45.72	26.68	137		3.5w	Onc	3.5	1989	6	13	9	4	45.71	26.91	117			3.5w	Onc	3.5
1988	12	24	21	10	45.47	26.39	149		3.8w	Onc	3.8	1989	6	22	2	37	45.81	26.53	82			3.8w	Onc	3.8
1988	12	28	8	36	45.66	26.53	155		3.8w	Onc	3.8	1989	7	8	15	41	45.51	26.42	143			4.4w	Onc	4.4
1988	12	31	17	46	45.59	26.46	151		3.9w	Onc	3.9	1989	7	13	13	14	45.61	26.44	142			3.5w	Onc	3.5
1989	1	1	13	57	45.64	26.55	153		3.9w	Onc	3.9	1989	7	16	4	26	45.64	26.47	143			4.2w	Onc	4.2
1989	1	3	1	14	45.73	26.71	136		4.3w	Onc	4.3	1989	7	18	19	56	47.55	13.12	10	5		4.0S	ZAMG	4.0
1989	1	3	21	39	45.73	26.49	147		3.8w	Onc	3.8	1989	7	19	5	28	65.40	-10.60				4.5L	IMO	4.9

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1989	7	20	9	15	47.55	13.12	10	4	3.5S	ZAMG	3.5	1990	1	13	6	55	45.61	26.54	151		4.1w	Onc	4.1
1989	7	28	0	45	45.82	26.56	143		3.5w	Onc	3.5	1990	1	20	1	48	45.58	26.48	118		3.5w	Onc	3.5
1989	8	6	1	2	66.20	-16.70			4.0L	IMO	4.4	1990	2	4	9	37	45.44	26.41	141		3.9w	Onc	3.9
1989	8	6	12	46	66.30	-16.90			4.0L	IMO	4.4	1990	2	7	2	20	45.69	26.73	136		4.0w	Onc	4.0
1989	8	7	22	30	45.64	26.37	162		3.5w	Onc	3.5	1990	2	14	15	55	46.27	6.71	16		3.9L	SED	3.6
1989	8	15	4	15	45.73	26.57	111		4.4w	Onc	4.4	1990	2	22	8	39	45.42	26.25	133		4.1w	Onc	4.1
1989	8	18	10	36	45.70	26.65	142		3.6w	Onc	3.6	1990	2	24	8	55	45.68	26.77	110		3.6w	Onc	3.6
1989	8	22	3	40	45.63	26.51	139		3.7w	Onc	3.7	1990	3	7	5	59	45.72	26.64	134		3.7w	Onc	3.7
1989	8	22	9	6	45.74	26.51	157		3.5w	Onc	3.5	1990	3	7	6	50	45.80	26.57	141		4.0w	Onc	4.0
1989	9	16	1	0	45.64	26.67	128		3.6w	Onc	3.6	1990	3	13	5	16	45.67	26.58	146		3.6w	Onc	3.6
1989	9	30	1	0	71.12	-1.05	10		4.3S	NEIC	4.3	1990	3	19	10	46	64.00	-21.90			4.7L	IMO	5.0
1989	10	3	9	5	45.61	26.50	121		3.6w	Onc	3.6	1990	3	19	10	48	63.90	-21.90			4.0L	IMO	4.4
1989	10	4	19	15	63.60	-19.10			4.3L	IMO	4.7	1990	3	27	3	51	45.44	26.41	135		3.5w	Onc	3.5
1989	10	22	11	25	45.46	26.39	139		3.9w	Onc	3.9	1990	4	2	13	46	52.43	-3.03	14	6	5.1L	Mus	4.7
1989	11	3	8	30	45.82	26.75	108		3.5w	Onc	3.5	1990	4	26	8	28	45.67	26.57	105		3.8w	Onc	3.8
1989	11	3	10	14	45.16	26.74	167		3.5w	Onc	3.5	1990	4	29	22	26	45.59	26.50	146		3.5w	Onc	3.5
1989	11	3	20	55	45.25	26.08	147		3.8w	Onc	3.8	1990	5	1	8	41	45.62	26.51	139		3.8w	Onc	3.8
1989	11	12	8	10	45.54	26.48	142		3.6w	Onc	3.6	1990	5	2	11	39	57.69	5.67	15		4.5c	FEN	3.7
1989	11	15	2	54	48.75	19.36	8	5.5	4.0S	Lab	4.0	1990	5	12	23	30	45.53	26.36	141		4.0w	Onc	4.0
1989	11	16	16	56	45.84	26.77	71		3.6w	Onc	3.6	1990	5	16	12	32	46.95	10.25	11	5.5	4.1L	ZAMG	3.7
1989	11	16	20	40	45.75	26.69	146		3.9w	Onc	3.9	1990	5	25	6	34	45.39	26.21	141		3.9w	Onc	3.9
1989	11	17	0	54	47.39	11.85	12	5	4.0S	ZAMG	4.0	1990	5	30	10	40	45.83	26.89	91		6.9w	Onc	6.9
1989	11	21	21	52	47.15	14.65	12	5	3.6S	ZAMG	3.6	1990	5	30	10	49	45.94	26.80	94		3.5w	Onc	3.5
1989	11	23	4	10	45.42	26.27	137		4.3w	Onc	4.3	1990	5	30	11	2	45.79	26.84	94		3.9w	Onc	3.9
1989	12	6	0	48	47.27	25.14			3.8w	Onc	3.8	1990	5	30	11	7	45.86	26.80	100		3.6w	Onc	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1990	5	30	11	31	45.86	26.81	89		4.2w	Onc	4.2	1990	6	20	11	53	45.76	26.90	78		3.5w	Onc	3.5
1990	5	30	12	6	45.72	26.81	81		3.7w	Onc	3.7	1990	6	22	19	16	45.44	26.41	143		3.5w	Onc	3.5
1990	5	30	13	19	45.72	26.84	74		3.5w	Onc	3.5	1990	6	26	7	53	45.76	26.78	78		3.5w	Onc	3.5
1990	5	30	13	22	45.87	26.78	93		3.5w	Onc	3.5	1990	6	26	7	54	45.79	26.77	86		3.8w	Onc	3.8
1990	5	30	14	15	45.72	26.65	77		3.7w	Onc	3.7	1990	6	29	20	7	45.78	26.85	79		3.5w	Onc	3.5
1990	5	30	14	16	45.84	26.87	93		3.6w	Onc	3.6	1990	7	1	0	3	45.55	26.48	123		3.8w	Onc	3.8
1990	5	30	15	38	45.81	26.81	90		3.5w	Onc	3.5	1990	7	6	5	57	45.08	26.27	163		3.5w	Onc	3.5
1990	5	30	17	21	45.82	26.86	86		3.7w	Onc	3.7	1990	7	8	9	12	45.66	26.46	154		3.6w	Onc	3.6
1990	5	30	17	47	45.85	26.82	88		3.5w	Onc	3.5	1990	7	16	8	59	45.51	26.37	149		4.1w	Onc	4.1
1990	5	30	20	19	45.81	26.83	86		3.8w	Onc	3.8	1990	8	4	3	56	45.60	26.50	103		3.8w	Onc	3.8
1990	5	31	0	17	45.85	26.91	87		6.4w	Onc	6.4	1990	8	16	16	3	45.51	26.64	117		3.6w	Onc	3.6
1990	5	31	2	25	45.73	26.69	82		3.5w	Onc	3.5	1990	9	2	15	44	45.72	26.50	155		3.6w	Onc	3.6
1990	5	31	4	48	45.77	26.99	79		4.1w	Onc	4.1	1990	9	9	17	50	45.78	26.71	108		3.7w	Onc	3.7
1990	5	31	4	50	45.78	26.85	84		3.5w	Onc	3.5	1990	9	10	8	28	45.84	26.63	85		4.1w	Onc	4.1
1990	6	1	17	23	45.87	26.88	93		3.5w	Onc	3.5	1990	9	10	12	17	70.77	-13.80	10		4.3S	NEIC	4.3
1990	6	1	21	46	45.81	26.76	97		3.7w	Onc	3.7	1990	9	11	17	15	71.66	-2.54	10		4.1S	NEIC	4.1
1990	6	2	14	33	46.53	1.58		5		LLA	3.8	1990	9	14	2	52	71.73	-2.68	10		4.8b	NEIC	4.2
1990	6	8	6	34	45.63	26.54	116		3.7w	Onc	3.7	1990	9	30	18	54	45.63	26.48	77		4.3w	Onc	4.3
1990	6	8	7	21	45.77	26.81	84		3.5w	Onc	3.5	1990	10	2	17	28	44.63	22.45	20		3.5w	Onc	3.5
1990	6	10	15	25	45.78	26.78	85		3.5w	Onc	3.5	1990	10	3	3	54	45.62	26.47	134		4.2w	Onc	4.2
1990	6	13	22	27	45.80	26.80	65		3.7w	Onc	3.7	1990	10	4	8	46	71.61	-4.28	10		3.9S	NEIC	3.9
1990	6	15	22	55	45.79	26.81	80		3.5w	Onc	3.5	1990	10	6	19	9	45.44	26.19	138		4.6w	Onc	4.6
1990	6	18	8	20	45.47	26.31	154		3.5w	Onc	3.5	1990	10	18	10	5	45.72	26.66	152		3.5w	Onc	3.5
1990	6	18	17	3	45.75	26.72	73		3.5w	Onc	3.5	1990	10	29	21	59	45.49	26.44	111		3.5w	Onc	3.5
1990	6	20	2	22	45.85	26.82	90		3.5w	Onc	3.5	1990	11	18	9	7	45.72	26.59	146		4.1w	Onc	4.1

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1990	11	23	23	31	45.61	26.33	149		3.6w	Onc	3.6	1991	7	2	17	16	45.79	26.69	112		3.8w	Onc	3.8
1990	12	3	23	37	45.48	26.35	141		3.6w	Onc	3.6	1991	7	12	10	42	45.38	21.05	11	8	5.6w	Onc	5.6
1990	12	10	3	37	45.76	26.56	158		3.5w	Onc	3.5	1991	7	13	17	27	45.89	22.11			3.7w	Onc	3.7
1990	12	16	16	21	45.74	26.65	133		3.5w	Onc	3.5	1991	7	18	11	56	44.90	22.35	12	8	5.6w	Onc	5.6
1990	12	29	8	33	45.69	26.58	158		4.0w	Onc	4.0	1991	7	18	17	38	45.59	26.43	130		3.8w	Onc	3.8
1991	1	13	3	23	45.76	26.74	121		4.4w	Onc	4.4	1991	7	19	1	27	46.03	22.30	10		3.7w	Onc	3.7
1991	1	31	13	28	45.80	26.77	129		4.2w	Onc	4.2	1991	7	19	5	0	45.54	26.57	125		3.8w	Onc	3.8
1991	2	11	15	43	44.85	6.67		6		LLA	4.2	1991	8	7	7	8	45.57	26.53	143		3.7w	Onc	3.7
1991	2	23	22	36	45.72	26.45	164		3.5w	Onc	3.5	1991	8	8	19	1	45.71	26.61	146		3.8w	Onc	3.8
1991	2	26	3	37	45.77	26.80	129		3.5w	Onc	3.5	1991	8	12	9	19	45.56	26.56	123		3.8w	Onc	3.8
1991	2	28	6	48	45.61	26.35	155		3.8w	Onc	3.8	1991	9	1	1	15	45.48	26.93	22		3.5w	Onc	3.5
1991	4	1	10	10	45.65	26.49	158		4.0w	Onc	4.0	1991	9	10	18	41	45.68	26.56	143		3.9w	Onc	3.9
1991	4	1	11	7	45.49	25.96	131		3.5w	Onc	3.5	1991	9	25	15	1	45.51	26.35	145		4.0w	Onc	4.0
1991	4	28	21	24	45.61	26.41	144		3.9w	Onc	3.9	1991	9	29	21	40	45.52	26.46	130		4.1w	Onc	4.1
1991	4	29	12	17	45.65	26.54	135		3.9w	Onc	3.9	1991	11	14	10	27	45.71	26.45	134		3.5w	Onc	3.5
1991	4	30	18	0	45.57	26.54	129		3.7w	Onc	3.7	1991	11	18	7	8	45.49	26.49	131		3.8w	Onc	3.8
1991	5	2	10	15	47.88	16.37	11	5.5	4.3L	ZAMG	3.9	1991	11	20	1	54	46.72	9.53	7		5.0L	SED	4.6
1991	5	3	22	36	45.72	26.54	148		3.7w	Onc	3.7	1991	11	25	4	57	45.67	26.61	87		3.6w	Onc	3.6
1991	5	9	3	4	45.54	26.43	114		3.5w	Onc	3.5	1991	11	29	2	45	48.20	18.63	17	4.5	3.8S	Lab	3.8
1991	5	19	23	27	45.83	26.82	87		3.6w	Onc	3.6	1991	12	2	8	49	45.45	21.12	9	8	5.5w	Onc	5.5
1991	5	20	15	8	45.45	26.28	130		3.7w	Onc	3.7	1991	12	9	4	39	45.51	26.36	156		4.1w	Onc	4.1
1991	5	22	8	15	45.44	26.25	138		3.5w	Onc	3.5	1991	12	14	13	30	50.72	1.87		5		LLA	3.8
1991	5	25	12	11	45.74	26.75	84		3.7w	Onc	3.7	1991	12	19	3	12	45.80	21.78			3.8w	Onc	3.8
1991	6	5	1	18	45.51	26.45	139		3.8w	Onc	3.8	1992	1	12	7	22	45.54	26.40	137		3.7w	Onc	3.7
1991	6	25	19	46	45.56	26.36	145		3.5w	Onc	3.5	1992	2	22	21	48	45.72	26.46	86		3.6w	Onc	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w	year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1992	2	25	10	49	45.54	26.36	122		3.5w	Onc	3.5	1992	11	10	1	17	45.63	26.50	156		4.5w	Onc	4.5
1992	3	16	23	53	45.55	26.48	123		3.6w	Onc	3.6	1992	11	11	14	6	45.63	26.64	121		4.4w	Onc	4.4
1992	3	31	15	4	45.63	26.58	154		4.7w	Onc	4.7	1992	11	13	0	18	45.77	26.76	127		3.5w	Onc	3.5
1992	4	13	1	20	51.16	5.95	18	7	5.3w	Cam94	5.3	1992	11	21	12	55	45.77	26.68	138		4.6w	Onc	4.6
1992	4	14	1	6	50.94	6.17			3.6w	PHW94	3.6	1992	12	9	23	43	45.57	26.64	117		4.1w	Onc	4.1
1992	4	19	12	20	45.52	26.66	155		3.7w	Onc	3.7	1992	12	15	10	25	45.46	26.20	146		4.2w	Onc	4.2
1992	4	23	16	44	45.50	26.49	137		4.4w	Onc	4.4	1992	12	23	21	5	45.54	20.95	35		4.1L	Zsi94	3.7
1992	5	3	13	10	45.52	26.36	139		4.1w	Onc	4.1	1992	12	26	5	23	59.24	1.49	9		3.9L	Mus	3.6
1992	5	8	6	44	47.16	9.56	10		4.6L	SED	4.2	1992	12	30	21	34	47.71	8.38	22	5	4.0L	Ley96	3.6
1992	5	8	7	51	47.15	9.52	9		4.2L	SED	3.8	1993	1	14	8	23	45.53	20.96	11		3.9L	Zsi94	3.6
1992	5	15	0	43	47.16	9.52	11		3.9L	SED	3.6	1993	1	21	15	1	45.66	26.58	142		3.7w	Onc	3.7
1992	6	2	12	12	45.79	26.81	109		4.2w	Onc	4.2	1993	2	12	4	14	45.67	26.36	120		3.5w	Onc	3.5
1992	6	23	22	51	45.71	26.64	139		3.8w	Onc	3.8	1993	3	1	7	42	49.48	20.90	12	7	5.0S	Lab	5.0
1992	6	24	17	24	45.71	26.61	145		3.8w	Onc	3.8	1993	3	9	14	17	45.56	26.39	148		4.2w	Onc	4.2
1992	6	28	23	19	49.57	20.84	24	5	4.2S	Lab	4.2	1993	3	13	11	36	47.35	-2.43		5.5	LLA		4.0
1992	6	29	0	29	49.52	20.94	14	5.5	4.2S	Lab	4.2	1993	4	9	22	22	45.73	26.58	143		3.5w	Onc	3.5
1992	7	15	17	42	45.57	26.49	128		4.0w	Onc	4.0	1993	4	16	19	56	45.56	26.34	125		3.5w	Onc	3.5
1992	7	21	9	4	45.69	26.65	89		3.5w	Onc	3.5	1993	4	18	2	3	45.59	26.31	145		4.1w	Onc	4.1
1992	8	16	23	58	45.61	26.48	105		4.2w	Onc	4.2	1993	6	18	17	56	47.70	15.85	29	4.5	4.4L	ZAMG	4.0
1992	8	19	15	22	45.52	26.37	139		3.5w	Onc	3.5	1993	7	4	2	32	45.74	26.77	130		3.5w	Onc	3.5
1992	9	22	8	24	48.88	21.95	11	5	3.9S	Lab	3.9	1993	7	10	5	1	45.56	26.56	135		3.5w	Onc	3.5
1992	10	3	0	48	45.47	26.45	146		3.7w	Onc	3.7	1993	7	10	5	40	45.62	26.48	154		3.6w	Onc	3.6
1992	10	6	9	31	45.51	26.41	119		3.9w	Onc	3.9	1993	7	10	8	59	47.13	10.22	19	5	3.9L	ZAMG	3.6
1992	10	12	19	33	45.51	26.53	116		4.6w	Onc	4.6	1993	7	30	14	25	45.73	26.53	123		4.4w	Onc	4.4
1992	11	1	3	40	45.85	26.73	97		3.6w	Onc	3.6	1993	8	1	18	4	44.91	26.96	77		3.8w	Onc	3.8

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1993	8	2	2	22	45.72	26.44	146		3.5w	Onc	3.5
1993	8	16	12	14	45.56	26.35	163		3.8w	Onc	3.8
1993	8	26	21	32	45.66	26.62	146		4.3w	Onc	4.3
1993	8	29	2	2	45.64	26.49	151		3.8w	Onc	3.8
1993	9	3	3	42	45.57	26.54	118		3.6w	Onc	3.6
1993	9	3	17	31	45.25	26.16	143		3.5w	Onc	3.5
1993	9	6	2	56	45.63	26.52	142		3.7w	Onc	3.7
1993	9	17	20	5	45.50	26.51	158		3.6w	Onc	3.6

year	mo	day	h	min	lat	lon	depth	int	M _{orig}	ref	M _w
1993	9	18	8	4	45.83	26.37	155		4.0w	Onc	4.0
1993	10	21	13	14	45.45	26.28	135		3.6w	Onc	3.6
1993	10	31	16	59	45.64	26.54	151		3.8w	Onc	3.8
1993	11	4	10	52	45.66	26.63	132		4.1w	Onc	4.1
1993	11	5	14	41	45.59	26.57	139		3.6w	Onc	3.6
1993	12	11	2	9	45.72	26.72	140		4.1w	Onc	4.1
1993	12	12	2	58	47.08	-0.42		5		LLA	3.8
1993	12	28	22	15	45.69	26.65	145		3.5w	Onc	3.5